

Ammann India Private Limited, Block 157, At Ditasan, P.O : Jagudhan Dist : Mehsana Pin:382710 ,India

Date printed 19.04.2022

Version 01. Supersedes version: 00

Page 1 / 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

AMMANN MULTI PURPOSE GREASE

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Lubricant
Grease
Separating agent

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company **Ammann India Private
Limited, Block no 157,
At Ditasan , P.O:
Jagudan, State
Highway, Mehsana-
382710**

Address enquiries to

Technical information Ganesh.raman@ammann.com
Safety Data Sheet Ganesh.raman@ammann.com

1.4 Emergency telephone number

Company + 91 9687640181

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

Hazard pictograms none
Signal word none
Hazard statements none
Precautionary statements none

2.3 Other hazards

none

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Comment on component parts No dangerous components.
Highly refined mineral oil and additives.
Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

Ammann India Private Limited, Block 157, At Ditasan, P.O : Jagudhan Dist : Mehsana Pin:382710 ,India

Date printed 19.04.2022

Version 01. Supersedes version: 00

Page 2 / 9

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Take off contaminated clothing and wash before reuse.
Inhalation	Ensure supply of fresh air. Remove the victim into fresh air and keep him calm. In the event of symptoms seek medical treatment.
Skin contact	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Get medical advice. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	Foam, dry powder, water spray jet, carbon dioxide.
Extinguishing media that must not be used	Full water jet

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.
Carbon monoxide (CO)
Carbon dioxide (CO₂)
Nitrogen oxides (NO_x).
Sulphur oxides (SO_x).
Phosphorus oxides (PO_x).
Metal oxides.

5.3 Advice for firefighters

Use self-contained breathing apparatus.
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.
Use personal protective equipment.
Some risk of slipping due to spillage of product.
Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, universal absorbent, diatomaceous earth).
Dispose of absorbed material in accordance with the regulations.

Ammann India Private Limited, Block 157, At Ditasan, P.O : Jagudhan Dist : Mehsana Pin:382710 ,India

Date printed 19.04.2022

Version 01. Supersedes version: 00

Page 3 / 9

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.
Material will burn in fire.
Do not eat, drink or smoke when using this product.
Take off contaminated clothing and wash before reuse.
Wash hands before breaks and after work.
Use barrier skin cream.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Prevent penetration into the ground.
Do not store together with oxidizing agents.
Keep container tightly closed.
Keep container in a well-ventilated place.
Keep in a cool place. Store in a dry place.
Protect from heat/overheating and from sun.
Do not keep at temperatures below 0°C.
Recommended storage temperature: 0°C - 40°C

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational
exposure limits to be monitored (GB)

not applicable

8.2 Exposure controls

Additional advice on system design

Ensure adequate ventilation on workstation.
General exposure limit for oil mist should be noted.
Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.

Eye protection

Tightly fitting goggles. (EN 166:2001)

Hand protection

The details concerned are recommendations. Please contact the glove supplier for further information.
0,4 mm; Nitrile rubber, >120 min (EN 374-1/-2/-3).

Skin protection

Oil-resistant protective clothing.

Other

Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
Avoid contact with eyes and skin.
Do not inhale gases/vapours/aerosols.

Respiratory protection

Breathing apparatus in the event of aerosol or mist formation.
Short term: filter apparatus, filter A. (DIN EN 14387)

Thermal hazards

not applicable

Delimitation and monitoring of the
environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

Ammann India Private Limited, Block 157, At Ditasan, P.O : Jagudhan Dist : Mehsana Pin:382710 ,India

Date printed 19.04.2022

Version 01. Supersedes version: 00

Page 4 / 9

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	solid
Color	beige
Odor	characteristic
Odour threshold	No information available.
pH-value	No information available.
pH-value [1%]	No information available.
Boiling point [°C]	No information available
Flash point [°C]	>220
Flammability (solid, gas) [°C]	The product is not explosive.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/ml]	0,94 (20 °C / 68,0 °F)
Bulk density [kg/m³]	not applicable
Solubility in water	insoluble
Partition coefficient [n-octanol/water]	No information available.
Viscosity	No information available.
Relative vapour density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	>160 (Drop Point)
Autoignition temperature [°C]	>250
Decomposition temperature [°C]	No information available.

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Oxidizing agent
Acids

10.6 Hazardous decomposition products

No dangerous reactions known if used as directed.

Ammann India Private Limited, Block 157, At Ditasan, P.O : Jagudhan Dist : Mehsana Pin:382710 ,India

Date printed 19.04.2022

Version 01. Supersedes version: 00

Page 5 / 9

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product
inhalative, Based on the available information, the classification criteria are not fulfilled.:
dermal, Based on the available information, the classification criteria are not fulfilled.:
oral, Based on the available information, the classification criteria are not fulfilled.:

Serious eye damage/irritation Based on the available information, the classification criteria are not fulfilled.

Skin corrosion/irritation Based on the available information, the classification criteria are not fulfilled.

Respiratory or skin sensitisation May produce an allergic reaction.

Calculation method

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — single exposure Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure Based on the available information, the classification criteria are not fulfilled.

Mutagenicity Based on the available information, the classification criteria are not fulfilled.

Reproduction toxicity Based on the available information, the classification criteria are not fulfilled.

Carcinogenicity Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard Based on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.

SECTION 12: Ecological information

12.1 Toxicity

12.2 Persistence and degradability

Behaviour in environment compartments No information available.

Behaviour in sewage plant No information available.

Biological degradability No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

not applicable

12.6 Other adverse effects

Ecological data of complete product are not available.

The product is insoluble in water.

No classification on the basis of the calculation procedure of the preparation directive.

Ammann India Private Limited, Block 157, At Ditasan, P.O : Jagudhan Dist : Mehsana Pin:382710 ,India

Date printed 19.04.2022

Version 01. Supersedes version: 00

Page 6 / 9

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Coordinate disposal with the authorities if necessary.

Waste no. (recommended)

120112* spent waxes and fats
070699

Contaminated packaging

Uncontaminated packaging may be taken for recycling.
Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended)

150110*

SECTION 14: Transport information

14.1 UN number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

Ammann India Private Limited, Block 157, At Ditasan, P.O : Jagudhan Dist : Mehsana Pin:382710 ,India

Date printed 19.04.2022

Version 01. Supersedes version: 00

Page 7 / 9

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EC 2000/532/EC; 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2020)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- Observe employment restrictions for people none

- VOC (2010/75/CE) < 3%

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

Ammann India Private Limited, Block 157, At Ditasan, P.O : Jagudhan Dist : Mehsana Pin:382710 ,India

Date printed 19.04.2022

Version 01. Supersedes version: 00

Page 8 / 9

SECTION 16: Other information

16.1 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV®/TWA = Threshold limit value – time-weighted average
TLV®STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.2 Other information

Classification procedure

Modified position

SECTION 2 been added: The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

SECTION 2 deleted: The product does not require a hazard warning label in accordance with GHS/CLP-directives.

SECTION 2 been added: EUH208 May produce an allergic reaction.

SECTION 2 been added: EUH210 Safety data sheet available on request.

SECTION 9 been added: solid

SECTION 9 deleted: liquid

SECTION 11 been added: May produce an allergic reaction.

SECTION 15 been added: Storage class 11 (VCI)

SECTION 15 deleted: Storage class 10 (VCI)

Ammann India Private Limited, Block 157, At Ditasan, P.O : Jagudhan Dist : Mehsana Pin:382710 ,India

Date printed 19.04.2022

Version 01. Supersedes version: 00

Page 9 / 9