

Printing date 01.03.2016 Version number 9 Revision: 01.03.2016

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: BLASOLUBE® 302 (Universal grease)

· Article number: 00302-01

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the preparation:

For industrial use only

Lubricant

Lubricating grease

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer / Supplier:

**BLASER SWISSLUBE AG** 

Winterseistrasse 22

CH-3415 Hasle-Rüegsau

Switzerland

Tel.: +41 (0)34 460 01 01 Fax: +41 (0)34 460 01 00 E-mail: blaser@blaser.com

#### · Further information obtainable from:

Product Safety Department E-mail: reach@blaser.com

1.4 Emergency telephone number:

Abbreviated dialing: 145 (or: ++41 (0)44/251 51 51) Toxicological Info-Centre CH-Zurich

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture:
- · Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms Void
- · Signal word Void
- Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

Contains N-1-naphthylaniline. May produce an allergic reaction.

· 2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · **Description:** Mineral oil containing lubricating grease with bentonite as thickener.

(Contd. on page 2)



Printing date 01.03.2016 Version number 9 Revision: 01.03.2016

Trade name: BLASOLUBE® 302 (Universal grease)

Declarable, or hazardous compo CAS-no.	·	ntd. of page 1)
CAS: 90-30-2 EINECS: 201-983-0 Reg.nr.: 01-2119488764-27-0000	N-1-naphthylaniline STOT RE 2, H373; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Sens. 1, H317	< 0,50%
CAS: 7632-00-0 EINECS: 231-555-9 Reg.nr.: 01-2119471836-27-0000	sodium nitrite Ox. Sol. 3, H272; Acute Tox. 3, H301; Aquatic Acute 1, H400	< 0,50%
CAS: 95-38-5 EINECS: 202-414-9 Reg.nr.: 01-2119777867-13-0000	Imidazoline - derivative STOT RE 2, H373; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Acute Tox. 4, H302	< 0,25%

#### · Additional information:

Not mentioned CAS-, EINECS- or registration numbers are to be regarded as Proprietary/Confidential. For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information Cool endangered receptacles with water spray.

### **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials. Observe the general safety regulations when handling chemicals.

(Contd. on page 3)



Printing date 01.03.2016 Version number 9 Revision: 01.03.2016

Trade name: BLASOLUBE® 302 (Universal grease)

(Contd. of page 2)

- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions:

Protect from heat and direct sunlight.

Optimal storage temperature between 0 °C and +40 °C.

Duration of storage: In original container, at least 3 years.

· 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values at the workplace: TLV value (oil mist) CH: 5 mg/m3
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the resultant standard EN 374.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

The break through, among others, depending on material density and the type of glove and therefore must be determined in each individual case.

Gloves must be inspected prior to use. Replace when worn!

Impervious gloves: nitrile rubber, minimum thickness of 0.3 mm.

· Penetration time of glove material

The exact breaktrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Eye protector with side protection (framed eyeglasses) EN 166.
- · Body protection: Protective work clothing

#### **SECTION 9: Physical and chemical properties**

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Pasty Colour: Pasty

Odour: Mineral-oil-like
Odour threshold: Not determined.

· **pH-value:** Not applicable.

· Change in condition:

Melting point/Melting range: Not applicable

(Contd. on page 4)



Printing date 01.03.2016 Version number 9 Revision: 01.03.2016

Trade name: BLASOLUBE® 302 (Universal grease)

	(Contd. of pa
Boiling point/Boiling range:	> 300 °C (DIN 51751 / ASTM D86)
Drip point:	not determined or not disposable
Pour point:	Not applicable
Flash point:	> 200 °C (ISO 2592 / ASTM D92)
	(Value for the processed mineral-, ester- or synthetic oil)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	Not applicable
Decomposition temperature:	> 350 °C
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits (@1013 mbar):	
Lower:	Not determined.
Upper:	Not determined.
Oxidising properties	Not applicable.
Vapour pressure:	Not applicable.
Density at 20 °C:	0,94 g/cm <sup>3</sup> (DIN 51757 / ASTM D1217)
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Insoluble.
Partition coefficient (n-octanol/water	er): Not determined.
Viscosity:	
Penetration	250-270 mm/10 @ 25 °C. (ISO 2137 / ASTM D217)
9.2 Other information:	safety relevant data, which has to be considered as product specification

### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity None known if used as directed.
- 10.2 Chemical stability Stable under recommended storage conditions.
- 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

#### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:
- $> 2000 < 5000 \,\text{mg}/\text{kg}$  (oral, rat)
- > 5,100 mg/m<sup>3</sup> 4h (inhalation, rat)

ATE (/	Acute T	oxicity	Estima	ates)
	1.0.50	00040	/1	/ 1

Oral | LD50 | 29310 mg/kg (rat)

90-30-2 N-1	-napht	hylaniline
-------------	--------	------------

Oral LD50 1625 mg/kg (rat)

(Contd. on page 5)



Printing date 01.03.2016 Version number 9 Revision: 01.03.2016

Trade name: BLASOLUBE® 302 (Universal grease)

		(Contd. of page 4)
Dermal	LD50	>5000 mg/kg (rabbit)
7632-00	-0 sod	lium nitrite
Oral	LD50	85 mg/kg (rat)
95-38-5	Imida	zoline - derivative
Oral	LD50	1265 mg/kg (rat) (OECD 401)
Dermal	LD50	>2000 mg/kg (rabbit) (OECD 404) not testet; Bridging method applied

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

#### · 12.1 Toxicity

<ul> <li>Aquatic toxicity:</li> <li>90-30-2 N-1-naphthylaniline</li> <li>NOEC/21d   0,025 mg/l (Daphnia magna)</li> <li>EC50/96h   &gt;10000 mg/L (Bel) (OECD 209)</li> <li>0,44 mg/L (Oncorhynchus mykiss) (OECD 203)</li> <li>EC50/48h   0,32 mg/L (Daphnia magna) (OECD 202)</li> <li>EC50/72h   0,25 mg/L (Algae) (OECD 201)</li> <li>95-38-5 lmidazoline - derivative</li> <li>EC50/96h   0,3 mg/L (Brachydanio rerio) (OECD 203)</li> <li>EC50/48h   0,136 mg/L (Daphnia magna) (OECD 202)</li> <li>EC50/72h   0,03 mg/L (Algae) (OECD 201)</li> </ul>	· · · · · · · · · · · · · · · · ·		
NOEC/21d   0,025 mg/l (Daphnia magna)  EC50/96h   >10000 mg/L (Bel) (OECD 209)	· Aquatic toxicity:		
EC50/96h   >10000 mg/L (Bel) (OECD 209)   0,44 mg/L (Oncorhynchus mykiss) (OECD 203)   0,32 mg/L (Daphnia magna) (OECD 202)   0,25 mg/L (Algae) (OECD 201)     95-38-5 lmidazoline - derivative     EC50/96h   0,3 mg/L (Brachydanio rerio) (OECD 203)     0,136 mg/L (Daphnia magna) (OECD 202)	90-30-2 N-1-naphthylaniline		
0,44 mg/L (Oncorhynchus mykiss) (OECD 203)  EC50/48h	NOEC/21d	0,025 mg/l (Daphnia magna)	
EC50/48h	EC50/96h >10000 mg/L (Bel) (OECD 209)		
EC50/72h	0,44 mg/L (Oncorhynchus mykiss) (OECD 203)		
95-38-5 Imidazoline - derivative  EC50/96h	EC50/48h	C50/48h 0,32 mg/L (Daphnia magna) (OECD 202)	
EC50/96h   0,3 mg/L (Brachydanio rerio) (OECD 203) EC50/48h   0,136 mg/L (Daphnia magna) (OECD 202)	EC50/72h 0,25 mg/L (Algae) (OECD 201)		
EC50/48h 0,136 mg/L (Daphnia magna) (OECD 202)	95-38-5 Imidazoline - derivative		
	EC50/96h 0,3 mg/L (Brachydanio rerio) (OECD 203)		
EC50/72h 0,03 mg/L (Algae) (OECD 201)	EC50/48h	EC50/48h 0,136 mg/L (Daphnia magna) (OECD 202)	
	EC50/72h	EC50/72h 0,03 mg/L (Algae) (OECD 201)	

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow product to reach ground water, water course or sewage system.

Harmful to aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

(Contd. on page 6)



Printing date 01.03.2016 Version number 9 Revision: 01.03.2016

Trade name: BLASOLUBE® 302 (Universal grease)

(Contd. of page 5)

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

12 01 12\* spent waxes and fats

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
14.1 UN-Number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex II and the IBC Code	of Marpol Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
IATA	IATA Dangerous Goods Regulation (DGR) 56th Edition 2015
UN "Model Regulation":	Void

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008: CLP/GHS label elements are issued under section 2.
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

- · Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57
   This preparation does not contain any SVHC ("Substances of Very High Concern")
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

- E



Version number 9 Printing date 01.03.2016 Revision: 01.03.2016

Trade name: BLASOLUBE® 302 (Universal grease)

(Contd. of page 6)

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Regulations / approvals / listings:

Information on REACH registration numbers in section 3:

In case of lack of REACH registration numbers on mentioned hazardous substances at the end of 2010, then these numbers will be known and indicated only in section 3 within its tonnage band for registration, after the end of 2013, respectively by the end of 2018, or are exempt from the REACH regulation (e.g. polymers).

The product is compliant with European Directives 2011/65/EC, 2002/95/EC, WEEE 2002/96/EC, 2003/11/EC, 2005/53/EC and RoHS.

The following substances ARE NOT contained:

Pentabromodiphenylether, Octabromodiphenylether, polybrominated diphenylether (PDBE) and / or polybrominated biphenyls (PBB), lead or it's compounds, cadmium or it's compounds, mercury or it's compounds, chromium Cre+compounds.

#### · IP346:

The contained refined mineral oils are exempt of labelling.

The content of polycyclic aromatic hydrocarbons (PCA) according to IP346 is < 3% (DMSO-extract).

- Department issuing SDS: Product Stewardship
- · Contact: Dr. Mosimann + Mr. Frei

#### · Editor's notice:

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications have not the meaning of guarantees on properties.

### Abbreviations and acronyms:

ICAO: International Civil Aviation Organisation

RoHS: Restriction of Hazardous Substances

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

ISO: International Organisation for Standardisation

DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Ox. Sol. 3: Oxidising Solids, Hazard Category 3

Acute Tox. 3: Acute toxicity, Hazard Category 3

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

\* Data compared to the previous version altered.

The asterisk (\*) on the left side indicate the respective changes from the previous version.