MOTOREX*
Oil of Switzerland

Revision: 06.09,2022

Printing date 06.09.2022

Version number 4.0 (replaces version 3.0)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: FETT 3000

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture

Grease

Only for proper handling.

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

MOTOREX AG Bern–Zürich–Strasse 31, Postfach CH–4901 Langenthal Tel. +41 (0)62 919 75 75 www.motorex.com

- · Further information obtainable from: msds@motorex.com
- · 1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 (UK only).

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- Hazard pictograms Void
- Signal word Void
- · Hazard statements Void
- · Additional information:

Contains Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts. May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

| | Dangerous components: | | |
|---|---------------------------|--|----------|
| Ī | CAS: 4259-15-8 | zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) | ≥1-<2.5% |
| | EINECS: 224-235-5 | Eye Dam. 1, H318; Aquatic Chronic 2, H411 | |
| | Reg.nr.: 01-2119493635-27 | Specific concentration limit: Eye Dam. 1; H318: C ≥ 50 % | |
| Ī | EC number: 939-603-7 | Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium | 0.1% |
| | Reg.nr.: 01-2119978241-36 | salts | |
| | | Skin Sens. 1, H317 | |

· Additional information: For the wording of the listed hazard phrases refer to section 16.

GB

MOTOREX Oil of Switzerland
Revision: 06.09,2022

Printing date 06.09.2022

Version number 4.0 (replaces version 3.0)

Trade name: FETT 3000

(Contd. of page 1)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Remove residues with soap and water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Do not induce vomitting. Do not take in resorption stimulating agents.

Consult a physician who will decide on need and method of emptying the stomach.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: DO NOT USE WATER JET
- 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Store containers closed and protect against rain, dust, heat and other atmospheric influences.
- · Storage class: 11
- · 7.3 Specific end use(s) No further relevant information available.

GB

MOTOREX*
Oil of Switzerland

Revision: 06.09,2022

Printing date 06.09.2022

Version number 4.0 (replaces version 3.0)

Trade name: FETT 3000

(Contd. of page 2)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

· DNELs

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

| 4259-15- | 8 zinc bis[O,O-bis(2-ethylhexyl)] bis(dit | hiophosphat | e) |
|------------|--|----------------------------|-----------------------------|
| Oral | DNEL/general population/Systemic effect | ts/Long-term | 0.19 mg/kg/24h (consumer) |
| Dermal | DNEL / Workers / Systemic effects / Long | g-term | 9.6 mg/kg/24h (worker) |
| | DNEL/general population/Systemic effect | ts/Long-term | 4.8 mg/kg/24h (consumer) |
| Inhalative | DNEL / Workers / Systemic effects / Long-term | | 6.6 mg/m3 (worker) |
| | DNEL/general population/Systemic effects/Long-term | | 1.67 mg/m3 (consumer) |
| PNECs | | | |
| 4259-15- | 8 zinc bis[O,O-bis(2-ethylhexyl)] bis(dit | hiophosphat | e) |
| Oral PNE | EC / Predators / Secondary poisoning | 8.33 mg/kg (predators)) | g food (secondary poisoning |
| PNE | EC / Aquatic organisms / Freshwater | 0.004 mg/l (á | aquatic organisms) |
| PNE | IEC / Aquatic organisms / Marine water 0.0046 mg/l (aquatic organisms) | (aquatic organisms) | |
| | EC/Aquatic org/intermittent ases(freshwater) | 0.044 mg/l (a | aquatic organisms) |
| PNE | EC/Aquatic organisms/Sewage treatment | 3.8 mg/l (aqu | uatic organisms) |

PNEC / Aquatic organisms / Sediment 0.322 mg/kg (aquatic organisms)

PNEC / Aquatic organisms / Sediment 0.0322 mg/kg (aquatic organisms)

0.0619 mg/kg (terrestrial organisms)

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls

plant/STP

(freshwater)

(marine water)

- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

PNEC / Terrestrial organism / Soil

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

· Respiratory protection:

Not necessary if room is well-ventilated.

Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.

Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

Revision: 06.09.2022

Printing date 06.09.2022

Version number 4.0 (replaces version 3.0)

Trade name: FETT 3000

(Contd. of page 3)

· Eye/face protection Not required.

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Solid · Colour: Red-brown · Odour: Characteristic Odour threshold: Not determined. Melting point/freezing point: >260 °C

· Boiling point or initial boiling point and

>250 °C (DIN EN ISO 3405) boiling range

· Flammability Not determined.

· Lower and upper explosion limit

Not determined. · Lower: · Upper: Not determined. >200 °C · Flash point:

Not determined. · Decomposition temperature: · pH Not applicable. · Viscosity: NLGÍ 2

Kinematic viscosity Not applicable.

· Consistency

· Dynamic: Not applicable.

Solubility

Insoluble. · water:

Partition coefficient n-octanol/water (log

Not determined. value) · Heat Capacity

· Vapour pressure:

Density and/or relative density

· Density at 20 °C: 0.94 g/cm3 (ASTM D 4052) · Relative density Not determined. · Vapour density Not applicable.

· 9.2 Other information

· Appearance:

· Form: Pasty

· Important information on protection of health

and environment, and on safety.

Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

Not applicable.

· Change in condition

260 °C · Drip point: · Evaporation rate Not applicable.

· Information with regard to physical hazard

 Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void

(Contd. on page 5)

MOTOREX*
Oil of Switzerland
Revision: 06.09,2022

Printing date 06.09.2022

Version number 4.0 (replaces version 3.0)

Trade name: FETT 3000

| | | (Contd. of page 4 |
|---------------------------------------|------|-------------------|
| · Pyrophoric liquids | Void | |
| · Pyrophoric solids | Void | |
| Self-heating substances and mixtures | Void | |
| · Substances and mixtures, which emit | | |
| flammable gases in contact with water | Void | |
| · Oxidising liquids | Void | |
| Oxidising solids | Void | |
| · Organic peroxides | Void | |
| · Corrosive to metals | Void | |
| · Desensitised explosives | Void | |

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

| · LD/LC5 | 0 values | relevant for classification: |
|----------|----------|---|
| | | pis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) |
| Oral | LD50 | 3,100 mg/kg (rat) |
| | NOAEL | 125 mg/kg/24h (rat) |
| Dermal | LD50 | 5,000 mg/kg (rabbit) |

- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

| · Aquatic | toxicity: |
|-----------|---|
| 4259-15 | -8 zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) |
| LC50 | 46 mg/l/96h (fish) |
| LL50 | 4.4 mg/l/96h (fish) |
| EL50 | 75 mg/l/48h (aquatic invertebrates) |
| EL50 | 240-410 mg/l/72h (algae / cyanobacteria) |
| NOEC | 0.4-0.8 mg/l/21d (aquatic invertebrates) |
| NOELR | 3.2 mg/l/96h (fish) |
| NOELR | 32 mg/l/48h (aquatic invertebrates) |
| LOEC | 0.8 mg/kg/28d (aquatic invertebrates) |

12.2 Persistence and degradability No further relevant information available.

(Contd. on page 6)

MOTOREX*
Oil of Switzerland
Revision: 06.09,2022

Printing date 06.09.2022

Version number 4.0 (replaces version 3.0)

Trade name: FETT 3000

(Contd. of page 5)

· 12.3 Bioaccumulative potential

4259-15-8 zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)

Partition coefficient 3.59 [---] (log Kow) (Bioaccumulation)

- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

| · 14.1 UN number or ID number · ADR/RID/ADN, ADN, IMDG, IATA | Void | |
|--|---------------------------|--|
| · 14.2 UN proper shipping name · ADR/RID/ADN, ADN, IMDG, IATA | Void | |
| 14.3 Transport hazard class(es) | | |
| · ADR/RID/ADN, ADN, IMDG, IATA · Class | Void | |
| · 14.4 Packing group · ADR/RID/ADN, IMDG, IATA | Void | |
| · 14.5 Environmental hazards: · Marine pollutant: | No | |
| 14.6 Special precautions for user | Not applicable. | |
| 14.7 Maritime transport in bulk accordi IMO instruments | ing to Not applicable. | |
| UN "Model Regulation": | Void | |

- GE

MOTOREX Oil of Switzerland
Revision: 06.09,2022

Printing date 06.09.2022

Version number 4.0 (replaces version 3.0)

Trade name: FETT 3000

(Contd. of page 6)

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

- · purity requirement
- · Relevant phrases

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Abteilung Produktsicherheit
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* Data compared to the previous version altered.

Annex: Exposure scenario 1

- · Short title of the exposure scenario Industrial use of lubricants and greases in open systems
- · Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

- · Product category PC24 Lubricants, greases, release products
- · Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC7 Industrial spraying

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC10 Roller application or brushing

(Contd. on page 8)

MOTOREX*
Oil of Switzerland
Revision: 06.09,2022

Printing date 06.09.2022

Version number 4.0 (replaces version 3.0)

Trade name: FETT 3000

(Contd. of page 7)

PROC13 Treatment of articles by dipping and pouring

· Environmental release category

ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- Worker protection
- Organisational protective measures No special measures required.
- Technical protective measures No special measures required.
- Personal protective measures No special measures required.
- Measures for consumer protection No special measures required.
- Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 2

- · Short title of the exposure scenario Professional use of lubricants and greases in open systems
- Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Product category PC24 Lubricants, greases, release products
- Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC10 Roller application or brushing

PROC11 Non industrial spraying

PROC13 Treatment of articles by dipping and pouring

· Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

· Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.

(Contd. on page 9)

MOTOREX*
Oil of Switzerland
Revision: 06.09,2022

Printing date 06.09.2022

Version number 4.0 (replaces version 3.0)

Trade name: FETT 3000

(Contd. of page 8)

- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting consumer exposure Not required.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 3

- · Short title of the exposure scenario Private use of lubricants and greases in open systems
- Sector of Use SU21 Consumer uses: Private households / general public / consumers
- · Product category PC24 Lubricants, greases, release products
- Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor) ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- Guidance for downstream users No further relevant information available.