

GLL 10/N1

Page: 1

Compilation date: 28.03.2007

Revision date: 13.02.2019

Revision No: 4

Sent to: en

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: GLL 10/N1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC24: Lubricants, greases, release products.

1.3. Details of the supplier of the safety data sheet

Company name: CHEMIE-TECHNIK GMBH

Robert-Bosch-Str. 19

D-72189 Vöhringen

Deutschland

Tel: +49-(0)7454 - 9652-0

Fax: +49-(0)7454 - 9652-35

Email: info@elkalub.com

1.4. Emergency telephone number

Emergency tel: +49(0)7454-9652-31, UK call NHS: 111

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 3: H412; Eye Dam. 1: H318

Most important adverse effects: Causes serious eye damage. Harmful to aquatic life with long lasting effects.

2.2. Label elements

| Label elements: | | |
|---------------------------|---|--------|
| Hazard statements: | * H318: Causes serious eye damage. | |
| | H412: Harmful to aquatic life with long lasting effects. | |
| Hazard pictograms: | * GHS05: Corrosion | |
| | | |
| Signal words: | * Danger | |
| Precautionary statements: | * P273: Avoid release to the environment. | |
| | P280: Wear. | |
| | P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove | |
| | contact lenses, if present and easy to do. Continue rinsing. | |
| | P310: Immediately call a. | |
| | P501: Dispose of contents/container to hazardous or special waste collection point. | [cont] |

GLL 10/N1

Page: 2

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

PARAFFINBAS.KOHLENWASSERSTOFFVERBINDUNG

| EINECS | CAS | PBT / WEL | CLP Classification | Percent |
|-----------|------------|--|--------------------|---------|
| 276-735-8 | 72623-83-7 | Substance with a Community workplace exposure limit. | - | 9-30% |

PARAFFINBASISCHES MINERALÖL ISO VG 100

| - | - | Substance with a Community | - | 3-9% |
|---|---|----------------------------|---|------|
| | | workplace exposure limit. | | |

ZINKALKYLDITHIOPHOSPHAT - REACH registered number(s): 01-2120742271-64-XXXX

| 272-028-3 | 68649-42-3 | - | Eye Dam. 1: H318; Skin Irrit. 2: H315; | 3-9% |
|-----------|------------|---|--|------|
| | | | Aquatic Chronic 2: H411 | |

Section 4: First aid measures

| 4.1. Description of first aid m | easures |
|---------------------------------|---|
| Skin contact: | Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash |
| | immediately with plenty of soap and water. |
| Eye contact: | Bathe the eye with running water for 15 minutes. Consult a doctor. |
| Ingestion: | Wash out mouth with water. Do not induce vomiting. Consult a doctor. |
| Inhalation: | Remove casualty from exposure ensuring one's own safety whilst doing so. Move to |
| | fresh air in case of accidental inhalation of vapours. |
| 4.2. Most important symptom | ns and effects, both acute and delayed |
| Skin contact: | There may be irritation and redness at the site of contact. |
| Eye contact: | There may be pain and redness. The eyes may water profusely. There may be severe |
| | pain. The vision may become blurred. May cause permanent damage. |
| Ingestion: | There may be soreness and redness of the mouth and throat. Nausea and stomach |
| | pain may occur. |
| Inhalation: | There may be irritation of the throat with a feeling of tightness in the chest. |
| Delayed / immediate effects: | No data available. |
| 4.3. Indication of any immedi | ate medical attention and special treatment needed |

Section 5: Fire-fighting measures

GLL 10/N1

| | Page : 3 |
|---------------------------------|--|
| 5.1. Extinguishing media | |
| Extinguishing media: | Suitable extinguishing media for the surrounding fire should be used. Use water spray |
| | to cool containers. Carbon dioxide. Alcohol resistant foam. Dry chemical powder. |
| 5.2. Special hazards arising f | rom the substance or mixture |
| Exposure hazards: | In combustion emits toxic fumes. |
| 5.3. Advice for fire-fighters | |
| Advice for fire-fighters: | Wear self-contained breathing apparatus. Wear protective clothing to prevent contact |
| | with skin and eyes. |
| Section 6: Accidental release r | neasures |
| 6.1. Personal precautions, pr | otective equipment and emergency procedures |
| | Mark out the contaminated area with signs and prevent access to unauthorised |
| | personnel. Do not attempt to take action without suitable protective clothing - see section |
| | 8 of SDS. Do not create dust. |
| 6.2. Environmental precautio | ns |
| Environmental precautions: | Do not discharge into drains or rivers. |
| 6.3. Methods and material for | containment and cleaning up |
| Clean-up procedures: | Transfer to a closable, labelled salvage container for disposal by an appropriate |
| | method. Absorb into dry earth or sand. Wash the ground with an appropriate self- |
| | emulsifying solvent. |
| 6.4. Reference to other section | ns |
| Reference to other sections: | Refer to section 8 of SDS. |
| Section 7: Handling and storage | je |
| 7.1. Precautions for safe han | dling |
| | Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. |
| | Avoid the formation or spread of dust in the air. |
| 7.2. Conditions for safe stora | ge, including any incompatibilities |
| | Ensure lighting and electrical equipment are not a source of ignition. 15 - 25° C |
| | Must only be kept in original packaging. |
| 7.3. Specific end use(s) | |
| Specific end use(s): | No data available. |
| Section 8: Exposure controls/ | |
| | |
| 8.1. Control parameters | |

GLL 10/N1

Page: 4

-

Hazardous ingredients:

PARAFFINBAS.KOHLENWASSERSTOFFVERBINDUNG

Workplace exposure limits:

| State | 8 hour TWA | 15 min. STEL | 8 hour TWA | 15 min. STEL |
|-------|-----------------------|--------------|------------|--------------|
| UK | 200 ml/m ³ | - | - | - |

-

Respirable dust

-

PARAFFINBASISCHES MINERALÖL ISO VG 100

| H II | |
|-------------|--|
| LU | |
| | |

DNEL/PNEC Values

DNEL / PNEC No data available.

5 mg/m³ (Oil mist)

8.2. Exposure controls

Engineering measures:Ensure lighting and electrical equipment are not a source of ignition.Respiratory protection:Respiratory protection not required.Hand protection:* Nitrile gloves. Breakthrough time of the glove material > 1 hour.Eye protection:Tightly fitting safety goggles.Skin protection:Protective clothing.Environmental:Refer to specific Member State legislation for requirements under Community environmental legislation.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| State: | Paste | | |
|-------------------------------|----------------------|------------------------------|--------------------|
| Colour: | Black | | |
| Odour: | Characteristic odour | | |
| Solubility in water: | Insoluble | | |
| Viscosity: | Not applicable. | | |
| Boiling point/range°C: | No data available. | Melting point/range°C: | No data available. |
| Flammability limits %: lower: | Not applicable. | upper: | Not applicable. |
| Flash point°C: | > 200 | Part.coeff. n-octanol/water: | No data available. |
| Autoflammability°C: | No data available. | Vapour pressure: | < 0,1 hPa/20°C |
| Relative density: | ~ 0,95 g/cm³ (25 °C) | pH: | Not applicable. |
| VOC g/l: | 0 | | |

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

GLL 10/N1

Page: 5

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Sources of ignition.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ZINKALKYLDITHIOPHOSPHAT

| SCU | RAT | LD50 | > 5000 | mg/kg |
|-----|-----|------|--------|-------|
| SKN | RBT | LD50 | > 2000 | mg/kg |

Toxicity values: No data available.

Symptoms / routes of exposure

 Skin contact:
 There may be irritation and redness at the site of contact.

 Eye contact:
 There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

 Ingestion:
 There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

 Inhalation:
 There may be irritation of the throat with a feeling of tightness in the chest.

 Delayed / immediate effects:
 No data available.

Section 12: Ecological information

12.1. Toxicity

GLL 10/N1

Page: 6

| Species | 3 | Test | Value | Units |
|--|--------------------------|---------------------------|----------------------------|-----------------|
| no data | | no data | no data | - |
| Hazardous ingredients: | | | | |
| ZINKALKYLDITHIOPHOSPHAT | | | | |
| TROUT | | 96H LC50 | 1 - 10 | mg/l |
| 12.2. Persistence and degrac | lability | | | |
| Persistence and degradability: | No data available. | | | |
| 12.3. Bioaccumulative potent | tial | | | |
| Bioaccumulative potential: | No data available. | | | |
| 12.4. Mobility in soil | | | | |
| Mobility: | Insoluble in water. Floa | ts on water. | | |
| 12.5. Results of PBT and vPv | B assessment | | | |
| PBT identification: This product is not identified as a PBT/vPvB substance. | | | | |
| 12.6. Other adverse effects | | | | |
| Other adverse effects: | No data available. | | | |
| ection 13: Disposal consider | ations | | | |
| 13.1. Waste treatment metho | ds | | | |
| Disposal operations: | * Transfer to a suitable | container and arrange | e for collection by specia | lised disposal |
| | company. | | | |
| Recovery operations: | Use principally as a fue | el or other means to ge | enerate energy. | |
| Disposal of packaging: | Dispose of in a regulate | ed landfill site or other | method for hazardous o | r toxic wastes. |
| NB: | The user's attention is | drawn to the possible e | existence of regional or | national |
| | regulations regarding d | isposal. | | |
| ection 14: Transport informa | tion | | | |
| Transport class: | This product does not r | equire a classification | for transport. | |
| | | | | |
| ection 15: Regulatory inform | ation | | | |

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

GLL 10/N1

Page: 7

Section 16: Other information

| Other information | |
|------------------------------|--|
| Other information: | This safety data sheet is prepared in accordance with Commission Regulation (EU) No |
| | 2015/830. |
| | * indicates text in the SDS which has changed since the last revision. |
| Phrases used in s.2 and s.3: | H315: Causes skin irritation. |
| | H318: Causes serious eye damage. |
| | H411: Toxic to aquatic life with long lasting effects. |
| | H412: Harmful to aquatic life with long lasting effects. |
| Legal disclaimer: | The above information is believed to be correct but does not purport to be all inclusive |
| | and shall be used only as a guide. This company shall not be held liable for any |
| | damage resulting from handling or from contact with the above product. |