

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Revision date: 4/8/2022 Version: 7.0 Language: en-DE Date of print: 4/12/2022

AUTOL TOP 2000

Material number 1610 Page: 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: AUTOL TOP 2000

UFI: S000-50TK-N00V-UM4W

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Lubricants, greases, release products (fat)

1.3 Details of the supplier of the safety data sheet

Company name: Eni Schmiertechnik GmbH

Street/POB-No.: Paradiesstaße 14
Postal Code, city: DE-97080 Würzburg

 www:
 www.enischmiertechnik.de

 E-mail:
 info.wuerzburg@eni.com

 Telephone:
 +49 (0)931-90098-0

 Telefax:
 +49 (0)931-98442

Department responsible for information:

Application Engineering & Product Management (AEPM)

Telephone: +49 (0)931-90098-0 E-mail: technik.wuerzburg@eni.com

1.4 Emergency telephone number

GIZ-Nord, Göttingen

Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Eye Irrit. 2; H319 Causes serious eye irritation.

Aquatic Chronic 3; H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (CLP)



Signal word: Warning

Hazard statements: H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

printed by Eni Schmiertechnik GmbH



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Revision date: 4/8/2022 Version: 7.0 Language: en-DE Date of print: 4/12/2022

AUTOL TOP 2000

Material number 1610 Page: 2 of 10

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P264 Wash hands and face thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container to hazardous or special waste collection point.

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Results of PBT and vPvB assessment:

No data available

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: A mixture of base oils and additives.

Hazardous ingredients:

Ingredient	Designation	Content	Classification
REACH 01-2119493635-27-xxxx EC No. 224-235-5 CAS 4259-15-8	Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	< 5 %	Eye Dam. 1; H318. Aquatic Chronic 2; H411.

Full text of H- and EUH-statements: see section 16

Additional information: Information about Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate), Specific

concentration limits (SCL): Eye Dam. 1; H318: C > 50 %

The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: If medical advice is needed, have product container or label at hand.

Take off contaminated clothing and wash it before reuse.

In case of inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable

for breathing. Seek medical attention if problems persist.

Following skin contact: After contact with skin, first remove product with a dry cloth and then wash the skin with

plenty of water. In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids

apart. Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently

consult an ophthalmologist.

After swallowing: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an

unconscious person. Do not induce vomiting. Seek medical attention.



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

AUTOL TOP 2000

Material number 1610 Page:

4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Water spray jet, extinguishing powder, foam, Sand, carbon dioxide.

Co-ordinate fire-fighting measures to the fire surroundings.

Extinguishing media which must not be used for safety reasons:

Full water jet

5.2 Special hazards arising from the substance or mixture

May form dangerous gases and vapours in case of fire.

Furthermore, there may develop: sulphur dioxide (SO2), Nitrogen oxides (NOx),

aldehydes, ketone, carbon monoxide and carbon dioxide.

Danger of formation of toxic pyrolysis products.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information:

Use fine water spray to cool endangered containers. Move undamaged containers from immediate hazard area if it can be done safely.

Contaminated fire-fighting water must be collected separately. Do not allow water used to

extinguish fire to enter drains, ground or waterways.

Fire residuals and contaminated extinguishing water must be disposed of in accordance

with the regulations of the local authorities.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing mist/vapours/spray. Avoid contact with the substance.

If possible, eliminate leakage. Provide adequate ventilation.

Keep unprotected people away.

Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

If necessary notify appropriate authorities.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal.

In case of greater quantities: Collect mechanically (use only explosion-proof equipment when pumping out).

Never return spills in original containers for re-use.

printed by Eni Schmiertechnik GmbH

with Qualisys SUMDAT

3 of 10

Date of print: 4/12/2022

4/8/2022

Revision date:

Version:

Language:



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

AUTOL TOP 2000

Material number 1610 Page: 4 of 10

Revision date:

Date of print: 4/12/2022

Version:

Language:

4/8/2022

Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Avoid breathing

mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear appropriate

protective equipment.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after

handling. Take off contaminated clothing and wash it before reuse.

Have eye wash bottle or eye rinse ready at work place.

Precautions against fire and explosion:

Keep away from heat.

When handling larger quantities, take precautionary measures against electrostatic

charging

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place. Keep container dry. Keep only in the original container.

Protect from heat and direct sunlight. Store containers in upright position.

Protect from frost. Recommended storage temperature: 5 - 40 °C

storage stability: > 6 months (5 - 40 °C)

Hints on joint storage: Do not store together with: oxidizing agents.

Keep away from food, drink and animal feedingstuffs.

Storage class: 12 = Non-combustible liquids

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Provide for good ventilation or exhaust system or work with completely self-contained equipment.

Personal protection equipment

Occupational exposure controls

Respiratory protection: In case of inadequate ventilation wear respiratory protection.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.

printed by Eni Schmiertechnik GmbH



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Revision date: 4/8/2022 Version: 7.0 Language: en-DE Date of print: 4/12/2022

with Qualisys SUMDAT

AUTOL TOP 2000

Material number 1610 Page: 5 of 10

Hand protection: Protective gloves according to EN 374.

Glove material: Nitrile rubber Breakthrough time: 240 min Layer thickness: 0.4 mm

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to EN 166.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:

Avoid breathing mist/vapours/spray. Do not get in eyes, on skin, or on clothing.

Take off contaminated clothing and wash it before reuse.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Have eye wash bottle or eye rinse ready at work place.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa liquid

Form: Paste
Colour: No data available
Odour: Characteristic
Odour threshold: No data available
Melting point/freezing point: > 150 °C (1013 hPa)
initial boiling point and boiling range: > 250 °C (1013 hPa)
Flammability: No data available
Upper/lower flammability or explosive limits: No data available

Flash point/flash point range: > 200 °C

Decomposition temperature: > 240 °C

pH: No data available
Viscosity, kinematic: No data available
Water solubility: Not/slightly miscible
Partition coefficient: n-octanol/water: No data available
Vapour pressure: No data available

Density: at 20 °C: approx. 0.93 g/mL (DIN 51757)

Vapour density: No data available
Particle characteristics: Not applicable

9.2 Other information

Explosive properties: Product is not explosive.

Oxidizing characteristics: No data available

Auto-ignition temperature:

No data available
Evaporation rate:

No data available
Additional information:

No data available

printed by Eni Schmiertechnik GmbH



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

AUTOL TOP 2000

Material number 1610 Page: 6 of 10

4/8/2022

Revision date:

Date of print: 4/12/2022

Version:

Language:

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possilbility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames.

Protect from direct sunlight. Protect from frost.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

No decomposition when used properly.

Thermal decomposition: > 240 °C

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects:

The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Lack of data.

Acute toxicity (dermal): Lack of data.

Acute toxicity (inhalative): Lack of data.

Skin corrosion/irritation: Lack of data.

Serious eye damage/irritation: Eye Irrit. 2; H319 = Causes serious eye irritation.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data. Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

11.2 Information on other hazards

Endocrine disrupting properties:

No data available



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

AUTOL TOP 2000

Material number 1610 Page: 7 of 10

Revision date:

Date of print: 4/12/2022

Version:

Language:

4/8/2022

Symptoms

After eye contact: Upon direct contact with eyes may cause burning, tearing, redness.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Harmful to aquatic life with long lasting effects.

Information about Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

Daphnia toxicity: EL50 Daphnia magna (Big water flea): 75 mg/L/48h (OECD 202)

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

12.2 Persistence and degradability

Further details: No data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 12 01 12* = spent waxes and fats

* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.

Do not dispose of with household waste.

Package

Recommendation: Dispose of waste according to applicable legislation.

Handle contaminated packages in the same way as the substance itself.

Non-contaminated packages may be recycled.

printed by Eni Schmiertechnik GmbH



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Revision date: 4/8/2022 Version: 7.0 Language: en-DE Date of print: 4/12/2022

AUTOL TOP 2000

Material number 1610 Page: 8 of 10

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID, IMDG, IATA-DGR:

not applicable

ADN: ID 9006

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR:

Not restricted

ADN: ID 9006, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR:

not applicable

ADN: Class 9, Code: M12

14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN

model regulations.

Marine pollutant - IMDG: no

14.6 Special precautions for user

Inland waterway craft (ADN)

Hazard label:

Transport permitted:

Equipment necessary:

T

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

Storage class: 12 = Non-combustible liquids

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

Technical guidance air: 5.2.5 Information on working limitations:

Observe employment restrictions for young people.

Further regulations, limitations and legal requirements:

The product is not subject to the Chemicals Prohibition Ordinance (ChemVerbotsV).

printed by Eni Schmiertechnik GmbH



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

AUTOL TOP 2000

Material number 1610 Page: 9 of 10

4/8/2022

Revision date:

Date of print: 4/12/2022

Version:

Language:

National regulations - EC member states



Labelling of packaging with <= 125mL content

Signal word: Warning

Hazard statements: H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 3, 75.

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Further information

Wording of the H-phrases under paragraph 2 and 3:

H318 = Causes serious eye damage.

H319 = Causes serious eye irritation.

H411 = Toxic to aquatic life with long lasting effects.

H412 = Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

AS/NZS: Australian Standards/New Zealand Standards

CAS: Chemical Abstracts Service CFR: Code of Federal Regulations

CLP: Classification, Labelling and Packaging

DMEL: Derived minimal effect level DNEL: Derived no-effect level EC: European Community EL50: Effective loading rate 50%

EN: European Standard EU: European Union

IATA: International Air Transport Association

IBC Code: International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IMDG Code: International Maritime Dangerous Goods Code

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution

from Ships

OSHA: Occupational Safety and Health Administration

PBT: Persistent, bioaccumulative and toxic PNEC: Predicted no-effect concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

vPvB: Very persistent and very bioaccumulative

printed by Eni Schmiertechnik GmbH



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

AUTOL TOP 2000

Material number 1610 Page: 10 of 10

Date of first version: 3/29/2022

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at: http://sumdat.net/9winu1va

4/8/2022

en-DE

Revision date:

Date of print: 4/12/2022

Version:

Language: