

# SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name: AGRIFARM HITEC 2

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricating grease Uses advised against: No uses advised against identified.

### 1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier	FUCHS OIL CORPORATION (PL) Sp. z o. o. ul. Kujawska 102 PL 44-101 Gliwice
Telephone:	+48 32 40 12 200
Fax:	+48 32 40 12 255
<b>Contact Person:</b>	FUCHS OIL CORPORATION (PL) Sp. z o. o.
Telephone:	+48 32 40 12 200
Fax:	+48 32 40 12 255
E-mail:	reach@fuchs-oil.pl

1.4 Emergency telephone number:	+48 32 40 12 200 / +48 32 40 12 276 (7.00 - 15.00)
---------------------------------	--

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation (EU) 1272/2008 (CLP).

### Classification according to Regulation (EC) No 1272/2008 as amended.

Environmental Hazards		
Chronic hazards to the aqu environment	atic Category 3	H412: Harmful to aquatic life with long lasting effects.
Hazard summary Physical Hazards:	No data available.	

### 2.2 Label Elements

Hazard Statement(s): H412: Harmful to aquatic life with long lasting effects.



Precautionary State	ements
Prevention:	P273: Avoid release to the environment.
Disposal:	P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Other hazards:	By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

2.3

**General information:** 

Lubricating grease: Thickener system and additives in solvent refined mineral oil.

Chemical name	Identifier		REACH Registration No.	Notes
dilithium sebacate	EINECS: 242-999-8	1,00 - <5,00%	01-2120119384-60	
Zn compound	EINECS: 234-409-2	1,00 - <2,50%		

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

### Classification

Chemical name	Identifier	Classi	fication
dilithium sebacate	EINECS: 242-999-8	CLP:	Acute Tox. 4;H302
Zn compound	EINECS: 234-409-2		Skin Irrit. 2;H315, Aquatic Acute 1;H400, Aquatic Chronic 1;H410

CLP: Regulation No. 1272/2008.

For the wording of the listed hazard statements refer to section 16.

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."

#### SECTION 4: First aid measures

#### General:

Instantly remove any clothing soiled by the product.

### 4.1 Description of first aid measures

Inhalation:	Supply fresh air; consult doctor in case of symptoms.
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.
Skin Contact:	Wash with soap and water.



### Ingestion: Rinse mouth thoroughly. 4.2 Most important symptoms May cause skin and eye irritation. and effects, both acute and delayed: 4.3 Indication of any immediate Get medical attention if symptoms occur. medical attention and special treatment needed **SECTION 5: Firefighting measures** 5.1 Extinguishing media Suitable extinguishing CO2, fire extinguishing powder or fog like water spraying. Extinguish larger media: fires with alcohol resistant foam or spray water with suitable surfactant added Unsuitable extinguishing Water with a full water jet. media: 5.2 Special hazards arising During fire, gases hazardous to health may be formed. from the substance or mixture: 5.3 Advice for firefighters Special fire fighting Move container from fire area if it can be done without risk. Dispose of fire procedures: debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains. Self-contained breathing apparatus and full protective clothing must be **Special protective** worn in case of fire. equipment for fire-fighters: SECTION 6: Accidental release measures 6.1 Personal precautions, Not required. protective equipment and emergency procedures: **6.2 Environmental Precautions:** Avoid release to the environment. Prevent further leakage or spillage if safe to do so. 6.3 Methods and material for Scrape up spillage or absorb with absorbing material. Dispose of the containment and cleaning material collected according to regulations. Stop the flow of material, if this is without risk. up: 6.4 Reference to other See Section 8 of the SDS for Personal Protective Equipment. See Section sections: 7 for information on safe handling See Section 13 for information on disposal.

Product name: AGRIFARM HITEC 2



SECTION 7: Handling and storage:		
7.1 Precautions for safe handling:	Provide adequate ventilation. Observe good industrial hygiene practices. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products.	
7.2 Conditions for safe storage, including any incompatibilities:	Local regulations concerning handling and storage of waterpolluting products have to be followed.	
7.3 Specific end use(s):	not applicable	
Storage Class:	11, Combustible solids	
SECTION 8: Exposure controls/pe	rsonal protection	
8.1 Control Parameters Occupational Exposure Limits	<b>s</b> None of the components have assigned exposure limits.	
8.2 Exposure controls Appropriate engineering controls:	No special requirements under ordinary conditions of use and with adequate ventilation.	
Individual protection measures, such as personal protective equipment		
General information:	Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.	
Eye/face protection:	Safety glasses (EN 166) recommended during refilling.	
Skin protection Hand Protection:	Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0,38 mm	
	Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.	
Other:	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.	
Respiratory Protection:	Not relevant, due to the form of the product.	
Thermal hazards:	Not known.	



Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.
Environmental Controls:	No data available.

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance	
Physical state:	solid
Form:	Paste
Color:	Brown
Odor:	Characteristic
Odor Threshold:	Not applicable for mixtures
pH:	not applicable
Melting Point:	Not applicable for mixtures
Boiling Point:	not applicable
Flash Point:	not applicable
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	Value not relevant for classification
Flammability Limit - Upper (%)–:	Not applicable for mixtures
Flammability Limit - Lower (%)–:	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures
Vapor density (air=1):	Not applicable for mixtures
Density:	No data available.
Solubility(ies)	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures
Autoignition Temperature:	Value not relevant for classification
Decomposition Temperature:	Value not relevant for classification
NLGI:	2
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
9.2 Other information	No data available.

### SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.



10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.	
10.6 Hazardous Decomposition Products:		
SECTION 11: Toxicological inform	nation	
11.1 Information on toxicological	effects	
Acute toxicity		
Oral Product: Specified substance(s) dilithium sebacate	ATEmix: 16.618 mg/kg LD 50 (Rat): (OECD 420)	
Dermal Product:		
Specified substance(s) dilithium sebacate	Not classified for acute toxicity based on available data. LD 50 (Rat): > 2.000 mg/kg (OECD 402) Based on available data, the classification criteria are not met.	
Inhalation Product: Specified substance(s)	Not classified for acute toxicity based on available data.	
dilithium sebacate	No data available.	
Skin Corrosion/Irritation: Product: Specified substance(s) dilithium sebacate	Based on available data, the classification criteria are not met. OECD 431 Based on available data, the classification criteria are not met.	
	OECD 439 Based on available data, the classification criteria are not met.	
Serious Eye Damage/Eye Irr Product: Specified substance(s)	itation: Based on available data, the classification criteria are not met.	
dilithium sebacate	OECD 405 (Rabbit): Based on available data, the classification criteria are not met.	
Respiratory or Skin Sensitiz Product:	ation: Skin sensitizer: Based on available data, the classification criteria are not met. Respiratory sensitizer: Based on available data, the classification criteria are not met.	
Specified substance(s) dilithium sebacate	, OECD 429 (Mouse) Based on available data, the classification criteria are not met.	



Germ Cell Mutagenicity Product: In vitro Specified substance(s) dilithium sebacate	Based on available data, the classification criteria are not met.
	(OECD 471) Based on available data, the classification criteria are not met.
Carcinogenicity Product:	Based on available data, the classification criteria are not met.
Reproductive toxicity Product:	Based on available data, the classification criteria are not met.
Specific Target Organ Toxicity - Single Exposure   Product: Based on available data, the classification criteria are not met.	
Specific Target Organ Toxicity - Repeated Exposure   Product: Based on available data, the classification criteria are not met.	
Aspiration Hazard Product:	Based on available data, the classification criteria are not met.
Other adverse effects:	No data available.

## **SECTION 12: Ecological information**

### 12.1 Toxicity

Acute toxicity	
Product:	Based on available data, the classification criteria are not met.
Fish Specified substance(s) dilithium sebacate	LC 50 (Fish, 96 h): 100 mg/l (OECD 203)
Aquatic Invertebrates Specified substance(s) dilithium sebacate	EC 50 (Water Flea, 48 h): 100 mg/l (OECD 202)
Chronic ToxicityProduct:	Based on available data, the classification criteria are met.
Toxicity to Aquatic Plants Specified substance(s) dilithium sebacate	EC 50 (Alga, 72 h): 100 mg/l (OECD 201)
12.2 Persistence and Degradabilit	ty
Biodegradation Product:	Not applicable for mixtures



Specified substance(s)	
dilithium sebacate	(OECD 301B) Inherently biodegradable (OECD 301D) Inherently biodegradable (OECD 301D) Inherently biodegradable (OECD 301E) Inherently biodegradable (OECD 302B) Inherently biodegradable
12.3 Bioaccumulative potential Product:	Not applicable for mixtures
12.4 Mobility in soil: Product:	Not applicable for mixtures
12.5 Results of PBT and vPvB assessment:	The product does not contain any substances fulfilling the PBT/vPvB criteria.
12.6 Other adverse effects:	Harmful to aquatic life with long lasting effects.
Water Hazard Class (WGK):	WGK 2: water-endangering.
SECTION 13: Disposal considerations	

# 13.1 Waste treatment methods

General information:	Dispose in accordance with all applicable regulations.
Disposal methods:	Discharge, treatment, or disposal may be subject to national, state, or local laws.
Funences Maste Octor	

European Waste Codes

12 01 12\*: spent waxes and fats

### **SECTION 14: Transport information**

### ADR/RID

14.1 UN Number:	_
14.2 UN Proper Shipping Name:	_
14.3 Transport Hazard Class(es)	
Class:	Non-dangerous goods
Label(s):	_
Hazard No. (ADR):	_
Tunnel restriction code:	_
14.4 Packing Group:	_
14.5 Environmental hazards:	_
14.6 Special precautions for user:	_



ADN 14.1 UN Number: 14.2 UN Proper Shipping Name: 14.3 Transport Hazard Class(es) Class: Label(s): 14.3 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user:	– – Non-dangerous goods – – –
IMPO	
IMDG 14.1 UN Number: 14.2 UN Proper Shipping Name: 14.3 Transport Hazard Class(es) Class: Label(s): EmS No.: 14.3 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user:	– – Non-dangerous goods – – –
	_
IATA 14.1 UN Number: 14.2 Proper Shipping Name: 14.3 Transport Hazard Class(es): Class: Label(s): 14.4 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user:	– – Non-dangerous goods – – –

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: not applicable.

### SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

### **EU Regulations**

Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer: none

Regulation (EC) No. 850/2004 on persistent organic pollutants: none

**15.2 Chemical safety** No Chemical Safety Assessment has been carried out. **assessment:** 

### **SECTION 16: Other information**

**Revision Information:** Vertical lines in the margin indicate an amendment.



### Wording of the H-statements in section 2 and 3

H302 H315 H400 H410 H412	Harmful if swallowed. Causes skin irritation. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.
Other information:	The classification complies with the current EU lists; however, it has been supplemented with expert literature information and information provided by/about our company. It was derived from the test data and/or the application of the conventional method.
Revision Date: Disclaimer:	04.09.2017 The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.