

Printing date 03.05.2018 Version number 4 Revision 03.05.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Interflon Lube PN32
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Lubricant
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Interflon b.v.

P.O. Box 1070

NL-4700 BB Roosendaal

The Netherlands

Tel: +31(0)165.55.39.11

Email: service@interflon.com

www.interflon.com

- · Further information obtainable from: Product safety department
- · 1.4 Emergency telephone number: UK National Poisons Emergency number: +44 870 600 6266

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

Contains Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched). May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Material does not meet the criteria for PBT according to Regulation (EC) No 1907/2006, Annex XIII.
- · vPvB: Material does not meet the criteria for vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Blend of mineral oils, additives and Teflon®.

(Contd. on page 2)



Printing date 03.05.2018 Version number 4 Revision 03.05.2018

Trade name: Interflon Lube PN32

		(Contd. of page 1)
· Dangerous components:		
CAS: 64742-54-7 EINECS: 265-157-1 Reg.nr.: 01-2119484627-25	Distillates (petroleum), hydrotreated heavy paraffinic (Nota L, <3% dimethyl sulfoxide) Asp. Tox. 1, H304	50 – 100%
CAS: 40027-38-1 EINECS: 254-754-2	Oleic acid, compound with (Z)-N-octadec-9-enylpropane-1,3-diamine	0.25 - ≤ 2.5%
	STOT RE 2, H373; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
EC number: 931-384-6 Reg.nr.: 01-2119493620-38	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)	0.25 – ≤1%
	Eye Dam. 1, H318; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Sens. 1, H317	
CAS: 1330-78-5 EINECS: 215-548-8	Tris(methylphenyl) phosphate Repr. 2, H361fd; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.25 - ≤ 2.5%
CAS: 112-90-3 EINECS: 204-015-5	(Z)-octadec-9-enylamine STOT RE 2, H373; Asp. Tox. 1, H304; Skin Corr. 1B, H314; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10); Acute Tox. 4, H302; STOT SE 3, H335	0.025 - ≤ 0.1%

· SVHC

This product does not contain "very worrisome substances" (SVHC) that are very dangerous to human health or the environment. (SVHC < 0.1% (w/w) Regulation (EC) No. 1907/2006 (REACH), Article 57).

· Additional information: See SDS Section 16 for full text of hazard statements.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: If skin irritation or rash occurs: Get medical advice/attention.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed Acute and delayed effects are indicated in sections 2 and 11.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Use fire extingshing methods suitable to surrounding conditions

CO2, sand, extinguishing powder. Do not use water.

Foam

- · For safety reasons unsuitable extinguishing agents: Water
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Carbon monoxide (CO)

Hydrogen fluoride and other fluoride compounds.

(Contd. on page 3)



Printing date 03.05.2018 Version number 4 Revision 03.05.2018

Trade name: Interflon Lube PN32

(Contd. of page 2)

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Use personal protective equipment (EN469).

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Particular danger of slipping on leaked/spilled product.

· 6.2 Environmental precautions:

Do not allow to enter sewers/surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Clear spills immediately.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Remove residues with alkaline cleaning agent.

· 6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in accordance with local/regional/national/international regulations.

Keep container tightly closed.

Store in a dry place.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)



Printing date 03.05.2018 Version number 4 Revision 03.05.2018

Trade name: Interflon Lube PN32

(Contd. of page 3)

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Do not eat, drink, smoke or sniff while working.

- · Respiratory protection: Not required.
- · Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Practical experience has shown that gloves of neoprene, Nitril and PVC offer sufficient protection. Breakthrough time: < 60 minutes

- Penetration time of glove material The penetration times are not determined by method EN 374 Part 3.
- · Eye protection: Goggles (EN166) recommended during refilling
- · **Body protection:** Wear suitable protective clothing (EN ISO 13688).

OT OTT	37.0	TO 2			
SECTIO	$N Y \cdot$	Physical	and c	hemical	properties

9.1 Information on basic physical and c	hemical properties
· General Information	
· Appearance:	
Form:	Fluid
Colour:	Brown
· Odour:	Oily
· Odour threshold:	Not determined.
· pH-value:	Not applicable.
Change in condition	
Melting point/freezing point:	Not applicable.
Initial boiling point and boiling range	: Undetermined.
· Flash point:	> 101 °C
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	> 300 °C
Decomposition temperature:	Not determined.
\cdot Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.



Printing date 03.05.2018 Version number 4 Revision 03.05.2018

Trade name: Interflon Lube PN32

	(Contd. of pag
· Vapour pressure:	Not determined.
Density at 20 °C:	0.86g/cm^3
· Relative density	Not determined.
· Vapour density	Not determined.
Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.
· Viscosity:	
Dynamic at 20 °C:	107 mPas
Kinematic at 40 °C:	$32 \text{ mm}^2/\text{s}$
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No reactivity hazards known under normal storage and use conditions.
- · 10.2 Chemical stability Stable under normal storage and use conditions.
- · Thermal decomposition / conditions to be avoided: To avoid thermal decomposition do not overheat.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Strong oxidising agents.
- · 10.6 Hazardous decomposition products:

Carbon monoxide and partially combusted carbohydrates can be released during thermal decomposition. Fluoride compounds can be released from 400 $^{\circ}$ C.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	0 valu	es relevant for classification:
		eic acid, compound with (Z)-N-octadec-9-enylpropane-1,3-diamine
Oral	LD50	> 2000 mg/kg (Rat) (OECD 423) > 2000 mg/kg (Rabbit) (OECD 405)
Dermal	LD50	> 2000 mg/kg (Rabbit) (OECD 405)
	` ′	ctadec-9-enylamine
Oral	LD50	1689 mg/kg (Rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Subacute to chronic toxicity: No further relevant information available.
- · STOT SE (Specific target organ toxicity single exposure): No further relevant information available.
- · STOT RE (Specific target organ toxicity repeated exposure): No further relevant information available.
- · Additional toxicological information:

The thermal decomposition vapours of fluorinated polymers may cause polymer fume fever, which has flu-like symptoms in humans, especially when smoking contaminated tobacco.

(Contd. on page 6)



Printing date 03.05.2018 Version number 4 Revision 03.05.2018

Trade name: Interflon Lube PN32

(Contd. of page 5)

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

This product does not fulfil the criteria for classification of CMR (carcinogen, mutagen, toxic to reproduction).

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

Harmful to aquatic life with long lasting effects

Harmjui io	uquatic tife with long tasting effects.
40027-38-1	Oleic acid, compound with (Z)-N-octadec-9-enylpropane-1,3-diamine
EC50 48 hr	< 1 mg/l (Daphnia)
112-90-3 (Z)-octadec-9-enylamine
LC50 96 hr	0.11 mg/l (Fish)
EC50 48 hr	0.011 mg/l (Daphnia)
12.2 D .	11 1111 N C A 1 A A C A 111

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Material does not meet the criteria for PBT according to Regulation (EC) No 1907/2006, Annex XIII.
- · vPvB: Material does not meet the criteria for vPvB according to Regulation (EC) No 1907/2006, Annex XIII.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Waste should not be disposed of by release to sewers. Final decisions on the appropriate waste management method, in line with regional, national and European legislation, and possible adaptation to local conditions, remains the responsibility of the waste treatment operator.

	· European	waste catalogue
l	13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils
ı	HP 14	Ecotoxic

(Contd. on page 7)



Printing date 03.05.2018 Version number 4 Revision 03.05.2018

Trade name: Interflon Lube PN32

(Contd. of page 6)

- · Uncleaned packaging:
- · Recommendation:

Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport informat	tion — — — — — — — — — — — — — — — — — — —	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN · Class	Void	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	
· UN ''Model Regulation'':	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

· Relevant phrases (code and full text as stated in chapter 3)

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3.

H302 Harmful if swallowed.

(Contd. on page 8)



Printing date 03.05.2018 Version number 4 Revision 03.05.2018

Trade name: Interflon Lube PN32

(Contd. of page 7)

- H304 May be fatal if swallowed and enters airways.
- H314 Causes severe skin burns and eve damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

· Classification according to Regulation (EC) No 1272/2008

Hazardous to the aquatic environment - long-term (chronic) aquatic hazard

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

- · Department issuing SDS: Product safety department.
- · Contact:

Head Laboratory

Email: service@interflon.com

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal Concentration, 50 percent

LD50: Lethal Dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Classification, Labelling and Packaging of substances and mixtures

EC50: Effective Concentration, 50 percent

IC50: Inhibitory Concentration, 50 percent

LL/EL/IL: Lethal Loading/Exposure Limit/Inhibition Limit

LL50: Lethal Loading, 50 percent

EL50: Effective Loading, 50 percent

IL50: Inhibitory Level, 50 percent

NOEC/NOEL: No Observed Effect Concentration / No Observed Effect Level

OECD: Organisation for Economic Cooperation and Development

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

(Contd. on page 9)



Printing date 03.05.2018 Version number 4 Revision 03.05.2018

Trade name: Interflon Lube PN32

(Contd. of page 8)

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

- · Key literature references and sources for data:
- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)
- ECHA database on registered substances
- EU IUCLID Database
- Material suppliers' data
- * Data compared to the previous version altered.

GR