

Version number 4

Revision: 28.09.2016

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

- · Trade name: KAJO-BIO-Fließfett GE 0
- · Article number: 66251000
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- Application of the substance / the mixture Lubricant for Industrial use
- 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: KAJO-Schmierstoff-Technik GmbH

D 59609 Anröchte

Deutschland

Boschstr. 13

- Further information obtainable from: Department of Environmental Health and Safety: labor@kajo.de
- 1.4 Emergency telephone number: During normal opening times: ++49/2947/881-0

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:
- EUH210 Safety data sheet available on request.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

 Dangerous components: 			
CAS: 108-32-7	propylene carbonate	🗘 Eye Irrit. 2, H319	2.5-<10%
EINECS: 203-572-1			
Index number: 607-194-00-1			

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 2)

Version number 4

Revision: 28.09.2016

Trade name: KAJO-BIO-Fließfett GE 0

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Rinse out mouth and then drink plenty of water.
 Do not induce vomiting: call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed Gastric or intestinal disorders
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Particular danger of slipping on leaked/spilled product.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations.
- 6.4 Reference to other sections See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special measures required.
 Store in cool, dry place in tightly closed receptacles.
 Information about fire - and explosion protection: Avoid oil mist.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions:
- Protect from frost.

Store in cool, dry conditions in well sealed receptacles.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 3)

(Contd. of page 1)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.09.2016

Version number 4

Revision: 28.09.2016

Trade name: KAJO-BIO-Fließfett GE 0

· Additional information: The	(Contd. of page 2 lists valid during the making were used as basis.			
· 8.2 Exposure controls				
· Personal protective equipm	ont:			
· General protective and hygi				
	sures are to be adhered to when handling chemicals.			
Keep away from foodstuffs, be				
Wash hands before breaks ar				
 Respiratory protection: 				
Not necessary if room is well-				
In case of brief exposure or exposure use self-contained r	^r low pollution use respiratory filter device. In case of intensive or longe respiratory protective device.			
· Protection of hands: Recom	mendation: Chemical resistant protective gloves (EN 374)			
 Material of gloves 				
PVC gloves				
Recommended thickness of the				
The selection of the suitable gloves does not only depend on the material, but also on further marks of				
quality and varies from ma	nufacturer to manufacturer. As the product is a preparation of severa			
	the glove material can not be calculated in advance and has therefore to b			
checked prior to the application • Penetration time of glove m				
Value for the permeation: Lev				
	e has to be found out by the manufacturer of the protective gloves and has t			
be observed.	has to be found out by the manufacturer of the protective gloves and has t			
· Eye protection:				
Use safety glasses according	to FN 166 · 2001			
Safety glasses	10 EN 100 : 2001.			
• Body protection: Protective	work clothing			
SECTION 0: Physical a	nd chemical properties			
	ysical and chemical properties			
· General Information				
· Appearance:	Vienne			
Form:	Viscous			
Colour:	Light beige			
· Odour:	Characteristic			
· Odour threshold:	Not determined.			
· pH-value:	Not determined.			

· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
 Explosion limits: Lower: 	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
	(Contd. on page

Version number 4

Revision: 28.09.2016

Trade name: KAJO-BIO-Fließfett GE 0

		(Contd. of page 3)
· Density at 20 °C:	0.95 g/cm ³	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol	/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
Water:	0.3 %	
 9.2 Other information 	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions The product can burn under the influence of high temperatures.
- · 10.4 Conditions to avoid Avoid open flames.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

CAS: 108-32-7 propylene carbonate

Oral LD50 33520 mg/kg (rat)

Dermal LD50 >2000 mg/kg (rabbit)

Primary irritant effect:

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 5)

GB

Safety data sheet according to 1907/2006/EC. Article 31

Printing date 28.09.2016

Version number 4

Revision: 28.09.2016

Trade name: KAJO-BIO-Fließfett GE 0

(Contd. of page 4)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 108-32-7 propylene carbonate

EC50 >1000 mg/kg (daphnia)

LC50 (96 h) >1000 mg/l (ref)

• 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number		
· ADR, ADN, IMDG, IATA	Void	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
 14.3 Transport hazard class(es) 		
· ADR, ADN, IMDG, IATA · Class	Void	
 14.4 Packing group ADR, IMDG, IATA 	Void	
 14.5 Environmental hazards: Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Transport in bulk according to Ann Marpol and the IBC Code 	ex II of Not applicable.	
· UN "Model Regulation":	Void	
		- GB

(Contd. on page 6)

Version number 4

Revision: 28.09.2016

Trade name: KAJO-BIO-Fließfett GE 0

(Contd. of page 5)

GR -

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H319 Causes serious eye irritation.
- · Department issuing MSDS: Department of Environmental Health and Safety:
- · Contact: Dr. John, Mail: labor@kajo.de
- · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 • * Data compared to the previous version altered.