

# SAFETY DATA SHEET SYN 1601

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

# 1. Identification

### **Product identifier**

Product name SYN 1601

**Product number** L0301-039, L0301-040, L0301-040B, L0301-098LT, L0301-035, L0301-098

### Recommended use of the chemical and restrictions on use

**Application** Lubricating grease.

**Uses advised against**No specific uses advised against are identified.

# Details of the supplier of the safety data sheet

Manufacturer Lubriplate Lubricants Co.

Corporate Headquarters 129 Lockwood Street Newark, NJ 07105

Midwest Office & Plant 1500 Oakdale Ave. Toledo, OH 43605 419-691-2491 419-693-3806

# Emergency telephone number

Emergency telephone Chem-Tel: 1-800-255-3924 (US & Canada only)

01-813-248-0585 (Outside US & Canada)

# 2. Hazard(s) identification

### Classification of the substance or mixture

Physical hazards Not Classified

**Health hazards** Skin Sens. 1 - H317

**Environmental hazards** Aquatic Acute 2 - H401 Aquatic Chronic 2 - H411

# Label elements

# Hazard symbols





Signal word Warning

Hazard statements H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

### **SYN 1601**

**Precautionary statements** P261 Avoid breathing dust.

P272 Contaminated work clothing must not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 If on skin: Wash with plenty of water.

P321 Specific treatment (see medical advice on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P501 Dispose of contents/ container in accordance with national regulations.

**Contains** Zinc bis(dibutyldithiocarbamate)

### Other hazards

This product does not contain any substances classified as PBT or vPvB.

### 3. Composition/information on ingredients

#### **Mixtures**

zinc oxide 5-10%

CAS number: 1314-13-2

M factor (Acute) = 1 M factor (Chronic) = 1

### Classification

Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

# Zinc bis(dibutyldithiocarbamate) <1%

CAS number: 136-23-2

M factor (Acute) = 1 M factor (Chronic) = 10

# Classification

Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Skin Sens. 1 - H317 STOT SE 3 - H335 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

# Distillates (petroleum), hydrotreated heavy naphthenic

<1%

CAS number: 64742-52-5

# Classification

Not Classified

The full text for all hazard statements is displayed in Section 16.

# 4. First-aid measures

### Description of first aid measures

# General information If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical

personnel.

# **SYN 1601**

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms

are severe or persist.

Ingestion Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not

induce vomiting unless under the direction of medical personnel.

Skin Contact Rinse with water.

Eye contact Remove any contact lenses and open eyelids wide apart. Rinse with water. Get medical

attention if any discomfort continues.

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue.

Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation A single exposure may cause the following adverse effects: Temporary irritation.

Ingestion May cause discomfort if swallowed.

Skin contact Prolonged contact may cause dryness of the skin.

Eye contact May be slightly irritating to eyes.

Indication of immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry

powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Special hazards arising from the substance or mixture

Specific hazards None known.

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances:

Harmful gases or vapors.

Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapors. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Avoid discharge to the aquatic

environment. Control run-off water by containing and keeping it out of sewers and

watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves will

provide a basic level of protection for chemical incidents.

### 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be

taken without appropriate training or involving any personal risk. Do not touch or walk into

spilled material.

**Environmental precautions** 

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the

aquatic environment.

# Methods and material for containment and cleaning up

Methods for cleaning up Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills

immediately and dispose of waste safely. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. For waste disposal, see

Section 13.

**Reference to other sections** For personal protection, see Section 8. See Section 11 for additional information on health

hazards. See Section 12 for additional information on ecological hazards. For waste disposal,

see Section 13.

### 7. Handling and storage

# Precautions for safe handling

Usage precautions Read and follow manufacturer's recommendations. Wear protective clothing as described in

Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. Avoid discharge to the aquatic environment.

Advice on general

occupational hygiene

Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash

before reuse. Wash contaminated clothing before reuse.

# Conditions for safe storage, including any incompatibilities

**Storage precautions** Store away from incompatible materials (see Section 10). Keep only in the original container.

Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect

containers from damage.

Storage class Miscellaneous hazardous material storage.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

# 8. Exposure controls/Personal protection

# Control parameters

# Occupational exposure limits

Long-term exposure limit (8-hour TWA): ACGIH 5 mg/m³ inhalable fraction

# zinc oxide

Long-term exposure limit (8-hour TWA): OSHA 5 mg/m³ fume

Long-term exposure limit (8-hour TWA): OSHA 15 mg/m³ total dust

Long-term exposure limit (8-hour TWA): ACGIH 2 mg/m³ respirable fraction Short-term exposure limit (15-minute): ACGIH 10 mg/m³ respirable fraction Long-term exposure limit (8-hour TWA): OSHA 5 mg/m³ respirable fraction

#### Distillates (petroleum), hydrotreated heavy naphthenic

Mineral oil, excluding metal working fluids (pure, highly and severely refined) ACGIH

OSHA = Occupational Safety and Health Administration.

ACGIH = American Conference of Governmental Industrial Hygienists.

zinc oxide (CAS: 1314-13-2)

Immediate danger to life 500 mg/m³ and health

### **Exposure controls**

#### Protective equipment





Appropriate engineering

controls

Provide adequate ventilation. Observe any occupational exposure limits for the product or

ingredients.

**Eye/face protection**Unless the assessment indicates a higher degree of protection is required, the following

protection should be worn: Tight-fitting safety glasses.

Hand protection No specific hand protection recommended. Avoid contact with skin.

Other skin and body

protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke

when using this product.

Respiratory protection Ensure all respiratory protective equipment is suitable for its intended use and is NIOSH

approved. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with OSHA 1910.134. Full face mask respirators with replaceable filter cartridges should comply with OSHA 1910.134. Half mask and quarter mask respirators with replaceable filter cartridges should comply with OSHA 1910.134.

**Environmental exposure** 

controls

Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### 9. Physical and chemical properties

# Information on basic physical and chemical properties

Appearance Grease.

Color Off-white.

Odor Mineral oil

Odor threshold Not available.

pH Not available.

Melting point Pour Point: -45.6 to -42.8°C/-50 to -45°F

Initial boiling point and range >288°C/>550.4°F

Flash point 260 to 262°C/500 to 503.6°F Cleveland open cup.

**Evaporation rate** < 0.01 (butyl acetate = 1)

### **SYN 1601**

Evaporation factor Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or

explosive limits

Lower flammable/explosive limit: 0.9 % Upper flammable/explosive limit: 7 %

Vapor pressure <0.0013 kPa @ 20°C

Vapor density < 1

Relative density 0.96

Bulk density Not available.

Solubility(ies) Insoluble in water.

Partition coefficient Not available.

Auto-ignition temperature Not available.

**Decomposition Temperature** Not available.

Viscosity 218 to 446 cSt @ 40°C/104°F 26 to 45 cSt @ 100°C/212°F

**Explosive properties** Not considered to be explosive.

Oxidizing properties Does not meet the criteria for classification as oxidizing.

# 10. Stability and reactivity

**Reactivity** See the other subsections of this section for further details.

Stable at normal ambient temperatures and when used as recommended. Stable under the

prescribed storage conditions.

Possibility of hazardous

reactions

No potentially hazardous reactions known.

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

Materials to avoid

No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

Hazardous decomposition

products

Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.

### 11. Toxicological information

### Information on toxicological effects

Acute toxicity - oral

Summary

Based on available data the classification criteria are not met.

Notes (oral LD₅₀)

Based on available data the classification criteria are not met.

**ATE oral (mg/kg)** 16,666.67

Acute toxicity - dermal

Summary

Based on available data the classification criteria are not met.

Notes (dermal LD<sub>50</sub>)

Based on available data the classification criteria are not met.

Acute toxicity - inhalation

**Summary** Based on available data the classification criteria are not met.

Notes (inhalation LC50) Based on available data the classification criteria are not met.

ATE inhalation (vapours mg/l) 366.67

Skin corrosion/irritation

**Summary** Based on available data the classification criteria are not met.

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

**Summary** Based on available data the classification criteria are not met.

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitization

Summary Based on available data the classification criteria are not met.

**Respiratory sensitization** Based on available data the classification criteria are not met.

Skin sensitization

**Summary** Based on available data the classification criteria are not met.

**Skin sensitization** May cause sensitization or allergic reactions in sensitive individuals.

Germ cell mutagenicity

**Summary** Based on available data the classification criteria are not met.

**Genotoxicity - in vitro**Based on available data the classification criteria are not met.

Carcinogenicity

**Summary** Based on available data the classification criteria are not met.

**Carcinogenicity** Based on available data the classification criteria are not met.

**IARC carcinogenicity** None of the ingredients are listed or exempt.

Reproductive toxicity

**Summary** Based on available data the classification criteria are not met.

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

**Reproductive toxicity -** Based on available data the classification criteria are not met.

development

Specific target organ toxicity - single exposure

**Summary** Based on available data the classification criteria are not met.

**STOT - single exposure**Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

**Summary** Based on available data the classification criteria are not met.

**STOT - repeated exposure** Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Summary Not relevant. Solid.

Aspiration hazard Not relevant. Solid.

# **SYN 1601**

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

**Inhalation** A single exposure may cause the following adverse effects: Temporary irritation.

**Ingestion** May cause discomfort if swallowed.

**Skin Contact** Prolonged contact may cause dryness of the skin.

**Eye contact** May be slightly irritating to eyes.

Route of exposure Ingestion Inhalation Skin and/or eye contact

**Target Organs** No specific target organs known.

### Toxicological information on ingredients.

# Zinc bis(dibutyldithiocarbamate)

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC<sub>50</sub>) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Irritating.

Serious eye damage/irritation

\_\_\_\_\_

Serious eye Causes serious eye irritation.

damage/irritation

Respiratory sensitization

Respiratory sensitization Based on available data the classification criteria are not met.

Skin sensitization

**Skin sensitization** May cause skin sensitization or allergic reactions in sensitive individuals.

Germ cell mutagenicity

**Genotoxicity - in vitro**Based on available data the classification criteria are not met.

Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.

**IARC carcinogenicity**None of the ingredients are listed or exempt.

Reproductive toxicity

Reproductive toxicity -

fertility

Based on available data the classification criteria are not met.

Reproductive toxicity -

development

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

**STOT - single exposure** STOT SE 3 - H335 May cause respiratory irritation.

Target organs Respiratory system, lungs

### **SYN 1601**

# Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Not relevant. Solid.

**General information** The severity of the symptoms described will vary dependent on the concentration

and the length of exposure.

**Inhalation** A single exposure may cause the following adverse effects: Irritation of nose, throat

and airway. Difficulty in breathing. Coughing.

Ingestion May cause sensitization or allergic reactions in sensitive individuals. May cause

irritation.

**Skin Contact** May cause skin sensitization or allergic reactions in sensitive individuals. Redness.

Irritating to skin.

Eye contact Irritating to eyes.

Route of exposure Ingestion Inhalation Skin and/or eye contact

Target Organs Respiratory system, lungs

**Medical considerations** Skin disorders and allergies.

### Amine neutralized dinonylnaphthalene sulfonic acid

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC<sub>50</sub>) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Irritating

Serious eye damage/irritation

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory sensitization

**Respiratory sensitization** Based on available data the classification criteria are not met.

Skin sensitization

**Skin sensitization** Based on available data the classification criteria are not met.

Germ cell mutagenicity

**Genotoxicity - in vitro**Based on available data the classification criteria are not met.

Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.

**IARC carcinogenicity**None of the ingredients are listed or exempt.

### **SYN 1601**

Reproductive toxicity

Reproductive toxicity -

Based on available data the classification criteria are not met.

fertility

Reproductive toxicity -

development

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

**STOT - single exposure** Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

**Aspiration hazard** Based on available data the classification criteria are not met.

.

General information The severity of the symptoms described will vary dependent on the concentration

and the length of exposure.

**Inhalation** No specific symptoms known.

**Ingestion** May cause irritation.

**Skin Contact** Redness. Irritating to skin.

Eye contact Irritating to eyes.

Route of exposure Ingestion Inhalation Skin and/or eye contact

**Target Organs** No specific target organs known.

# 12. Ecological information

**Toxicity** Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.

Acute aquatic toxicity

**Summary** Based on available data the classification criteria are not met.

Chronic aquatic toxicity

**Summary** Toxic to aquatic life with long lasting effects.

Ecological information on ingredients.

zinc oxide

**Toxicity** Aquatic Acute 1 - H400 Very toxic to aquatic life. Aquatic Chronic 1 - H410 Very

toxic to aquatic life with long lasting effects.

Acute aquatic toxicity

**LE(C)**<sub>50</sub>  $0.1 < L(E)C50 \le 1$ 

M factor (Acute)

**Chronic aquatic toxicity** 

M factor (Chronic) 1

Zinc bis(dibutyldithiocarbamate)

# **SYN 1601**

Toxicity Aquatic Acute 1 - H400 Very toxic to aquatic life. Aquatic Chronic 1 - H410 Very

toxic to aquatic life with long lasting effects.

Acute aquatic toxicity

**LE(C)**<sub>50</sub>  $0.1 < L(E)C50 \le 1$ 

M factor (Acute) 1

Chronic aquatic toxicity

**NOEC** 0.001 < NOEC ≤ 0.01

**Degradability** Non-rapidly degradable

M factor (Chronic) 10

Persistence and degradability

Persistence and degradability The degradability of the product is not known.

Ecological information on ingredients.

zinc oxide

Persistence and degradability

The degradability of the product is not known.

Zinc bis(dibutyldithiocarbamate)

Persistence and degradability

The degradability of the product is not known.

Bioaccumulative potential

Bio-Accumulative Potential No data available on bioaccumulation.

Partition coefficient Not available.

Ecological information on ingredients.

zinc oxide

Bio-Accumulative Potential No data available on bioaccumulation.

Zinc bis(dibutyldithiocarbamate)

Bio-Accumulative Potential No data available on bioaccumulation.

Mobility in soil

Mobility No data available.

Ecological information on ingredients.

zinc oxide

Mobility No data available.

Zinc bis(dibutyldithiocarbamate)

Mobility No data available.

Other adverse effects

Other adverse effects None known.

Ecological information on ingredients.

#### zinc oxide

Other adverse effects None known.

# Zinc bis(dibutyldithiocarbamate)

Other adverse effects None known.

### 13. Disposal considerations

# Waste treatment methods

General information The generation of waste should be minimized or avoided wherever possible. Reuse or recycle

products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product

residues and hence be potentially hazardous.

**Disposal methods** Do not empty into drains.

# 14. Transport information

General For limited quantity packaging/limited load information, consult the relevant modal

documentation using the data shown in this section.

**UN Number** 

**UN No. (TDG)** 3077

**UN No. (IMDG)** 3077

UN No. (ICAO) 3077

**UN No. (DOT)** UN3077

UN proper shipping name

Proper shipping name (TDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS zinc oxide,

Zinc bis(dibutyldithiocarbamate))

Proper shipping name (IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS zinc oxide,

Zinc bis(dibutyldithiocarbamate))

Proper shipping name (ICAO) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS zinc oxide,

Zinc bis(dibutyldithiocarbamate))

Proper shipping name (DOT) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS zinc oxide,

Zinc bis(dibutyldithiocarbamate))

Transport hazard class(es)

DOT hazard class 9

DOT hazard label 9

TDG class 9

TDG label(s) 9

IMDG Class 9

### ICAO class/division 9

### Transport labels



### **DOT transport labels**



# Packing group

TDG Packing Group III

IMDG packing group III

ICAO packing group

DOT packing group III

# **Environmental hazards**

# **Environmentally Hazardous Substance**



# Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**EmS** F-A, S-F

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

# 15. Regulatory information

Regulatory References OSHA Hazard Communication Standard 29 CFR §1910.1200

### **US Federal Regulations**

# SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed or exempt.

# CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are listed or exempt.

# SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed or exempt.

# SARA 313 Emission Reporting

The following ingredients are listed or exempt:

Antimony tris[O,O-dipropyl] tris(dithiophosphate)

1.0 %

Zinc bis(dibutyldithiocarbamate)

1.0 %

Dec-1-ene, homopolymer, hydrogenated.dec-1-ene, oligomers, hydrogenated

1.0 %

zinc oxide

1.0 %

#### **CAA Accidental Release Prevention**

None of the ingredients are listed or exempt.

#### FDA - Essential Chemical

None of the ingredients are listed or exempt.

### FDA - Precursor Chemical

None of the ingredients are listed or exempt.

# SARA (311/312) Hazard Categories

Respiratory or skin sensitization

# **OSHA Highly Hazardous Chemicals**

None of the ingredients are listed or exempt.

# **US State Regulations**

# California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed or exempt.

# California Air Toxics "Hot Spots" (A-I)

The following ingredients are listed or exempt:

zinc oxide

# California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed or exempt.

### California Directors List of Hazardous Substances

The following ingredients are listed or exempt:

zinc oxide

# Massachusetts "Right To Know" List

The following ingredients are listed or exempt:

Distillates (petroleum), hydrotreated light paraffinic

zinc oxide

# Rhode Island "Right To Know" List

The following ingredients are listed or exempt:

zinc oxide

# Minnesota "Right To Know" List

The following ingredients are listed or exempt:

zinc oxide

# New Jersey "Right To Know" List

The following ingredients are listed or exempt:

zinc oxide

### **SYN 1601**

### Pennsylvania "Right To Know" List

The following ingredients are listed or exempt:

zinc oxide

#### **Inventories**

#### **US-TSCA**

All the ingredients are listed or exempt.

### US - TSCA 12(b) Export Notification

None of the ingredients are listed or exempt.

### 16. Other information

# Abbreviations and acronyms used in the safety data sheet

TDG: The transport of dangerous goods act

IATA: International air transport association.

ICAO: Technical instructions for the safe transport of dangerous goods by air.

IMDG: International maritime dangerous goods.

CAS: Chemical abstracts service. ATE: Acute toxicity estimate.

LC₅o: Lethal concentration to 50 % of a test population.

LD<sub>50</sub>: Lethal dose to 50% of a test population (median lethal dose).

EC₅o: 50% of maximal effective concentration.

PBT: Persistent, bioaccumulative and toxic substance. vPvB: Very persistent and very bioaccumulative.

Classification abbreviations

and acronyms

Aquatic Chronic = Hazardous to the aquatic environment (chronic)

**Training advice** Only trained personnel should use this material.

Revision date 9/18/2019

Revision 2

Supersedes date 9/18/2019

**SDS No.** 5033

Hazard statements in full H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H400 Very toxic to aquatic life. H401 Toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

**End of SDS** 

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.