*Printing date 17.02.2025 Version n*° 21 *Revision: 17.02.2025* 

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: LCH 600
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- · Application of the substance / the mixture High temperature grease
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

MOLYDAL SA

221 Rue Paul Langevin

60744 SAINT MAXIMIN - FRANCE

TEL: + 33 (0)3 44 61 76 76 FAX: + 33 (0)3 44 25 17 78

www.molydal.com

Further information obtainable from:

regulatory department molydal@molydal.com

• 1.4 Emergency telephone number: National emergency phone number: +36 80 20 11 99

## SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

*P264* Wash thoroughly after handling.

*P280* Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P337+P313 If eye irritation persists: Get medical advice/attention.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

GB

*Printing date 17.02.2025 Version n° 21 Revision: 17.02.2025* 

Trade name: LCH 600

(Contd. of page 1)

## SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 38900-29-7	Dilithium azelate	2.5-10%
EINECS: 254-184-4	<b>♦</b> Acute Tox. 4, H302	
Reg.nr.: 01-2120119814-57-	xxxx	
CAS: 552-38-5	lithium salicylate	≥2.5-<3%
EINECS: 209-011-7	📀 Skin Corr. 1A, H314; Eye Dam. 1, H318; 🔱 Acute Tox. 4,	
Reg.nr.: 01-2120764186-49-	xxxx H302	

#### · Additional information

Mineral oil based product with DMSO extract <3%, according to IP 346.

For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

· After skin contact

*Immediately wash with water and soap and rinse thoroughly.* 

Immediately remove all soiled and contaminated clothing

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents CO2, powder or water spray. Fight larger fires with water spray.
- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture

*In case of fire, the following can be released:* 

Carbon monoxide (CO)

Carbon dioxide (CO2)

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- · For non-emergency personnel

Keep away from heat, hot surfaces, sparks, open flames and other sources of ignition. Do not smoke. Seal the leak if it can be done safely.

- · For emergency responders Wear safety equipment. Remove unprotected persons.
- · 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

(Contd. on page 3)

Printing date 17.02.2025 Version n° 21 Revision: 17.02.2025

Trade name: LCH 600

(Contd. of page 2)

· 6.3 Methods and material for containment and cleaning up: Pick up mechanically.

· 6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

· Information about fire - and explosion protection: Protect from heat.

#### · Handling

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Do not eat, drink, smoke or sniff while working.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: Keep only in the original container
- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- Recommended storage temperature:  $0 \sim 25$  °C
- · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · 8.2 Exposure controls
- · Appropriate engineering controls Ensure good ventilation/exhaustion at the workplace.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

 ${\it The usual precautionary measures are to be adhered to when handling chemicals.}$ 

Respiratory protection:

*Use suitable respiratory protective device in case of insufficient ventilation.* 

Short term filter device:

Filter A/P2.

### · Hand protection

Protective gloves.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · For the permanent contact gloves made of the following materials are suitable: Nitrile rubber, NBR
- · Eye/face protection Tightly sealed goggles.
- · Body protection: Protective work clothing.
- · Environmental exposure controls Do not allow product to reach sewage system or any water course.

GR

Trade name: LCH 600

(Contd. of page 3)

## SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Melting point/freezing point:

Solid.
Green

characteristic
undetermined

· Boiling point or initial boiling point and boiling

range undetermined
• Flammability Not determined.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable

• Ignition temperature: Product is not selfigniting.

• Decomposition temperature: Not determined. • pH Not applicable.

· Viscosity:

Kinematic viscositydynamic:Not applicable.Not determined.

Solubility

• Water: Insoluble • Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure: Negligible at usual storage, handling and use temperatures

· Vapour pressure:

• Density at 20 °C: 0.92 g/cm³ (NFT 30-020)

Vapour density Not applicable.Particle characteristics Not applicable.

• 9.2 Other information Un-worked penetration  $25^{\circ}C$ :

265 - 295 1/10 mm

• Explosive properties: Product does not present an explosion hazard.

· Solvent content:

· Volatile Organic Compound: without

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No specific data available for this product
- · 10.2 Chemical stability Stable under normal conditions of use
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

### SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

### 38900-29-7 Dilithium azelate

Oral LD50 >300 mg/kg (rat)
Dermal LD50 >2,000 mg/kg (rat)

#### 552-38-5 lithium salicylate

Oral LD50 550 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Causes skin irritation.

(Contd. on page 5)

Trade name: LCH 600

(Contd. of page 4)

- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

· Other information No further relevant information available.

## SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability Not easily biodegradable
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substance assessed as PBT or vPvB

· 12.6 Endocrine disrupting properties

None of the ingredients is listed.

- · 12.7 Other adverse effects
- · Ecotoxical effects: No further relevant information available.

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.

(Contd. on page 6)

*Printing date 17.02.2025 Version n*° 21 *Revision: 17.02.2025* 

Trade name: LCH 600

(Contd. of page 5)

· UN "Model Regulation":

Void

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Substances of very high concern (SVHC) according to REACH, Article 57

Do not contain or in a quantity < 0.1% SVHC substance weight (extremely worrying chemical substances) listed on the « candidate list »

· List of substances subject to authorisation (ANNEX XIV)

Do not contain any substance submitted to authorization according to annex XIV

· TSCA (Toxic Substances Control Act): (Substances not listed)

All ingredients are listed.

· Philippines Inventory of Chemicals and Chemical Substances: (Substances not listed)

552-38-5 lithium salicylate

· Chinese Chemical Inventory of Existing Chemical Substances: (Substances not listed)

All ingredients are listed.

Domestic Substances List - Non Domestic Substances List: (Substances not listed)

All ingredients are listed.

· Korean Existing Chemical Inventory: (Substances not listed)

All ingredients are listed.

· AICS - Australian Inventory of Chemical Substances: (Substances not listed)

All ingredients are listed.

· New Zealand Inventory of Chemicals: (Substances not listed)

552-38-5 lithium salicylate

- · Poisons Act
- Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (UK ANNEX XIV)
- · Waterhazard class: Generally not hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

· Abbreviations and acronyms:

ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 7)

(Contd. of page 6)

## Safety data sheet according to UK REACH

*Printing date 17.02.2025 Version n*° 21 *Revision: 17.02.2025* 

Trade name: LCH 600

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) ISO: International Organisation for Standardisation

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

TLV: Threshold Limit Value IBC: intermediate bulk container

EuPCS: European product classification system

GB CLP: Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures

MARPOL: International Convention for the Prevention of pollution from Ships

OEL: Occupational Exposure Limits
Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

· \* Data compared to the previous version altered.

GB