

# SAFETY DATA SHEET

According to EC Regulation 1907/2006/EC - revision 2020/878

Revision No. 4.6

Print Date 07/02/2025

Creation Date 02/02/2015

Revision date 31/12/2024

## SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

### 1.1. Product identifier

Product Name: K NATE HV  
Product Code: 2160G  
UFI: DPC3-S0W9-S004-5DG0

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Recommended use

Grease.

### 1.3. Details of the supplier of the safety data sheet

NCH UK & Ireland,  
Arrowmere House, Bilston,  
WV14 0QL  
Tel (UK): 01902 510200, Tel (Ireland): 042 939 5502  
E-mail address technical\_uk@nch.com  
Website address www.ncheurope.com

### 1.4. Emergency telephone number

UK - 01902 510200 (available during Office Hours)  
In Republic of Ireland (available from 8am to 10pm daily): 01 809 2166

## SECTION 2. HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP/GHS) and its adaptations

Eye irritation: Category 2  
H319 - Causes serious eye irritation

### 2.2. Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP/GHS)



Signal word Warning

#### Hazard statements

H319 - Causes serious eye irritation

#### Precautionary statements

P337 + P313 - If eye irritation persists: Get medical advice/attention

P280 - Wear eye protection/ face protection

Keep out of reach of children

### 2.3. Other hazards

No additional hazards identified.

The components in this formulation do not meet the criteria for classification as PBT or vPvB. As defined under the regulation EC 1907/2006.

The product does not contain substances that have been identified as an endocrine disruptor (REACH - Article 57(f))

## SECTION 3. COMPOSITION / INFORMATION OF INGREDIENTS

### 3.2 Mixture

Chemical name	CAS No.	EC No (EU Index No)	EU - REACH reg number	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Notes
Lubricating Oils	64742-62-7	265-166-0	01-2119480472-38	25 - < 50	-	L
Benzenesulfonic acid, C10-13- (linear)alkyl derivs., calcium salt	1335202-81-7	932-231-6	01-2119560592-37	1 - < 3	Eye Dam. 1 (H318) Skin Irrit. 2 (H315) Aquatic Chronic 3 (H412)	

This mixture contains substances with a Community workplace exposure limit. For any H statements mentioned in this section, see the full text in section 16.

#### EU Notes

Note L - The classification as a carcinogen does not apply as the substance contains less than 3% DMSO extract ( IP 346)

## SECTION 4. FIRST AID MEASURES

### 4.1. Description of first aid measures

#### General advice

Get medical attention immediately if symptoms occur.

#### Eye Contact

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

#### Skin Contact

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Do not use solvents or thinners. Get medical attention if irritation develops and persists.

#### Ingestion

Do NOT induce vomiting. Rinse mouth with water. Get medical attention if symptoms occur.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Sensitisation

No information available.

#### Eye contact

May cause irritation as itching and redness.

#### Skin contact

Unlikely to be irritant on brief or occasional exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

#### Notes to physician

Treat symptomatically.

## SECTION 5. FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Use: Dry powder. Alcohol-resistant foam. Carbon dioxide (CO<sub>2</sub>). Water spray.

#### Extinguishing media which must not be used for safety reasons

Water jet.

### 5.2. Special hazards arising from the substance or mixture

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and/or nitrogen oxide.

Material can create slippery conditions.

### 5.3. Advice for firefighters

Firefighters should wear a self-contained breathing apparatus and full protective gear.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing. Use personal protective equipment. Refer to protective measures listed in sections 7 and 8. Use care as spills may be slippery.

### 6.2. Environmental precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.

### 6.3. Methods and material for containment and cleaning up

#### Methods for Containment

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). If using a cloth to wipe up a small spillage, properly dispose of the used cloth to avoid a fire risk.

### 6.4. Reference to other sections

Refer to sections 7, 8 and 13.

## SECTION 7. HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes and clothing. Avoid breathing vapours or mists. Ensure adequate ventilation.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.

### 7.3. Specific end use(s)

No information available.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure Limits

TWA (8hrs): 5mg/m<sup>3</sup> / STEL(15mins):10mg/m<sup>3</sup>.

#### **DNEL (Derived No-Effect Level)**

Chemical name	EU - REACH (1907/2006) - DNEL	EU - REACH (1907/2006) - DNEL	EU - REACH (1907/2006) - DNEL	EU - REACH (1907/2006) - DNEL
Lubricating Oils	general population	oral	long term exposure - systemic effects	0.74 mg/kg bw/day
	workers	dermal	long term exposure - systemic effects	0.97 mg/kg bw/day
	general population	inhalation	long term exposure - local effects	1.19 mg/m <sup>3</sup>
	workers	inhalation	long term exposure - systemic effects	2.73 mg/m <sup>3</sup>
	workers	inhalation	long term exposure - local effects	5.58 mg/m <sup>3</sup>

#### **PNEC (Predicted No-Effect Concentration)**

Chemical name	EU - REACH (1907/2006) - PNEC	EU - REACH (1907/2006) - PNEC
Lubricating Oils	food chain	9.33 mg/kg food

### 8.2. Exposure controls

#### Engineering Measures

Ensure adequate ventilation, especially in confined areas.

#### Personal Protective Equipment

Use personal protection equipment as per Regulation (EU) 2016/425.

#### Respiratory Protection

If excessive mist formation is likely wear suitable respiratory protection. Conforming to EN 143 - P2 / P3 Particle filters.

#### Hand Protection

Wear suitable protective gloves conforming to EN 374. Type of gloves suggested :. Neoprene gloves (0.4 mm). Nitrile rubber (0.4 mm). Solvent-resistant gloves (butyl-rubber). Suitability and durability of a glove is dependent upon usage factors such as frequency, duration of use, temperature and chemical resistance. The use of a chemical-protective glove may in practice be much shorter than the permeation time determined through testing. For break through times, refer to glove manufacturers recommendations.

#### Eye Protection

Safety glasses if the method of use presents the likelihood of eye contact. Approved to EN 166.

#### General Hygiene Considerations

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Information below relates to typical values and does not constitute a specification.

Appearance	Brown
Odour	Slight
Physical state	Grease
pH	Not applicable
Flash Point	> 250 °C
Specific gravity	1.02 g/cm <sup>3</sup>
Viscosity	Viscous
Solubility	Insoluble in water
Autoignition Temperature	> 300 °C
Decomposition temperature	No information available
Boiling Point/Range	> 280 °C
Melting Point/Range	Not applicable
Flammability Limits in Air %	Not applicable
Evaporation Rate	No information available
Vapour pressure	< 0.01 kPa (20°C)
Relative vapour density	No information available
Explosive properties	No information available
Oxidising Properties	No information available
VOC content	0
NLGI	1.5
Dropping Point	> 280 °C

**9.2. Other information**

No other information available

**SECTION 10. STABILITY AND REACTIVITY****10.1. Reactivity**

Not considered as highly reactive. See further information below.

**10.2. Chemical stability**

Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

The mixture itself will not dangerously react or polymerise to create hazardous conditions in normal use.

**10.4. Conditions to avoid**

No conditions to be specially mentioned.

**10.5. Incompatible materials**

Strong oxidising agents.

**10.6. Hazardous decomposition products**

None under normal storage conditions and use.

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and/or nitrogen oxide.

**SECTION 11. TOXICOLOGICAL INFORMATION****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**Product Information

The product itself has not been tested.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Lubricating Oils	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	= 2.18 mg/L ( Rat ) 4 h

Sensitisation

No information available.

Skin contact

Unlikely to be irritant on brief or occasional exposure.

Eye contact

May cause irritation as itching and redness.

Carcinogenicity

There are no known carcinogenic substances in this product.

Mutagenic Effects

There are no known mutagenic substances in this product.

Reproductive Effects

There are no known substances in this product with effects on reproduction.

STOT - single exposure

Based on available data, the classification criteria are not met

STOT - repeated exposure

Based on available data, the classification criteria are not met

Aspiration hazard

Based on available data, the classification criteria are not met

**11.2 Information on Other Hazards**

The product does not contain substances that have been identified as an endocrine disruptor (REACH - Article 57(f))

**SECTION 12. ECOLOGICAL INFORMATION****12.1. Toxicity**Product Information

The product itself has not been tested.

Chemical name	Toxicity to Fish	Crustacea	Toxicity to Algae
Lubricating Oils	LC50 > 5000 mg/L Oncorhynchus mykiss 96 h	1000: 48 h Daphnia magna mg/L EC50	

**12.2. Persistence and degradability**

Persistence and degradability are substance specific, no test data is available on the constituents of this mixture to degrade or persist in the environment, either through biodegradation or other processes, such as oxidation or hydrolysis.

**12.3. Bioaccumulative potential**

Component information below.

**12.4. Mobility in soil**

The product is insoluble and sinks in water.

**12.5. Results of PBT and vPvB assessment**

The components in this formulation do not meet the criteria for classification as PBT or vPvB. As defined under the regulation EC 1907/2006.

**12.6 Endocrine disrupting properties**

The product does not contain substances that have been identified as an endocrine disruptor (REACH - Article 57(f))

**12.7 Other adverse effects**

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS**

**13.1. Waste treatment methods**Waste from Residues / Unused Products

Dispose of in accordance with local regulations.

Contaminated Packaging

Empty containers should be taken for local recycling, recovery or waste disposal. Empty remaining contents. Prevent product from entering drains. Recycle according to official regulations.

EWC waste disposal No

The following EWC/ AVV waste codes may be applicable:

12 01 12\* spent waxes and fats.

Other Information

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific

**SECTION 14. TRANSPORT INFORMATION**

**14.1, 14.2, 14.3, 14.4.**

**Not classified for transport as dangerous goods**

**14.5. Environmental hazards**

The mixture is not environmentally hazardous for transport

**14.6. Special precautions for user**

No special precautions.

**14.7 Maritime transport in bulk according to IMO instruments**

Packaged product, not typically transported in IBC's

**Additional information**

The above information is based on latest transport regulations i.e. ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport.

**SECTION 15. REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

This mixture was classified in compliance with EC Regulation 1272/2008 (CLP) and its adaptations.

**15.2. Chemical safety assessment**

No chemical safety assessment has been carried out for this mixture by the supplier

**SECTION 16. OTHER INFORMATION****Text of H statements mentioned in Section 3**

H318 - Causes serious eye damage. H315 - Causes skin irritation. H412 - Harmful to aquatic life with long lasting effects.

**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]**

H319 - Causes serious eye irritation.

Prepared By AP

Creation Date 02/02/2015

Revision date 31/12/2024

**Revision summary**

CLP update. SDS sections updated 2 3 16 8

**Abbreviations**

REACH: Registration Evaluation Authorisation Restriction of Chemicals

EU: European Union

EC: European community

EEC: European Economic Community

UN: United Nations

CAS: Chemical Abstracts Service

PBT: Persistent Bioaccumulative Toxic

vPvB: very Persistent very Bioaccumulative

LC50: Lethal concentration, 50 percent

LD50 : Lethal dose, 50 percent

EC50: Effective concentration, 50 percent

LogPow: LogP octanol/water

VwVwS: Verwaltungsvorschrift wassergefährdende Stoffe (Administrative order relating to substances hazardous to water - Germany)

WGK: Wassergefährdungsklasse (Water Hazard Class - Germany).

AVV: Abfallverzeichnis-Verordnung (Waste Code - Germany)

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (European agreement governing the international carriage of dangerous goods by road)

IMDG: International Maritime Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations concerning the International carriage of Dangerous goods by rail)

EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods

ERG: Emergency Response Guidebook

IUCLID / RTECS International Uniform Chemical Information Database / Registry of Toxic Effects of Chemical Substances

GHS: Globally Harmonised System of classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

VOC: Volatile Organic Chemical

w/w: weight for weight

DMSO: Dimethyl sulphoxide

OECD: Organization for Economic Cooperation and Development

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

**Further Information**

Component test results displayed in sections 11 and 12 are typically supplied by Chemadvisor and assembled from publicly available literature sources e.g. IUCLID / RTECS

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations

**Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**