

# Safety Data Sheet: Waylube

According to EC Regulation 1907/2006/EC - revision 453/2010 (REACH)

Revision No. 1

Print Date 07/20/2015

Creation Date 02/02/2015

Revision date 02/02/2015

## SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

### 1.1. Product identifier

Product Name Waylube  
Product Code 0175GX1 (CLP)

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Recommended use

Lubricant/ Synthetic Food Grade ISO 32 Viscosity Hydraulic & Compressor Oil .

### 1.3. Details of the supplier of the safety data sheet

NCH European Technical Centre  
Codnor Gate Business Park  
Ripley, Derbyshire, DE5 3NW, UK  
Tel.:01902 510401.  
E-mail address reach@nch.com  
Website address www.ncheurope.com

### 1.4. Emergency telephone number

01902 510401 (available during Office Hours)

## SECTION 2. HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP/GHS) and its adaptations

This mixture is not classified according to EU Regulation No 1272/2008

Safety data sheet available on request.

#### Classification according to EU Directive 67/548/EEC - 1999/45 EC

This mixture is not classified according to EU Directive 1999/45/EC

### 2.2. Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP/GHS)

#### Supplemental Hazard Information (EU)

Safety data sheet available on request.

For industrial and institutional use only.

Keep out of reach of children.

### 2.3. Other hazards

No additional hazards identified

The components in this formulation do not meet the criteria for classification as PBT or vPvB. As defined under the regulation EC 1907/2006.

## SECTION 3. COMPOSITION / INFORMATION OF INGREDIENTS

### 3.2. Mixture

Component	CAS-No	EC No.	EU - REACH Reg Number	Weight %	Classification	EU - GHS/CLP	Notes
LUBRICATING OILS	74869-22-0	278-012-2	01- 2119495601-36	50 - < 100	-	Carc. 1B (H350)	L

This mixture contains substances with a Community workplace exposure limit. For any H statements and R phrases mentioned in this section, see the full text in section 16. The GHS/CLP classification for substances are listed once they have been harmonised according to the REACH Regulation No 1907 / 2006.

#### EU Notes

Note L - The classification as a carcinogen does not apply as the substance contains less than 3% DMSO extract ( IP 346)

## SECTION 4. FIRST AID MEASURES

### 4.1. Description of first aid measures

#### General advice

Get medical attention immediately if symptoms occur.

#### Eye Contact

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

Skin Contact

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Do not use solvents or thinners. Get medical attention if irritation develops and persists.

Ingestion

Do NOT induce vomiting. Rinse mouth with water. If swallowed, seek medical advice and show the container or label.

**4.2. Most important symptoms and effects, both acute and delayed**

Sensitization

No information available.

Eye contact

May cause irritation as itching and redness.

Skin contact

Unlikely to be irritant on brief or occasional exposure.

**4.3. Indication of any immediate medical attention and special treatment needed**

Notes to physician

Treat symptomatically.

**SECTION 5. FIRE-FIGHTING MEASURES**

**5.1. Extinguishing media**

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use: Dry powder. Alcohol-resistant foam. Carbon dioxide (CO<sub>2</sub>). Water spray.

Extinguishing media which must not be used for safety reasons

Water jet.

**5.2. Special hazards arising from the substance or mixture**

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and/or nitrogen oxide.

Material can create slippery conditions.

**5.3. Advice for firefighters**

Firefighters should wear a self-contained breathing apparatus and full protective gear.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

**6.1. Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin, eyes, and clothing. Use personal protective equipment. Refer to protective measures listed in sections 7 and 8. Material can create slippery conditions.

**6.2. Environmental precautions**

Avoid release of neat product into surface water and sanitary sewage system. Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Insoluble in water and hence will float on the surface.

**6.3. Methods and material for containment and cleaning up**

Methods for Containment

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). If using a cloth to wipe up a small spillage, properly dispose of the used cloth to avoid a fire risk.

Methods for Cleaning up

Pick up and transfer to properly labelled containers. Clean contaminated surface thoroughly. Clean preferably with a detergent, do not use solvents.

**6.4. Reference to other sections**

Refer to sections 7, 8 and 13

**SECTION 7. HANDLING AND STORAGE**

**7.1. Precautions for safe handling**

Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists. Do not eat, drink or smoke when using this product. Ensure adequate ventilation.

**7.2. Conditions for safe storage, including any incompatibilities**

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.

**7.3. Specific end use(s)**

No information available

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1. Control parameters**Exposure limits

TWA (8hrs): 5mg/m<sup>3</sup> / STEL(15mins):10mg/m<sup>3</sup>.

**8.2. Exposure controls**Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Use personal protection equipment as per Directive 89/686/EEC.

Respiratory Protection

If excessive mist formation is likely wear suitable respiratory protection. Conforming to EN 143 eg P2 / P3 Particle filters.

Hand Protection

Wear suitable protective gloves conforming to EN 374. Type of gloves suggested :. Neoprene gloves (0.4mm). Nitrile rubber (0.4 mm). Solvent-resistant gloves (butyl-rubber). Suitability and durability of a glove is dependent upon usage factors such as frequency, duration of use, temperature and chemical resistance. The use of a chemical-protective glove may in practice be much shorter than the permeation time determined through testing. For break through times, refer to glove manufacturers recommendations.

Eye Protection

Safety glasses if the method of use presents the likelihood of eye contact. Approved to EN 166.

General Hygiene Considerations

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES****9.1. Information on basic physical and chemical properties**

Information below relates to typical values and does not constitute a specification

<b>Appearance</b>	Amber	<b>Specific Gravity</b>	< 1
<b>Physical State</b>	Viscous liquid	<b>Solubility</b>	Insoluble in water
<b>Odor</b>	Petroleum distillates	<b>Autoignition Temperature</b>	> 300 °C
<b>pH</b>	Not applicable	<b>Viscosity</b>	68cst (40°C)
<b>Melting Point/Range</b>	Not applicable	<b>Explosive properties</b>	No information available
<b>Boiling Point/Range</b>	> 250 °C	<b>Oxidizing Properties</b>	No information available
<b>Flash Point</b>	> 220 °C	<b>VOC Content (%)</b>	0 %
<b>Evaporation Rate</b>	No information available	<b>Pour Point</b>	-30 °C
<b>Flammability Limits in Air %:</b>	Not applicable		
<b>Vapor Pressure</b>	< 0.01 kPa (20°C)		
<b>Vapor Density</b>	No information available		

**9.2. Other information**

No other information available

**SECTION 10. STABILITY AND REACTIVITY****10.1. Reactivity**

Not considered as highly reactive. See further information below.

**10.2. Chemical stability**

Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

The mixture itself will not dangerously react or polymerise to create hazardous conditions in normal use

**10.4. Conditions to avoid**

Extremes of temperature and direct sunlight.

**10.5. Incompatible materials**

Strong oxidizing agents.

**10.6. Hazardous decomposition products**

None under normal storage conditions and use.

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and/or nitrogen oxide.

**SECTION 11. TOXICOLOGICAL INFORMATION****11.1. Information on toxicological effects**Product Information

The product itself has not been tested

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
LUBRICATING OILS	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	= 2.18 mg/L ( Rat ) 4 h

Sensitization

No information available.

Skin contact

Unlikely to be irritant on brief or occasional exposure.

Eye contact

May cause irritation as itching and redness.

Carcinogenicity

There are no known carcinogenic substances in this product.

Mutagenic Effects

There are no known mutagenic substances in this product.

Reproductive Effects

There are no known substances in this product with effects on reproduction

**SECTION 12. ECOLOGICAL INFORMATION****12.1. Toxicity**Product Information

The product itself has not been tested.

Component	Toxicity to Fish	Water Flea	Toxicity to Algae
LUBRICATING OILS	LC50 > 5000 mg/L Oncorhynchus mykiss 96 h	1000: 48 h Daphnia magna mg/L EC50	

**12.2. Persistence and degradability**

Persistence and degradability are substance specific, no test data is available on the constituents of this mixture to degrade or persist in the environment, either through biodegradation or other processes, such as oxidation or hydrolysis.

**12.3. Bioaccumulative potential**

No information available

**12.4. Mobility in soil**

The product is insoluble and floats on water.

**12.5. Results of PBT and vPvB assessment**

The components in this formulation do not meet the criteria for classification as PBT or vPvB. As defined under the regulation EC 1907/2006.

**12.6. Other adverse effects**

No data available.

**SECTION 13. DISPOSAL CONSIDERATIONS****13.1. Waste treatment methods**Waste from Residues / Unused Products

Dispose of in accordance with local regulations. .

Contaminated Packaging

Empty remaining contents. Empty containers should be taken for local recycling, recovery or waste disposal. Recycle according to official regulations.

EWC waste disposal No

The following EWC/ AVV waste codes may be applicable:

13 02 05\* Mineral-based non-chlorinated engine, gear and lubricating oils

Other Information

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.

**SECTION 14. TRANSPORT INFORMATION****14.1, 14.2, 14.3, 14.4.**

Not classified for transport as dangerous goods

**14.5. Environmental hazards**

The mixture is not environmentally hazardous for transport.

**14.6. Special precautions for user**

No special precautions.

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Packaged product, not typically transported in IBC's

**Additional information**

The above information is based on latest transport regulations i.e. ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport.

## SECTION 15. REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This mixture was classified in compliance with EC Regulation 1272/2008 (CLP) and its adaptations.

This mixture is not classed as hazardous by Directive 1999/45/EC. In addition, Directive 2009/2/EC with the 31st Adaptation of Directive 67/548/EEC (Hazardous substances) has been taken into account.

#### WGK Classification

Classification according VwVwS, Water-endangering (WGK 2)

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for this mixture by the supplier

## SECTION 16. OTHER INFORMATION

**Prepared By** Austen Pimm

**Creation Date** 02/02/2015

**Revision date** 02/02/2015

#### **Revision Summary**

CLP update.

#### **Abbreviations**

REACH: Registration Evaluation Authorisation Restriction of Chemicals

EU: European Union

EC: European community

EEC: European Economic Community

UN: United Nations

CAS: Chemical Abstracts Service

PBT: Persistent Bioaccumulative Toxic

vPvB: very Persistent very Bioaccumulative

LC50: Lethal concentration, 50 percent

LD50 : Lethal dose, 50 percent

EC50: Effective concentration, 50 percent

LogPow: LogP octanol/water

VwVwS: Verwaltungsvorschrift wassergefährdende Stoffe (Administrative order relating to substances hazardous to water - Germany)

WGK: Wassergefährdungsklasse (Water Hazard Class - Germany).

AVV: Abfallverzeichnis-Verordnung (Waste Code - Germany)

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (European agreement governing the international carriage of dangerous goods by road)

IMDG: International Maritime Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations concerning the International carriage of Dangerous goods by rail)

EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods

ERG: Emergency Response Guidebook

IUCLID / RTECS International Uniform Chemical Information Database / Registry of Toxic Effects of Chemical Substances

GHS: Globally Harmonised System of classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

VOC: Volatile Organic Chemical

w/w: weight for weight

DMSO: Dimethyl sulphoxide

OECD: Organization for Economic Cooperation and Development

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

#### **Further Information**

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

Component test results displayed in sections 11 and 12 are typically supplied by Chemadvisor and assembled from publicly available literature sources e.g. IUCLID / RTECS.

#### **Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

**End of Safety Data Sheet**