

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 370

Version 1.0

Revision Date 29.06.2016

Print Date 01.07.2016

### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name : OKS 370

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Lubricant  
Recommended restrictions on use : Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
D-82216 Maisach-Gernlinden  
Tel.: +49 8142 3051 500  
Fax.: +49 8142 3051 599

E-mail address : mcm@oks-germany.com  
Responsible/issuing person

National contact :

#### 1.4 Emergency telephone number

+49 8142 3051 517

### 2. Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Aspiration hazard, Category 1 H304: May be fatal if swallowed and enters airways.

##### Classification (67/548/EEC, 1999/45/EC)

Not a hazardous substance or mixture.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H304 May be fatal if swallowed and enters airways.

Precautionary statements : **Response:**  
P301 + P310 IF SWALLOWED: Immediately call a

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 370

Version 1.0

Revision Date 29.06.2016

Print Date 01.07.2016

P331 POISON CENTER or doctor/ physician.  
Do NOT induce vomiting.  
**Storage:**  
P405 Store locked up.

Hazardous components which must be listed on the label:  
8042-47-5 White mineral oil (petroleum)

### 2.3 Other hazards

## 3. Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Mineral oil.  
ester oil

#### Hazardous components

Chemical Name	CAS-No. EC-No. Index-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
White mineral oil (petroleum)	8042-47-5 232-455-8 / 01- 2119487078- 27		Asp. Tox. 1; H304	>= 50 - <= 100

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. First aid measures

### 4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with soap and plenty of water.  
Get medical attention immediately if irritation develops and persists.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : If eye irritation persists, consult a specialist.  
Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.



## OKS 370

Version 1.0

Revision Date 29.06.2016

Print Date 01.07.2016

- If swallowed : If unconscious place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Never give anything by mouth to an unconscious person.  
Get medical attention if symptoms occur.
- : Move the victim to fresh air.
- : Rinse mouth with water.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.
- Risks : None known.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No information available.

---

## 5. Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : none

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during firefighting : Fire may cause evolution of:  
Carbon oxides

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.  
In the case of respirable dust and/or fumes, use self-contained breathing apparatus.  
Exposure to decomposition products may be a hazard to health.
- Further information : Standard procedure for chemical fires.

---

## 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Evacuate personnel to safe areas.  
Use personal protective equipment.  
Ensure adequate ventilation.  
Do not breathe vapours or spray mist.  
Refer to protective measures listed in sections 7 and 8.



## OKS 370

Version 1.0

Revision Date 29.06.2016

Print Date 01.07.2016

### 6.2 Environmental precautions

- Environmental precautions : Try to prevent the material from entering drains or water courses.  
Prevent further leakage or spillage if safe to do so.  
Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and materials for containment and cleaning up

- Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### 6.4 Reference to other sections

For personal protection see section 8.

---

## 7. Handling and storage

### 7.1 Precautions for safe handling

- Advice on safe handling : Do not breathe vapours or spray mist.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.  
Do not ingest.  
Do not repack.  
Do not re-use empty containers.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.  
Avoid inhalation of vapour or mist.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Store in original container.  
Keep container closed when not in use.  
Keep in a dry, cool and well-ventilated place.  
To maintain product quality, do not store in heat or direct sunlight.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Store in accordance with the particular national regulations.  
Keep in properly labelled containers.

- German storage class : 10 Combustible liquids

### 7.3 Specific end use(s)



## OKS 370

Version 1.0

Revision Date 29.06.2016

Print Date 01.07.2016

: Consult the technical guidelines for the use of this substance/mixture.

---

## 8. Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards.

It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

none

#### Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.  
Filter type A-P

Hand protection : Wear protective gloves.  
The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.  
The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.  
In case of contact through splashing:

: butyl-rubber  
Protective index Class 1

Eye protection : Safety glasses with side-shields conforming to EN166

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.  
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

#### Environmental exposure controls

General advice : Try to prevent the material from entering drains or water

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 370

Version 1.0

Revision Date 29.06.2016

Print Date 01.07.2016

courses.

Prevent further leakage or spillage if safe to do so.

Local authorities should be advised if significant spillages cannot be contained.

## 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: colourless
Odour	: slight
Odour Threshold	: No data available
pH	: No data available
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: 195 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Vapour pressure	: <= 1.100 hPa, 50 °C
Relative vapour density	: No data available
Density	: 0,88 g/cm <sup>3</sup> , 20 °C
Water solubility	: immiscible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: 14,5 mm <sup>2</sup> /s, 40 °C
Explosive properties	: Not explosive
Oxidizing properties	: No data available

### 9.2 Other information

Sublimation point	: No data available
Bulk density	: No data available



## OKS 370

Version 1.0

Revision Date 29.06.2016

Print Date 01.07.2016

---

### 10. Stability and reactivity

#### 10.1 Reactivity

No hazards to be specially mentioned.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

#### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

#### 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

#### 10.6 Hazardous decomposition products

Hazardous decomposition products : No decomposition if stored and applied as directed.

---

### 11. Toxicological information

#### 11.1 Information on toxicological effects

##### Product

Acute inhalation toxicity : This information is not available.

Skin corrosion/irritation : This information is not available.

Serious eye damage/eye irritation : This information is not available.

Respiratory or skin sensitisation : This information is not available.

Germ cell mutagenicity

Genotoxicity in vitro : No data available

Genotoxicity in vivo : No data available

Carcinogenicity : No data available

Reproductive toxicity : No data available

Teratogenicity : No data available

Repeated dose toxicity : This information is not available.

Aspiration toxicity : May be harmful if swallowed and enters airways.

Further information : Information given is based on data on the components and the toxicology of similar products.

##### Components:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 370

Version 1.0

Revision Date 29.06.2016

Print Date 01.07.2016

### **White mineral oil (petroleum) :**

- |                                   |  |
|-----------------------------------|--|
| Acute oral toxicity               | : LD50 Oral: > 5.000 mg/kg, Rat, OECD Test Guideline 401                                       |
| Acute inhalation toxicity         | : LC50: > 5.000 mg/l, 4 h, Rat, OECD Test Guideline 403  |
| Acute dermal toxicity             | : LD50 Dermal: > 3.000 mg/kg, Rabbit, OECD Test Guideline 402                                  |
| Skin corrosion/irritation         | : Rabbit, Result: No skin irritation, OECD Test Guideline 404                                  |
| Serious eye damage/eye irritation | : Rabbit, Result: No eye irritation, OECD Test Guideline 405                                   |
| Respiratory or skin sensitisation | : Guinea pig, Result: Does not cause skin sensitisation., OECD Test Guideline 406              |
| Aspiration toxicity               | : May be fatal if swallowed and enters airways.  |
| Further information               | : Information given is based on data on the components and the toxicology of similar products. |

## 12. Ecological information

### 12.1 Toxicity

#### **Product:**

- |   |                     |
|---|---------------------|
| Toxicity to fish                                    | : No data available |
| Toxicity to daphnia and other aquatic invertebrates | : No data available |
| Toxicity to algae                                   | : No data available |
| Toxicity to bacteria                                | : No data available |

#### **Components:**

### **White mineral oil (petroleum) :**

- |   |   |
|---|---|
| Toxicity to fish                                    | : LC50: > 1.000 mg/l, 96 h, Leuciscus idus (Golden orfe), OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : EC50: > 100 mg/l, 48 h, Daphnia magna (Water flea), OECD Test Guideline 202     |

### 12.2 Persistence and degradability

#### **Product:**

- |                               |                     |
|-------------------------------|---------------------|
| Biodegradability              | : No data available |
| Physico-chemical removability | : No data available |

### 12.3 Bioaccumulative potential

#### **Product:**

- |                 |   |
|-----------------|---|
| Bioaccumulation | : |
|-----------------|---|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 370

Version 1.0

Revision Date 29.06.2016

Print Date 01.07.2016

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT)., This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

### 12.4 Mobility in soil

#### Product:

Mobility : No data available  
Distribution among environmental compartments : No data available

### 12.5 Results of PBT and vPvB assessment

### 12.6 Other adverse effects

#### Product:

Additional ecological information : No information on ecology is available.

---

## 13. Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
: Waste codes should be assigned by the user based on the application for which the product was used.  
Contaminated packaging : Empty containers can be landfilled, when in accordance with the local regulations.

---

## 14. Transport information

### 14.1 UN number

#### ADR

Not dangerous goods

#### IMDG

Not dangerous goods

#### IATA

Not dangerous goods

### 14.2 Proper shipping name

#### ADR

Not dangerous goods

#### IMDG

Not dangerous goods

#### IATA

Not dangerous goods

### 14.3 Transport hazard class

#### ADR

Not dangerous goods

#### IMDG

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 370

Version 1.0

Revision Date 29.06.2016

Print Date 01.07.2016

Not dangerous goods

**IATA**

Not dangerous goods

### 14.4 Packing group

**ADR**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

### 14.5 Environmental hazards

**ADR**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

### 14.6 Special precautions for user

No special precautions required.

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks : Not applicable for product as supplied.

---

## 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

Major Accident Hazard Legislation : 96/82/EC Update: 2003  
Directive 96/82/EC does not apply

Water contaminating class (Germany) : WGK 1: slightly water endangering

TA Luft List (Germany) : Total dust: Not applicable  
Inorganic substances in powdered form: Not applicable  
Inorganic substances in vapour or gaseous form: Not applicable  
Organic Substances: Not applicable  
Carcinogenic substances: Not applicable  
Mutagenic: Not applicable  
Toxic to reproduction: Not applicable

### 15.2 Chemical Safety Assessment

This information is not available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 370

Version 1.0

Revision Date 29.06.2016

Print Date 01.07.2016

---

### 16. Other information

#### Further information

This safety datasheet applies only to products originally packaged and labelled by OKS Spezialschmierstoffe. The information contained therein is protected by copyright and must not be reproduced or amended without the express written approval of OKS Spezialschmierstoffe. This document may be passed on only to the extent required by law. Any dissemination of our safety datasheets (e.g. as a document for download from the Internet) beyond this legally required extent is not permitted without express written consent. OKS Spezialschmierstoffe provides its customers with amended safety datasheets as prescribed by law. The customer is responsible for passing on safety datasheets and any amendments contained therein to its own customers, employees and other users of the product. OKS Spezialschmierstoffe provides no guarantee that safety datasheets received by users from third parties are up-to-date. All information and instructions in this safety datasheets were compiled to the best of our knowledge and are based on the information available to us. The data provided are intended to describe the product in relation to the required safety measures; they are neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and do not justify any contractual legal relationships.