according to Regulation (EC) No. 1907/2006

# PRECISION <sup>™</sup> GENERAL PURPOSE MOLY EP2



#### 000003000894

Version 3.1 Revision Date 2019/04/16 Print Date 2019/04/16

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

: PRECISION ™ GENERAL PURPOSE MOLY EP2 Product name

Product code : PGPM2P17, PGPM2KGL, PGPM2DRL, PGPM2CBG,

PGPM2C30, PGPM2, PGPM2BLK

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-These products are multipurpose, extreme pressure greases stance/Mixture

with outstanding shock resistant properties and are designed

for use in a wide variety of severe automotive and industrial

applications.

### 1.3 Details of the supplier of the safety data sheet

Manufacturer or supplier's details

Petro-Canada Europe Lubricants Limited

Wellington House, Starley Way

Birmingham International Park Solihull B37 7HB

United Kingdom

E-mail address of person responsible for the SDS

: EUSDS@petrocanadalsp.com

# 1.4 Emergency telephone number

Emergency telephone number : Petro-Canada Lubricants Inc.: +1 905-403-5770;

> CHEMTREC Transport Emergency: 1-800-424-9300; Poison Control Centre: Consult local telephone directory for

emergency number(s).

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

# **Additional Labelling:**

FUH208 May produce an allergic reaction. EUH210 Safety data sheet available on request.

Contains: Succinic Anhydride, Alkylation Products With C12-Rich Branched Olefins From Propene Oligomerisation, Hydrolyzed, Esterification Products with propylene oxide

Internet: lubricants.petro-canada.com/sds

Page: 1 / 10

TM Owned or used under license.

according to Regulation (EC) No. 1907/2006

# PRECISION <sup>™</sup> GENERAL PURPOSE MOLY EP2



#### 000003000894

Version 3.1 Revision Date 2019/04/16 Print Date 2019/04/16

#### 2.3 Other hazards

None known.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
distillates (petroleum), solvent-	64742-65-0	Asp. Tox. 1; H304	1 - 10
dewaxed heavy paraffinic	265-169-7		
Succinic Anhydride, Alkylation		Eye irr/damage 2;	0.1 - 1
Products With C12-Rich Branched	943-535-3	H319	
Olefins From Propene Oligomeri-		Skin Sens. 1B; H317	
sation, Hydrolyzed, Esterification			
Products with propylene oxide			

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

If inhaled : Move to fresh air.

Artificial respiration and/or oxygen may be necessary.

Seek medical advice.

In case of skin contact : In case of contact, immediately flush eyes or skin with plenty

of water for at least 15 minutes while removing contaminated

clothing and shoes.

Wash skin thoroughly with soap and water or use recognized

skin cleanser.

Wash clothing before reuse.

In the event of a known, or potential, high pressure injection injury, worker should obtain immediate medical evaluation.

Seek medical advice.

In case of eye contact : Remove contact lenses.

Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Obtain medical attention.

If swallowed : Rinse mouth with water.

DO NOT induce vomiting unless directed to do so by a physi-

cian or poison control center.

Never give anything by mouth to an unconscious person.

Seek medical advice.

# 4.2 Most important symptoms and effects, both acute and delayed

Risks : First aider needs to protect himself.

Internet: lubricants.petro-canada.com/sds

Page: 2 / 10

TM Owned or used under license.

according to Regulation (EC) No. 1907/2006

# PRECISION ™ GENERAL PURPOSE MOLY EP2



#### 000003000894

Version 3.1 Revision Date 2019/04/16 Print Date 2019/04/16

### 4.3 Indication of any immediate medical attention and special treatment needed

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

No information available.

# 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Cool closed containers exposed to fire with water spray.

Hazardous combustion prod: :

ucts

Carbon oxides (CO, CO2), sulphur compounds (H2S), sulphur oxides (SOx), phosphorus oxides (POx), aldehydes, alkyl mercaptans, sulfides, diphenylamine, alkenes, smoke and irritating vapours as products of incomplete combustion.

# 5.3 Advice for firefighters

Further information : Prevent fire extinguishing water from contaminating surface

water or the ground water system.

# **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

# 6.2 Environmental precautions

Environmental precautions : If the product contaminates rivers and lakes or drains inform

respective authorities.

# 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Prevent further leakage or spillage if safe to do so.

Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation.

Contact the proper local authorities.

Internet: lubricants.petro-canada.com/sds

Page: 3 / 10

TM Owned or used under license.

according to Regulation (EC) No. 1907/2006

# PRECISION <sup>™</sup> GENERAL PURPOSE MOLY EP2



#### 000003000894

Version 3.1 Revision Date 2019/04/16 Print Date 2019/04/16

#### 6.4 Reference to other sections

For personal protection see section 8.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

In case of insufficient ventilation, wear suitable respiratory

equipment.

Avoid contact with skin, eyes and clothing.

Do not ingest.

Keep away from heat and sources of ignition. Keep container closed when not in use.

Advice on protection against

fire and explosion

None known.

Hygiene measures : Remove and wash contaminated clothing and gloves, includ-

ing the inside, before re-use. Wash face, hands and any ex-

posed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sunlight.

# 7.3 Specific end use(s)

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

### 8.2 Exposure controls

#### **Engineering measures**

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### Personal protective equipment

Eye protection : Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Material : neoprene, nitrile, polyvinyl alcohol (PVA), Viton(R).

Remarks : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-

essary.

Internet: lubricants.petro-canada.com/sds

Page: 4 / 10

TM Owned or used under license.

according to Regulation (EC) No. 1907/2006

# PRECISION <sup>™</sup> GENERAL PURPOSE MOLY EP2



#### 000003000894

Version 3.1 Revision Date 2019/04/16 Print Date 2019/04/16

Skin and body protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

Filter type : organic vapour filter

Protective measures : Wash hands and face before breaks and immediately after

handling the product.

Wash contaminated clothing before re-use.

Ensure that eyewash station and safety shower are proximal

to the work-station location.

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Appearance : paste

Colour : grey

Odour : Mild grease like.

Odour Threshold : No data available

pH : No data available

Pour point :  $-15 \,^{\circ}\text{C} \, (5 \,^{\circ}\text{F})$ 

Base Fluid Blend

Boiling point/boiling range

No data available

Flash point : 273 °C (523 °F)

Method: Cleveland open cup

Base Fluid Blend

Fire Point : 301 °C (574 °F)

Base Fluid Blend

Auto-Ignition Temperature : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Low fire hazard. This material must be heated before ignition

will occur.

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower : No data available

Internet: lubricants.petro-canada.com/sds

TM Owned or used under license.

Page: 5 / 10

according to Regulation (EC) No. 1907/2006

# PRECISION ™ GENERAL PURPOSE MOLY EP2



#### 000003000894

Version 3.1 Revision Date 2019/04/16 Print Date 2019/04/16

flammability limit

Vapour pressure : No data available
Relative vapour density : No data available
Relative density : No data available

Density : 0.9023 kg/l (15 °C / 59 °F)

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

: No data available

Viscosity

Viscosity, kinematic : 161.9 cSt (40 °C / 104 °F)

Base Fluid Blend

15.3 cSt (100 °C / 212 °F)

Base Fluid Blend

Explosive properties : Do not pressurise, cut, weld, braze, solder, drill, grind or ex-

pose containers to heat or sources of ignition.

#### 9.2 Other information

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

# 10.2 Chemical stability

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Hazardous polymerisation does not occur.

Stable under normal conditions.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : Reactive with oxidising agents, reducing agents, metal salt,

acids and alkalis.

# 10.6 Hazardous decomposition products

Hazardous decomposition

products

May release COx, SOx, POx, H2S, aldehydes, alkyl mercaptans, sulfides, diphenylamine, alkenes, smoke and irritating

vapours when heated to decomposition.

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Information on likely routes of : Eye contact

Internet: lubricants.petro-canada.com/sds

Page: 6 / 10

 $<sup>^{\</sup>mathsf{TM}}$  Owned or used under license.

according to Regulation (EC) No. 1907/2006

# PRECISION <sup>™</sup> GENERAL PURPOSE MOLY EP2



Page: 7 / 10

### 000003000894

Version 3.1 Revision Date 2019/04/16 Print Date 2019/04/16

exposure Ingestion

Inhalation Skin contact

**Acute toxicity** 

**Product:** 

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

**Components:** 

distillates (petroleum), solvent-dewaxed heavy paraffinic: Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg,

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg,

Skin corrosion/irritation

**Product:** 

Remarks : No data available

Serious eye damage/eye irritation

**Product:** 

Remarks : No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Internet: lubricants.petro-canada.com/sds

TM Owned or used under license.

according to Regulation (EC) No. 1907/2006

# PRECISION <sup>™</sup> GENERAL PURPOSE MOLY EP2



#### 000003000894

Print Date 2019/04/16 Version 3.1 Revision Date 2019/04/16

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

**Product:** 

Toxicity to fish : Remarks: No data available

aquatic invertebrates

Toxicity to daphnia and other : Remarks: No data available

Toxicity to algae : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

#### 12.2 Persistence and degradability

Product:

: Remarks: No data available Biodegradability

#### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

Not relevant

# 12.6 Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

Product The product should not be allowed to enter drains, water

courses or the soil.

Offer surplus and non-recyclable solutions to a licensed dis-

posal company.

Waste must be classified and labelled prior to recycling or

disposal.

Send to a licensed waste management company.

Dispose of product residue in accordance with the instructions

of the person responsible for waste disposal.

# **SECTION 14: Transport information**

# **International Regulations**

IATA-DGR

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

TM Owned or used under license.

Internet: lubricants.petro-canada.com/sds Page: 8 / 10

according to Regulation (EC) No. 1907/2006

# PRECISION <sup>™</sup> GENERAL PURPOSE MOLY EP2



Page: 9 / 10

#### 000003000894

Version 3.1 Revision Date 2019/04/16 Print Date 2019/04/16

Remarks : ADR: Not Regulated

ADN: Not Regulated RID: Not Regulated

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class

(Germany)

: WGK 1 slightly water endangering

# The components of this product are reported in the following inventories:

DSL : On the inventory, or in compliance with the inventory

TSCA : All chemical substances in this product are either listed on the

TSCA Inventory or are in compliance with a TSCA Inventory

exemption.

EINECS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

### 15.2 Chemical safety assessment

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H304 : May be fatal if swallowed and enters airways.

H317 : May cause an allergic skin reaction.

H319 : Causes serious eye irritation.

### Full text of other abbreviations

Asp. Tox. : Aspiration hazard

Eye irr/damage : Serious eye damage/eye irritation

Skin Sens. : Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical

Internet: lubricants.petro-canada.com/sds

TM Owned or used under license.

according to Regulation (EC) No. 1907/2006

# PRECISION <sup>™</sup> GENERAL PURPOSE MOLY EP2



Page: 10 / 10

000003000894

Version 3.1 Revision Date 2019/04/16 Print Date 2019/04/16

Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory: TRGS - Technical Rule for Hazardous Substances: TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

For Copy of SDS : Internet: lubricants.petro-canada.com/sds

Europe, telephone: 00-800-7387-6000

For Product Safety Information: 1 905-491-0565

Prepared by : Product Safety: +1 905-491-0565

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG EU/EN

Internet: lubricants.petro-canada.com/sds

TM Owned or used under license.