

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



rhenus LCK 2 BL

Version number: GHS 1.0

Date of compilation: 21.09.2022

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name	rhenus LCK 2 BL
Registration number (REACH)	not relevant (mixture)
Unique formula identifier (UFI)	KMN0-N0E9-W00T-KDCC

1.2 Relevant identified uses of the substance or mixture and uses advised against

	lubricants, greases, release products
	observe technical data sheet
Product category	PC-TEC-11 Lubricants, greases, release agents
Uses advised against	Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Supplier of the product	Rhenus Lub GmbH & Co KG
Street	Hamburggring 45
Postal code/city	41179 Mönchengladbach
Country	Germany
Telephone	+49 2161 5869 0
Telefax	+49 2161 5869 43
e-Mail	sicherheitsdatenblatt@rhenusweb.de
Website	www.rhenuslub.com
Information contact	+49 2161 5869 392 Responsible for the safety data sheet. Only available during office hours.

1.4 Emergency telephone number

Emergency information service	International (all languages, all informations, all time 24 h / 365 d): GBK Gefahrgutbüro GmbH +49 61 32 84 46 3
-------------------------------	--

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.4S	skin sensitisation	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



rhenus LCK 2 BL

Version number: GHS 1.0

Date of compilation: 21.09.2022

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word warning

- Pictograms

GHS07



- Hazard statements

H317 May cause an allergic skin reaction

- Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray

P272 Contaminated work clothing should not be allowed out of the workplace

P280 Wear protective gloves/protective clothing/eye protection/face protection

P302+P352 IF ON SKIN: Wash with plenty of water

P333+P313 If skin irritation or rash occurs: Get medical advice/attention

P362+P364 Take off contaminated clothing and wash it before reuse

- Hazardous ingredients for labelling Polysulfides, di-tert-dodecyl, zinc naphthenate

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Remarks

Used methods of evaluating information for the purpose of classification:

-Calculation method.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Polysulfides, di-tert-dodecyl	CAS No 68425-15-0 EC No 270-335-7 REACH Reg. No 01-2119540516-41	1 – < 5	Skin Sens. 1B / H317	
zinc naphthenate	CAS No 12001-85-3 EC No 234-409-2	< 1	Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Aquatic Chronic 2 / H411	

For full text of abbreviations: see SECTION 16.

The classification as a carcinogen is not required. The substance contains less than 3 % DMSO extract.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



rhenus LCK 2 BL

Version number: GHS 1.0

Date of compilation: 21.09.2022

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General notes

Avoid contact with skin, eyes and clothes. Remove victim out of the danger area. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. Never give anything by mouth to an unconscious person or a person with cramps. If unconscious but breathing normally, place in recovery position and seek medical advice. Keep affected person warm, still and covered. Do not leave affected person unattended. In the event of cardiac arrest immediately perform cardiopulmonary resuscitation.

Following inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Protect uninjured eye.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Observe aspiration hazard if vomiting occurs. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

The following symptoms may occur: Breathing difficulties. Headache. Malaise. Vertigo. Symptoms can occur only after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Fire extinguishing powder, Sand, Foam, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet, Water, Excess of water, Water spray

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂), Nitrogen oxides (NO_x)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Fight fire with normal precautions from a reasonable distance. Collect contaminated firefighting water separately. Do not allow firefighting water to enter drains or water courses. Use water spray jet to protect personnel and to cool endangered containers. Move undamaged containers from immediate hazard area if it can be done safely.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



rhenus LCK 2 BL

Version number: GHS 1.0

Date of compilation: 21.09.2022

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Avoid contact with eyes and skin. Use personal protective equipment as required. Eliminate all ignition sources if safe to do so. Wear breathing apparatus if exposed to vapours/dust/spray/gases. Special danger of slipping by leaking/spilling product. Provide fresh air.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Suitable fabric for personal protective clothing. NBR: acrylonitrile-butadiene rubber. Unsuitable material: IIR: isobutene-isoprene (butyl) rubber. NR: natural rubber, latex. CR: chloroprene (chlorobutadiene) rubber.

Suitable fabric for personal protective clothing

NBR: acrylonitrile-butadiene rubber

6.2 Environmental precautions

Make sure spills can be contained, e.g. in sump pallets or kerbed areas. Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. Do not allow to enter into soil/subsoil.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Recommendations

No hazardous reaction when handled and stored according to provisions. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol. Provide fresh air. Respiratory protection necessary at: Insufficient exhaust. In case of inadequate ventilation wear respiratory protection.

- Measures to prevent fire as well as aerosol and dust generation

No special fire protection measures are necessary. Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



rhenus LCK 2 BL

Version number: GHS 1.0

Date of compilation: 21.09.2022

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Incompatible substances or mixtures

- Do not mix with

Oxidisers

- Specific designs for storage rooms or vessels

Floors should be impervious, resistant to liquids and easy to clean. Make sure spills can be contained, e.g. in sump pallets or kerbed areas. Shafts and sewers must be protected from entry of the product. Keep only in the original container. Protect containers against damage. Ensure adequate ventilation of the storage area.

- Storage temperature

minimum storage temperature: 0 °C

maximum storage temperature: 40 °C

Do not store at temperatures below: 0 °C

Protect from direct sunlight

Keep away from heat

- Maximum storage period

> 6 month(s), observe technical data sheet

- Storage class (LGK) - TRGS 510

LGK 10 (combustible liquids)

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
DE	di-tert-dodecyl-polysulfide	68425-15-0	MAK		5		20			r	DFG
DE	polysulfide, di-tert-dodecyl-	68425-15-0	AGW		5		20			r, Y	TRGS 900

Notation

Ceiling-C

r

STEL

TWA

Y

ceiling value is a limit value above which exposure should not occur

respirable fraction

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours

time-weighted average (unless otherwise specified)

a risk of developmental toxicity does not need to be expected if the occupational exposure limit value and the biological limit value (BGW) are adhered to

Relevant DNELs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Polysulfides, di-tert-dodecyl	68425-15-0	DNEL	32.9 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Polysulfides, di-tert-dodecyl	68425-15-0	DNEL	46.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
zinc naphthenate	12001-85-3	DNEL	1.18 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



rhenus LCK 2 BL

Version number: GHS 1.0

Date of compilation: 21.09.2022

Relevant DNELs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
zinc naphthenate	12001-85-3	DNEL	3.3 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Polysulfides, di-tert-dodecyl	68425-15-0	PNEC	1 g/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Permeation time (maximum wear time). 4 h. NBR: acrylonitrile-butadiene rubber. Thickness of the glove material. 0,12 mm. See information supplied by the manufacturer. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. In the case of wanting to use the gloves again, clean them before taking off and air them well. Unsuitable material: Butyl caoutchouc (butyl rubber). NR (natural rubber, natural latex). CR (polychloroprene, chloroprene rubber).

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Combination filtering device (EN 141). Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown). P3 (filters at least 99,95 % of airborne particles, colour code: White).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

8.2.4 General safety precautions

Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately. Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



rhenus LCK 2 BL

Version number: GHS 1.0

Date of compilation: 21.09.2022

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state	liquid (paste)
Colour	blue
Odour	characteristic
Melting point/freezing point	>170 °C
Boiling point or initial boiling point and boiling range	>250 °C
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	>200 °C
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	not determined
-----------------	----------------

Density and/or relative density

Density	ca. 0.93 g/cm ³ at 25 °C
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



rhenus LCK 2 BL

Version number: GHS 1.0

Date of compilation: 21.09.2022

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	there is no additional information

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

This material is not reactive under normal ambient conditions. Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Acids, Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if inhaled.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



rhenus LCK 2 BL

Version number: GHS 1.0

Date of compilation: 21.09.2022

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.
Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV): WGK 1, slightly hazardous to water (Germany)

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Send to a physico-chemical treatment facility under observation of official regulations. Non-contaminated packages must be recycled or disposed of. Packing which cannot be properly cleaned must be disposed of. Handle contaminated packages in the same way as the substance itself. The waste is to be kept separate from other types of waste until its recycling. The waste code has to be identified in agreement with the disposal company or the competent authority. List of proposed waste codes/waste designations in accordance with EWC. Waste code product. 120112*, Waste code packaging. 150110*.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



rhenus LCK 2 BL

Version number: GHS 1.0

Date of compilation: 21.09.2022

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: TRANSPORT INFORMATION

- 14.1 UN number or ID number** not subject to transport regulations
- 14.2 UN proper shipping name** not relevant
- 14.3 Transport hazard class(es)** none
- 14.4 Packing group** not assigned
- 14.5 Environmental hazards** non-environmentally hazardous acc. to the dangerous goods regulations
- 14.6 Special precautions for user**
There is no additional information.
- 14.7 Maritime transport in bulk according to IMO instruments**
The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: REGULATORY INFORMATION

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- Relevant provisions of the European Union (EU)**
- Restrictions according to REACH, Annex XVII**

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
rhenus LCK 2 BL	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3
Polysulfides, di-tert-dodecyl	substances in tattoo inks and permanent make-up		R75	75
zinc naphthenate	substances in tattoo inks and permanent make-up		R75	75

Legend

R3

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



rhenus LCK 2 BL

Version number: GHS 1.0

Date of compilation: 21.09.2022

Legend

- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- 2. Articles not complying with paragraph 1 shall not be placed on the market.
- 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
 - can be used as fuel in decorative oil lamps for supply to the general public, and
 - present an aspiration hazard and are labelled with H304.
- 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
- 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
 - (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
 - (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
 - (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.;

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



rhenus LCK 2 BL

Version number: GHS 1.0

Date of compilation: 21.09.2022

Legend

R75

1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:

(a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;

(b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:

(i) 0,1 % by weight, if the substance is used solely as a pH regulator;

(ii) 0,01 % by weight, in all other cases;

(e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;

(f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:

(i) "Rinse-off products";

(ii) "Not to be used in products applied on mucous membranes";

(iii) "Not to be used in eye products";

(g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;

(h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.

2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.

3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.

4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:

(a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);

(b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).

5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.

6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.

7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:

(a) the statement "Mixture for use in tattoos or permanent make-up";

(b) a reference number to uniquely identify the batch;

(c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;

(d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;

(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;

(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;

(g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.

The information shall be clearly visible, easily legible and marked in a way that is indelible.

The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.

Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.

Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the proced-

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



rhenus LCK 2 BL

Version number: GHS 1.0

Date of compilation: 21.09.2022

Legend

ure with the information marked on the package or included in the instructions for use pursuant to this paragraph.
8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.
9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).
10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

Industrial Emissions Directive (IED)

VOC content	< 3 %
-------------	-------

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)			
Name of substance	CAS No	Listed in	Remarks
zinc naphthenate		a)	

Legend

A) Indicative list of the main pollutants

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

National regulations (Germany)

Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV)

Wassergefährdungsklasse, WGK 1 slightly hazardous to water
(water hazard class)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



rhenus LCK 2 BL

Version number: GHS 1.0

Date of compilation: 21.09.2022

Technical instructions on air quality control (Germany)

Number	Group of substances	Class	Conc.	Mass flow	Mass concentration	Notation
5.2.5	organic substances		$\geq 25 \text{ wt}\%$	0.5 kg/h	50 mg/m^3	3)

Notation

3) a total mass flow of 0.50 kg/h or a total mass concentration of 50 mg/m^3 , each of which to be indicated as total carbon, shall not be exceeded (except organic particulate matter)

Storage of hazardous substances in non-stationary containers (TRGS 510) (Germany)

Storage class (LGK)

10 (combustible liquids)

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	all ingredients are listed or exempt from listing
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



rhenus LCK 2 BL

Version number: GHS 1.0

Date of compilation: 21.09.2022

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
AGW	Workplace exposure limit
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DFG	Deutsche Forschungsgemeinschaft MAK-und BAT-Werte-Liste, Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Wiley-VCH, Weinheim
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LGK	Lagerklasse (storage class according to TRGS 510, Germany)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



rhenus LCK 2 BL

Version number: GHS 1.0

Date of compilation: 21.09.2022

Abbr.	Descriptions of used abbreviations
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TRGS	Technische Regeln für Gefahrstoffe (technical rules for hazardous substances, Germany)
TRGS 900	Arbeitsplatzgrenzwerte (TRGS 900)
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

16.6 Additional information

Heavy Metal Regulations

Based on our knowledge of the raw materials and processes of this product we have reviewed compliance with the EU Directives on Packaging Waste (94/62/EEC), End-of-life Vehicles (2000/53/EEC) and Restriction of Hazardous Substances (RoHS) (2011/65/EU and 2015/863/EU). If it is not intentionally added during the production process it would not be known to be a reaction by-product nor would it be /expected to be present in the final product at more than trace levels.

Conflict Minerals

This product does not contain conflict minerals nor are conflict minerals used for production of this product or in any other case.

(EU) 2019/1021 Persistent organic pollutants (POP) and (EU) 1005/2009 Ozone depleting substances

No POP- or Ozone depleting substances are added intentionally within the production process nor are processed raw materials known to contain any POP- or Ozone depleting substances.

(EU) 1169/2011 Allergens and 2001/18/EC GMO

Based on our knowledge of the raw materials and processes of this product allergens as described in (EU) 1169/2011 and genetically modified organisms (GMO) are not contained within this product or in amounts lower than the detection limit of current available measurement methods.

Please refer to our internet website for more information: www.rhenuslub.com.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



rhenus LCK 2 BL

Version number: GHS 1.0

Date of compilation: 21.09.2022

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.