

Arcanol TEMP120

Safety Data Sheet (UK REACH) (UK)

Date printed 09.10.2024, Revision 12.09.2024

Page 1 / 18

Version 12.0. Supersedes version: 11.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Arcanol TEMP120

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company

Schaeffler Technologies AG & Co. KG
Georg-Schäfer-Str. 30
97421 Schweinfurt / GERMANY
Phone +49 (0)9721 91 - 0
Homepage www.schaeffler.com

Address enquiries to

Technical information

support.is@schaeffler.com

Safety Data Sheet

sdb@chemiebuero.de (No dispatch of safety data sheets)

Safety data sheets are available from the supplier.

1.4 Emergency telephone number

Advisory body

+49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Aquatic Chronic 4: H413 May cause long lasting harmful effects to aquatic life.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms

Hazard statements

H413 May cause long lasting harmful effects to aquatic life.

Special labelling

Contains: Benzenesulfonic acid, di-C10-14 alkyl derivs., calcium salts.
EUH208 May produce an allergic reaction.

Arcanol TEMP120

Safety Data Sheet (UK REACH) (UK)

Date printed 09.10.2024, Revision 12.09.2024
Version 12.0. Supersedes version: 11.0

Page 2 / 18

2.3 Other hazards

Environmental hazards	Does not contain any PBT or vPvB substances.
Other hazards	Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances not applicable

3.2 Mixtures The product is a mixture.

Range [%]	Substance
25 - < 50	N,N''-(methylenedi-4,1-phenylene)bis[N'-octylurea] CAS: 122886-55-9, EINECS/ELINCS: 451-060-3, EU-INDEX: 616-204-00-3, Reg-No.: 01-2120099604-47
	GHS/CLP: Aquatic Chronic 4: H413
1 < 2.5 *	Benzenesulfonic acid, di-C10-14 alkyl derivs., calcium salts CAS: 1471316-72-9, EINECS/ELINCS: 939-603-7, Reg-No.: 01-2119978241-36-XXXX
	GHS/CLP: Skin Sens. 1B: H317
	SCL [%]: >= 10: Skin Sens. 1B: H317
< 1	Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl- and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine
	EINECS/ELINCS: 939-700-4, Reg-No.: 01-2119982395-25-XXXX
	GHS/CLP: Skin Irrit. 2: H315 - Skin Sens. 1B: H317 - Aquatic Acute 1: H400 - Aquatic Chronic 2: H411, M-Factor (acute): 1

Comment on component parts	For full text of H-statements: see SECTION 16. All chemical substances in this material are included on or exempted from listing on the IECSC Inventory. * TSCA listing under CAS 93820-57-6 "Benzenesulfonic acid, di-C10-18-alkyl derivs.,calcium salts"
-----------------------------------	--

Arcanol TEMP120

Safety Data Sheet (UK REACH) (UK)

Date printed 09.10.2024, Revision 12.09.2024

Page 3 / 18

Version 12.0. Supersedes version: 11.0

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Change soaked clothing.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Seek medical advice immediately. Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing	Carbon dioxide. Water spray jet. Dry powder. Alcohol-resistant foam.
-------------------------------	---

Extinguishing media that must not be used	Full water jet.
--	-----------------

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.
Nitrogen oxides (NOx), carbon monoxide (CO).
Sulphur oxides (SOx).

5.3 Advice for firefighters

Use self-contained breathing apparatus.
Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

Arcanol TEMP120

Safety Data Sheet (UK REACH) (UK)

Date printed 09.10.2024, Revision 12.09.2024
Version 12.0. Supersedes version: 11.0

Page 4 / 18

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.
Forms slippery surfaces with water.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.
No special measures necessary if used correctly.

Wash hands before breaks and after work.
Use barrier skin cream.
Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Prevent penetration into the ground.
Do not store together with oxidizing agents.
Do not store together with food and animal food/diet.
Keep container tightly closed.

7.3 Specific end use(s)

See product use, SECTION 1.2

Arcanol TEMP120

Safety Data Sheet (UK REACH) (UK)

Date printed 09.10.2024, Revision 12.09.2024

Page 5 / 18

Version 12.0. Supersedes version: 11.0

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

not relevant

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

Substance
Benzenesulfonic acid, di-C10-14 alkyl derivs., calcium salts, CAS: 1471316-72-9
Industrial, inhalative, Long-term - systemic effects, 35,26 mg/m ³
Industrial, dermal, Long-term - systemic effects, 25 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 8,7 mg/m ³
general population, dermal, Long-term - systemic effects, 12,5 mg/kg bw/day
general population, oral, Long-term - systemic effects, 2,5 mg/kg bw/day
Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl- and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine
Industrial, inhalative, Long-term - systemic effects, 1,3 mg/m ³
Industrial, dermal, Long-term - systemic effects, 0,4 mg/kg
general population, inhalative, Long-term - systemic effects, 0,3 mg/m ³
general population, dermal, Long-term - systemic effects, 0,2 mg/kg
general population, oral, Long-term - systemic effects, 0,2 mg/kg

PNEC

Substance
Benzenesulfonic acid, di-C10-14 alkyl derivs., calcium salts, CAS: 1471316-72-9
freshwater, 0,1 mg/l
seawater, 0,1 mg/l
sewage treatment plants (STP), 1000 mg/l
sediment (freshwater), 45211 mg/kg sediment dw
sediment (seawater), 45211 mg/kg sediment dw
soil, 36739,74 mg/kg soil dw
Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl- and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine
freshwater, 0,000976 mg/L
seawater, 0,000098 mg/L
sewage treatment plants (STP), 0,69 mg/L

Arcanol TEMP120

Safety Data Sheet (UK REACH) (UK)

Date printed 09.10.2024, Revision 12.09.2024
Version 12.0. Supersedes version: 11.0

Page 6 / 18

8.2 Exposure controls

Additional advice on system design Ensure adequate ventilation on workstation.

Eye protection Safety glasses. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further information.
In full contact:
> 0,4 mm: Nitrile rubber, >120 min (EN 374-1/-2/-3).

Skin protection light protective clothing

Other Avoid contact with eyes and skin.

Respiratory protection Not required under normal conditions.

Thermal hazards no

Delimitation and monitoring of the environmental exposition Comply with applicable environmental regulations limiting discharge to air, water and soil.

Arcanol TEMP120

Safety Data Sheet (UK REACH) (UK)

Date printed 09.10.2024, Revision 12.09.2024
Version 12.0. Supersedes version: 11.0

Page 7 / 18

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	pasty
Color	light green
Odor	characteristic
Odour threshold	No information available.
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point or initial boiling point and boiling range [°C]	not determined
Flash point [°C]	No information available.
Flammability	No information available.
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/cm³]	ca. 0,92 (DIN 51757) (20 °C / 68,0 °F)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	virtually insoluble
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	No information available.
Kinematic viscosity	No information available.
Relative vapour density	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

9.2 Other information

Drop point: > 240°C /> 464°F

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

Arcanol TEMP120

Safety Data Sheet (UK REACH) (UK)

Date printed 09.10.2024, Revision 12.09.2024
Version 12.0. Supersedes version: 11.0

Page 8 / 18

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

Reactions with strong acids.

Reactions with oxidizing agents.

If product is heated above decomposition temperature toxic vapours may be released.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Oxidizing agent

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Arcanol TEMP120

Safety Data Sheet (UK REACH) (UK)

Date printed 09.10.2024, Revision 12.09.2024

Page 9 / 18

Version 12.0. Supersedes version: 11.0

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product	
oral, Based on the available information, the classification criteria are not fulfilled.	
Substance	
Benzenesulfonic acid, di-C10-14 alkyl derivs., calcium salts, CAS: 1471316-72-9	
LD50, oral, Rat, >10000 - <20000 mg/kg bw (Lit.)	
NOAEL, oral, Rat, 500 mg/kg bw/day	
Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl- and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine	
LD50, oral, Rat, 3313 mg/kg (OECD 401)	
N,N''-(methylenedi-4,1-phenylene)bis[N'-octylurea], CAS: 122886-55-9	
LD50, oral, Rat, > 2000 mg/kg bw, OECD 423	

Acute dermal toxicity

Product	
dermal, Based on the available information, the classification criteria are not fulfilled.	
Substance	
Benzenesulfonic acid, di-C10-14 alkyl derivs., calcium salts, CAS: 1471316-72-9	
LD50, dermal, Rabbit, >2000 mg/kg bw (OECD 402)	
NOAEL, dermal, Rat, >1000 mg/kg bw/day	
Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl- and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine	
LD50, dermal, Rat, > 2000 mg/kg (OECD 402)	
N,N''-(methylenedi-4,1-phenylene)bis[N'-octylurea], CAS: 122886-55-9	
LD50, cutan, Rat, > 2000 mg/kg bw, OECD 402	

Acute inhalational toxicity

Product	
inhalative, Based on the available information, the classification criteria are not fulfilled.	
Substance	
Benzenesulfonic acid, di-C10-14 alkyl derivs., calcium salts, CAS: 1471316-72-9	
LC50, inhalative, Rat, >1,9 mg/l air (EPA OPP 81-3)	
NOAEL, inhalative, Rat, 50 mg/m³ air	

Arcanol TEMP120

Safety Data Sheet (UK REACH) (UK)

Date printed 09.10.2024, Revision 12.09.2024
Version 12.0. Supersedes version: 11.0

Page 10 / 18

**Serious eye
damage/irritation**

Slight irritant effect.
Based on the available information, the classification criteria are not fulfilled.

	Substance
	Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl- and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine
	Eye, Rabbit, OECD 405, non-irritating

Skin corrosion/irritation

Slight irritant effect.
Based on the available information, the classification criteria are not fulfilled.

	Substance
	Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl- and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine
	dermal, Rabbit, OECD 404, irritant

**Respiratory or skin
sensitisation**

Toxicological data of complete product are not available.
May produce an allergic reaction.
Calculation method
Classification was carried out based on substance-specific concentration limits.

	Substance
	Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl- and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine
	dermal, Guinea pig, OECD 406, sensitising

**Specific target organ
toxicity — single exposure**

Based on the available information, the classification criteria are not fulfilled.

**Specific target organ
toxicity — repeated
exposure**

Based on the available information, the classification criteria are not fulfilled.

	Substance
	Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl- and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine
	NOAEL, oral, Rat, 45 mg/kg bw/day, OECD 422, adverse effect observed

Arcanol TEMP120

Safety Data Sheet (UK REACH) (UK)

Date printed 09.10.2024, Revision 12.09.2024
Version 12.0. Supersedes version: 11.0

Page 11 / 18

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

	Substance
	Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl- and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine
	in vitro, OECD 476, negativ

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

- Fertility

	Substance
	Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl- and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine
	NOAEL, oral, Rat, 150 mg/kg bw/day, OECD 422, no adverse effect observed
	NOAEL, oral, Rat, 45 mg/kg bw/day, OECD 422, adverse effect observed

- Development

	Substance
	Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl- and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine
	NOAEL, oral, Rat, 150 mg/kg bw/day, OECD 422, no adverse effect observed
	NOAEL, oral, Rat, 45 mg/kg bw/day, OECD 422, adverse effect observed

Carcinogenicity

Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard

Based on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.
The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

Arcanol TEMP120

Safety Data Sheet (UK REACH) (UK)

Date printed 09.10.2024, Revision 12.09.2024
Version 12.0. Supersedes version: 11.0

Page 12 / 18

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties Contains no ingredients with endocrine-disrupting properties.

11.2.2 Other information none

SECTION 12: Ecological information

12.1 Toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
Benzenesulfonic acid, di-C10-14 alkyl derivs., calcium salts, CAS: 1471316-72-9
EL50, (48h), Daphnia magna, >100 mg/l (OECD 202)
EL50, (72h), Scenedesmus subspicatus, >100 mg/l (OECD 201)
LL50, (96h), Oncorhynchus mykiss, >100 mg/l (OECD 203)
Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl- and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine
LC50, (96h), Brachidanio rerio, 1,3 mg/L (OECD 203)
EC50, (72h), Desmodesmus subspicatus, 0,976 mg/L (OECD 201)
EC50, (48h), Daphnia magna, 2,05 mg/L (OECD 202)
N,N''-(methylenedi-4,1-phenylene)bis[N'-octylurea], CAS: 122886-55-9
EC50, (3h), Microorganisms, > 1000 mg/L

12.2 Persistence and degradability

Behaviour in environment compartments

Behaviour in sewage plant

Biological degradability

Substance
N,N''-(methylenedi-4,1-phenylene)bis[N'-octylurea], CAS: 122886-55-9
Biological degradability:, (28d), 21%

Arcanol TEMP120

Safety Data Sheet (UK REACH) (UK)

Date printed 09.10.2024, Revision 12.09.2024
Version 12.0. Supersedes version: 11.0

Page 13 / 18

12.3 Bioaccumulative potential

No information available.

	Substance
	N,N''-(methylenedi-4,1-phenylene)bis[N'-octylurea], CAS: 122886-55-9
	log Kow, >6 (24.5°C)

12.4 Mobility in soil

not determined

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Disposal in an incineration plant in accordance with the regulations of the local authorities.
In according to RoHS!

Waste no. (recommended)

120112* spent waxes and fats

Contaminated packaging

Uncontaminated packaging may be taken for recycling.
Uncontaminated packaging may be reused.

Waste no. (recommended)

150110* packaging containing residues of or contaminated by hazardous substances
150102
150104

Arcanol TEMP120

Safety Data Sheet (UK REACH) (UK)

Date printed 09.10.2024, Revision 12.09.2024
Version 12.0. Supersedes version: 11.0

Page 14 / 18

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

Arcanol TEMP120

Safety Data Sheet (UK REACH) (UK)

Date printed 09.10.2024, Revision 12.09.2024
Version 12.0. Supersedes version: 11.0

Page 15 / 18

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

Arcanol TEMP120

Safety Data Sheet (UK REACH) (UK)

Date printed 09.10.2024, Revision 12.09.2024

Page 16 / 18

Version 12.0. Supersedes version: 11.0

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707

- Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- Annex XIV (REACH) According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances $\geq 0.1\%$ that are subject to authorisation.

- Annex XVII (REACH) According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains $\geq 0.1\%$ of substances with the following restrictions.
75

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is subject to the following restrictions.
3

TRANSPORT-NATIONAL REGULATIONS (UK): ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024) EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.

- Observe employment restrictions for people no

- VOC (2010/75/CE) 0 %

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H413 May cause long lasting harmful effects to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

Arcanol TEMP120

Safety Data Sheet (UK REACH) (UK)

Date printed 09.10.2024, Revision 12.09.2024

Page 17 / 18

Version 12.0. Supersedes version: 11.0

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
IVIS = In vitro irritation score
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV®/TWA = Threshold limit value – time-weighted average
TLV®STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

Arcanol TEMP120

Safety Data Sheet (UK REACH) (UK)

Date printed 09.10.2024, Revision 12.09.2024
Version 12.0. Supersedes version: 11.0

Page 18 / 18

16.3 Other information

Classification procedure

Aquatic Chronic 4: H413 May cause long lasting harmful effects to aquatic life. (Calculation method)

Modified position

2.1, 2.2, 3.2