Shell Gadus 1963

Version 1.0	Revision Date 09.09.2022	Print Date 31.10.2022
SECTION 1. PRODUCT AND (COMPANY IDENTIFICATION	
Product name	: Shell Gadus 1963	
Product code	: 001M1740	
Manufacturer or supplier Supplier	's details : Viva Energy Australia Pty Ltd (Formerly: The Shell Company of (ABN 46 004 610 459) Docklands 720 Bourke Street Victoria 3008 Australia	of Australia)
Telephone Telefax	: +61 (0)3 8823 4444 : +61 (0)3 8823 4800	
Emergency telephone number	: 1800 651 818 (Australia). POIS CENTRE: 13 11 26 (Australia).	ONS INFORMATION
Recommended use of the	e chemical and restrictions on use	
Recommended use	: Automotive and industrial grease	е.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification	
Eye irritation	: Category 2
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	 PHYSICAL HAZARDS: Not classified as a physical hazard under GHS criteria. HEALTH HAZARDS: H319 Causes serious eye irritation. ENVIRONMENTAL HAZARDS: Not classified as an environmental hazard under GHS criteria.
Precautionary statements	: Prevention: P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Shell Gadus 1963

-

Version 1.0	Revision Date 09.09.2022	Print Date 31.10.2022
	Response:	
	P305 + P351 + P338 IF IN EYES: Rins	
	for several minutes. Remove contact le easy to do. Continue rinsing.	enses, if present and
	P337 + P313 If eye irritation persists: (attention.	Get medical advice/
	Storage:	
	No precautionary phrases.	
	Disposal:	
	No precautionary phrases.	

Hazardous components which must be listed on the label: Contains Lithium complex thickener

Other hazards which do not result in classification

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.Used grease may contain harmful impurities.High-pressure injection under the skin may cause serious damage including local necrosis.Not classified as flammable but will burn.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
---------------------	---	---------

Chemical nature : A lubricating grease containing polyolefins and additives.

Hazardous components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Alkylated phenol ester	125643-61-0	Aquatic Chronic4; H413	1 - 3
Trimethyldihydroquino line, homopolymer	26780-96-1	Aquatic Chronic3; H412 Acute Tox.5; H303	1 - 3
Lithium complex thickener	12007-60-2	Acute Tox.4; H302 Eye Dam.1; H318 Repr.2; H361d	1 - 2.9
Triazole derivative	91273-04-0	Skin Corr.1B; H314 Skin Sens.1A; H317 Aquatic Acute2; H401 Aquatic Chronic2; H411	0.01 - 0.09

For explanation of abbreviations see section 16.

SECTION 4. FIRST-AID MEASURES

Shell Gadus 1963

sion 1.0	Revision Date 09.09.2022 Print Date 31.10.202
If inhaled	: No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact	 Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.
	When using high pressure equipment, injection of product under the skin can occur. If high pressure injuries occur, the casualty should be sent immediately to a hospital. Do not wa for symptoms to develop. Obtain medical attention even in the absence of apparent wounds.
In case of eye contact	: Immediately flush eye(s) with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing.
	Transport to the nearest medical facility for additional treatment.
If swallowed	: In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.
Most important symptoms and effects, both acute and delayed	 Eye irritation signs and symptoms may include a burning sensation, redness, swelling, and/or blurred vision. Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.
	Local necrosis is evidenced by delayed onset of pain and tissue damage a few hours following injection.
Protection of first-aiders	: When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.
Notes to physician	: Treat symptomatically.
	High pressure injection injuries require prompt surgical intervention and possibly steroid therapy, to minimise tissue damage and loss of function. Because entry wounds are small and do not reflect the seriousness of the underlying damage, surgical exploration t determine the extent of involvement may be necessary. Loca anaesthetics or hot soaks should be avoided because they can contribute to swelling, vasospasm and ischaemia. Prom surgical decompression, debridement and evacuation of foreign material should be performed under general

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Foam, water spray or fog. Dry chemical powder, carbon

Shell Gadus 1963

Version 1.0		Revision Date 09.09.2022	Print Date 31.10.2022
		dioxide, sand or earth may be us	ed for small fires only.
Unsuitable extinguishing media	:	Do not use water in a jet.	
Specific hazards during firefighting	:	Hazardous combustion products A complex mixture of airborne so gases (smoke). Carbon monoxide may be evolve occurs. Unidentified organic and inorgani	lid and liquid particulates and dif incomplete combustion
Specific extinguishing methods	:	Use extinguishing measures that circumstances and the surroundi	
Special protective equipment for firefighters	:	Proper protective equipment inclu- gloves are to be worn; chemical in large contact with spilled product Breathing Apparatus must be wo a confined space. Select fire figh- relevant Standards (e.g. Europe	resistant suit is indicated if is expected. Self-Contained rn when approaching a fire in ter's clothing approved to
Hazchem Code	:	NONE	
SECTION 6. ACCIDENTAL RELEA	ASI	EMEASURES	
Personal precautions, protective equipment and emergency procedures	:	Avoid contact with skin and eyes	
Environmental precautions	:	Use appropriate containment to a contamination. Prevent from spreditches or rivers by using sand, e barriers.	eading or entering drains,
Methods and materials for containment and cleaning up	:	Shovel into a suitable clearly man reclamation in accordance with lo	
Additional advice	:	For guidance on selection of pers	sonal protective equipment

Additional advice	: For guidance on selection of personal protective equipment
	see Section 8 of this Safety Data Sheet.
	For guidance on disposal of spilled material see Section 13 of
	this Safety Data Sheet.

SECTION 7. HANDLING AND STORAGE

assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.	al of
--	-------

Shell Gadus 1963

Version 1.0	Revision Date 09.09.2022	Print Date 31.10.2022
Advice on safe handling	 Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires. 	
Avoidance of contact	: Strong oxidising agents.	
Storage		
Other data	: Keep container tightly closed and place. Use properly labeled and closabl	
	Store at ambient temperature.	
Packaging material	: Suitable material: For containers steel or high density polyethylene Unsuitable material: PVC.	
Container Advice	: Polyethylene containers should n temperatures because of possible	

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Components with workplace control parameters

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate. Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory. Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

Shell Gadus 1963

Version 1.0	Revision Date 09.09.2022	Print Date 31.10.2022
L'Institut National de Recher	rche et de Securité, (INRS), France http:	//www.inrs.fr/accueil
Engineering measures	 The level of protection and types vary depending upon potential ex controls based on a risk assessm Appropriate measures include: Adequate ventilation to control air Where material is heated, sprayed 	posure conditions. Select ent of local circumstances. borne concentrations.
	greater potential for airborne cond	
	General Information: Define procedures for safe handlin controls. Educate and train workers in the M measures relevant to normal active product. Ensure appropriate selection, test equipment used to control exposu- equipment, local exhaust ventilati Drain down system prior to equipm maintenance. Retain drain downs in sealed stor subsequent recycle. Always observe good personal hy washing hands after handling the drinking, and/or smoking. Routine protective equipment to remove c contaminated clothing and footwe Practice good housekeeping. Eye washes and showers for eme	hazards and control vities associated with this ting and maintenance of ure, e.g. personal protective on. ment break-in or rage pending disposal or vgiene measures, such as material and before eating, ely wash work clothing and contaminants. Discard ear that cannot be cleaned.
	Due to the product's semi-solid commists and dusts is unlikely to occu	

Personal protective equipment

Protective measures

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Respiratory protection	 No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers.

Shell Gadus 1963

sion 1.0	Revision Date 09.09.2022 Print Date 31.10.2
	Select a filter suitable for the combination of organic gases and vapours and particles [Type A/Type P boiling point >65 (149°F)].
Hand protection Remarks	: Where hand contact with the product may occur the use of
	gloves approved to relevant standards (e.g. Europe: EN374 US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubbe gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective had care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended
	For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. F short-term/splash protection we recommend the same but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is n a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm depending on the glove make and model.
Eye protection	 Wear goggles for use against liquids and gas, combined wit face shield. Wear full face shield if splashes are likely to occur. If a local risk assessment deems it so then chemical splash goggles may not be required and safety glasses may provid adequate eye protection.
Skin and body protection	 Skin protection is not ordinarily required beyond standard work clothes. It is good practice to wear chemical resistant gloves.
Thermal hazards	: Not applicable
Environmental exposure c	ontrols
General advice	: Take appropriate measures to fulfill the requirements of relevant environmental protection legislation. Avoid

General advice : Take appropriate measures to fulfill the requirements of relevant environmental protection legislation. Avoid contamination of the environment by following advice given in Section 6. If necessary, prevent undissolved material from being discharged to waste water. Waste water should be treated in a municipal or industrial waste water treatment plant before discharge to surface water.

Shell Gadus 1963

Version 1.0	Revision Date 09.09.2022 Print Date 31.10.2022	
	Local guidelines on emission limits for volatile substances must be observed for the discharge of exhaust air containing vapour.	
SECTION 9. PHYSICAL AND CHE	MICAL PROPERTIES	
Appearance	: Semi-solid at ambient temperature.	
Colour	: light brown	
Odour	: Slight hydrocarbon	
Odour Threshold	: Data not available	
рН	: Not applicable	
Drop point	: >= 220 °C / >= 428 °F Method: IP 396	
Melting / freezing point	Not applicable	
Initial boiling point and boiling range	: Data not available	
Flash point	: Method: Unspecified Not applicable	
Evaporation rate	: Data not available	
Flammability (solid, gas)	: Not applicable	
Flammability (liquids)	: Not classified as flammable but will burn.	
Upper explosion limit	: Typical 10 %(V)	
Lower explosion limit	: Typical 1 %(V)	
Vapour pressure	: < 0.5 Pa (20 °C / 68 °F) estimated value(s)	
Relative vapour density	: > 1estimated value(s)	
Density	: 1,000 kg/m3 (15.0 °C / 59.0 °F) Method: Unspecified	
Solubility(ies)		
Water solubility	: negligible	
Solubility in other solvents	: Data not available	
Partition coefficient: n- octanol/water	: log Pow: > 6 (based on information on similar products)	
Auto-ignition temperature	: > 320 °C / 608 °F	
Decomposition temperature	: Data not available	

Shell Gadus 1963

Version 1.0	Revision Date 09.09.2022	Print Date 31.10.2022
Viscosity	Revision Date 09.09.2022	Fillit Date 51.10.2022
Viscosity, dynamic	: Data not available	
Viscosity, kinematic	: 90 - 110 mm2/s (40.0 °C / 104.0 °F) Method: ASTM D445	
Explosive properties	: Classification Code: Not classified	
Oxidizing properties	: Data not available	
Conductivity	: This material is not expected to be a	static accumulator.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.
Chemical stability	: Stable.
Possibility of hazardous reactions	: Reacts with strong oxidising agents.
Conditions to avoid	: Extremes of temperature and direct sunlight.
Incompatible materials	: Strong oxidising agents.
Hazardous decomposition products	: No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Basis for assessment	: Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).
Exposure routes	: Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.
Acute toxicity	
Product:	
Acute oral toxicity	: LD50 rat: > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.
Acute inhalation toxicity	: Remarks: Based on available data, the classification criteria are not met.

Shell Gadus 1963

Version 1.0	Revision Date 09.09.2022	Print Date 31.10.2022
Acute dermal toxicity	: LD50 Rabbit: > 5,000 mg/kg	
	Remarks: Low toxicity:	
	Based on available data, the classi	fication criteria are not met.

Skin corrosion/irritation

Product:

Remarks: Slightly irritating to skin., Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Product:

Remarks: Causes serious eye irritation.

Respiratory or skin sensitisation

Product:

Remarks: Not a skin sensitiser. Based on available data, the classification criteria are not met.

Chronic toxicity

Germ cell mutagenicity

Product:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

Material	GHS/CLP Carcinogenicity Classification
Alkylated phenol ester	No carcinogenicity classification.
Trimethyldihydroquinoline, homopolymer	No carcinogenicity classification.
Lithium complex thickener	No carcinogenicity classification.
Triazole derivative	No carcinogenicity classification.

Reproductive toxicity

Product:

Shell Gadus 1963

Version 1.0	Revision Date 09.09.2022	Print Date 31.10.2022
	: Remarks: Not a developmental tox fertility., Based on available data, t not met.	· •

STOT - single exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

STOT - repeated exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

Aspiration toxicity

Product:

Not an aspiration hazard.

Further information

Product:

Remarks: Used grease may contain harmful impurities that have accumulated during use. The concentration of such harmful impurities will depend on use and they may present risks to health and the environment on disposal., ALL used grease should be handled with caution and skin contact avoided as far as possible.

Remarks: High pressure injection of product into the skin may lead to local necrosis if the product is not surgically removed.

Remarks: Slightly irritating to respiratory system.

SECTION 12. ECOLOGICAL INFORMATION

Basis for assessment	 Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).
----------------------	--

Ecotoxicity

Product:

Shell Gadus 1963

Version 1.0	Revision Date 09.09.2022 Print Date 31.10.2022
Toxicity to fish (Acute toxicity)	: Remarks: LL/EL/IL50 > 100 mg/I Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to crustacean (Acute toxicity)	: Remarks: LL/EL/IL50 > 100 mg/I Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to algae/aquatic plants (Acute toxicity)	: Remarks: LL/EL/IL50 > 100 mg/I Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to fish (Chronic toxicity)	: Remarks: Based on available data, the classification criteria are not met.
Toxicity to crustacean (Chronic toxicity)	: Remarks: Based on available data, the classification criteria are not met.
Toxicity to microorganisms (Acute toxicity)	: Remarks: Based on available data, the classification criteria are not met.
Persistence and degradability	
Product:	
Biodegradability	: Remarks: Not readily biodegradable., Major constituents are inherently biodegradable, but contains components that may persist in the environment.
Bioaccumulative potential	
Product:	
Bioaccumulation	: Remarks: Contains components with the potential to bioaccumulate.
Partition coefficient: n- octanol/water	: log Pow: > 6Remarks: (based on information on similar products)
Mobility in soil	
Product:	
Mobility	 Remarks: Semi-solid under most environmental conditions., If it enters soil, it will adsorb to soil particles and will not be mobile. Remarks: Floats on water.
Other adverse effects	
no data available <u>Product:</u>	
Additional ecological information	: Does not have ozone depletion potential, photochemical ozone creation potential or global warming potential., Product

Shell Gadus 1963

Version 1.0	Revision Date 09.09.2022	Print Date 31.10.2022
	is a mixture of non-volatile compor released to air in any significant qu conditions of use. Poorly soluble mixture., Causes pl organisms.	uantities under normal

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues :	Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Do not dispose into the environment, in drains or in water courses
	Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Waste, spills or used product is dangerous waste. Waste arising from a spillage or tank cleaning should be disposed of in accordance with prevailing regulations, preferably to a recognised collector or contractor. The competence of the collector or contractor should be established beforehand. Do not dispose of tank water bottoms by allowing them to drain into the ground. This will result in soil and groundwater contamination.
	MARPOL - see International Convention for the Prevention of Pollution from Ships (MARPOL 73/78) which provides technical aspects at controlling pollutions from ships.
Contaminated packaging :	Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.
Local legislation	
Remarks :	Disposal should be in accordance with applicable regional, national, and local laws and regulations.

SECTION 14. TRANSPORT INFORMATION

National Regulations

ADG Not regulated as a dangerous good

Shell Gadus 1963

Revision Date 09.09.2022

Print Date 31.10.2022

International Regulations

IATA-DGR

Version 1.0

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Maritime transport in bulk according to IMO instruments

MARPOL Annex 1 rules apply for bulk shipments by sea.

Special precautions for user

Remarks

: Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : Scheduling of Medicines and Poisons

No poison schedule number allocated

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

Product classified as per Work Health Safety Regulations - Implementation of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) 2012 and SDS prepared as per national model code of practice for preparation of safety data sheet for Hazardous chemicals 2011 based on Globally Harmonized Classification version 3.

National Model Code of Practice for the Labelling of Workplace Hazardous Chemicals (2011).

Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG code). Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Other international regulations

The components of this product are reported in the following inventories:

REACH	:	All components listed or polymer exempt.
TSCA	:	All components listed.
AIIC	:	All components listed.

SECTION 16. OTHER INFORMATION

Full text of H-Statements

H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.

Shell Gadus 1963

Version 1.0	Revision Date 09.09.2022	Print Date 31.10.2022		
H318	Causes serious eye damage.			
H361d	Suspected of damaging the unborn child.			
H401	Toxic to aquatic life.			
H411	Toxic to aquatic life with long lasting effects.			
H412	Harmful to aquatic life with long lasting effects.			
H413	May cause long lasting harmful effects to aquati	c life.		
Full text of other abbreviations				
Acute Tox.	Acute toxicity			
Aquatic Acute	Short-term (acute) aquatic hazard			
Aquatic Chronic	Long-term (chronic) aquatic hazard			
Eye Dam.	Serious eye damage			
Repr.	Reproductive toxicity			
Skin Corr.	Skin corrosion			
Skin Sens.	Skin sensitisation			

Abbreviations and Acronyms

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC -New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG -Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

Date of preparation or review : 09.09.2022

Further information

Training advice

: Provide adequate information, instruction and training for operators.

Shell Gadus 1963

Version 1.0	Revision Date 09.09.2022	Print Date 31.10.2022
Other information	: A vertical bar () in the left margin indicates an amendment from the previous version.	
Sources of key data used to compile the Safety Data Sheet	: The quoted data are from, but not sources of information (e.g. toxico Health Services, material supplier IUCLID date base, EC 1272 regul	logical data from Shell s' data, CONCAWE, EU

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN