

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## **SDS # :** 31224

## **DROSERA MS 68**

### Date of the previous version: 2016-12-15

Revision Date: 2016-12-15

Version 4

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name	<b>DROSERA MS 68</b>
Number	316
Substance/mixture	Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

#### **Identified uses**

Multifunctional oil, machine tools.

1.3. Details of the supplier of the safety data sheet

Supplier

A - TOTAL UK LIMITED One Euston Square 40 Melton Street. London. NW1 2FD UNITED KINGDOM Tel: +44 (0)20 7339 8000 Fax: +44 (0)20 7339 8033

B - TOTAL LUBRIFIANTS 562 Avenue du Parc de L'ile 92029 Nanterre Cedex FRANCE Tél: +33 (0)1 41 35 40 00 Fax: +33 (0)1 41 35 84 71

For further information, please contact:

Contact Point	A - HSE
E-mail Address	B - HSE A - rm.gb-msds@total.co.uk
	B - rm.msds-lubs@total.com

#### 1.4. Emergency telephone number

Emergency telephone: +44 1235 239670

UK: National Poisons Information Service (NPIS): NHS on 111 or a doctor

## Section 2: HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture

Page 1/11



## **DROSERA MS 68**

**Revision Date:** 2016-12-15

Version 4

#### REGULATION (EC) No 1272/2008

For the full text of the H-Statements mentioned in this Section, see Section 2.2.

#### Classification

The product is not classified as dangerous according to Regulation (EC) No. 1272/2008

#### 2.2. Label elements

Labelled according to

REGULATION (EC) No 1272/2008

Signal Word None

Hazard Statements None

Precautionary statements None

Supplemental Hazard Statements EUH210 - Safety data sheet available on request

### 2.3. Other hazards

Physical-Chemical Properties Contaminated surfaces will be extremely slippery.

Environmental properties Should not be released into the environment.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixture

#### Hazardous components

Chemical Name	EC-No	REACH Registration Number	CAS-No	Weight %	GHS Classification
(Z)-octadec-9-enylamine	204-015-5	no data available	112-90-3	0.1-<0.25	Acute Tox. 4 (H302) Skin Corr. 1B (H314) Asp. Tox. 1 (H304) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) STOT SE 3 (H335) STOT RE 2 (H373) Acute M factor = 10 Chronic M factor = 10

Additional information

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346.



## **DROSERA MS 68**

**Revision Date: 2016-12-15** 

Version 4

Version EUUK

For the full text of the H-Statements mentioned in this Section, see Section 16.

## Section 4: FIRST AID MEASURES

## 4.1. Description of first aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.		
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.		
Skin contact	Remove contaminated clothing and shoes. Wash skin with soap and water. Wash contaminated clothing before reuse. High pressure jets may cause skin damage. In this case, the casualty should be sent immediately to hospital.		
Inhalation	Move to fresh air.		
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately.		
4.2. Most important sympto	oms and effects, both acute and delayed		
Eye contact	Not classified.		
Skin contact	Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.		
Inhalation	Not classified. Inhalation of vapours in high concentration may cause irritation of respiratory system.		
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.		
4.3. Indication of any imme	ediate medical attention and special treatment needed		
Notes to physician	Treat symptomatically.		
Section 5: FIRE-FIGHTING MEASURES			
5.1. Extinguishing media			
Suitable extinguishing media	Carbon dioxide (CO 2). ABC powder. Foam. Water spray or fog.		
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter and spread fire.		
5.2. Special hazards arising from the substance or mixture			
<b>.</b>			

Incomplete combustion and thermolysis may produce gases of varying toxicity such as

be highly dangerous if inhaled in confined spaces or at high concentration.

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may

**Special hazard** 



## DROSERA MS 68

#### Revision Date: 2016-12-15

Version 4

### 5.3. Precautions for fire-fighters

**Special protective equipment for** Wear self-contained breathing apparatus and protective suit. **fire-fighters** 

# Other informationCool containers / tanks with water spray. Fire residues and contaminated fire extinguishing<br/>water must be disposed of in accordance with local regulations.

### Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

 General Information
 Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

#### 6.2. Environmental precautions

General Information Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Dam up. Contain spillage, and then collect with non-combustable absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

#### 6.4. Reference to other sections

Waste treatment See section 13.

Section 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Advice on safe handlingWhen using, do not eat, drink or smoke. For personal protection see section 8. Use only in<br/>well-ventilated areas. Do not breathe vapours or spray mist. Avoid contact with skin, eyes<br/>and clothing.Prevention of fire and explosionTake precautionary measures against static discharges. Ground/bond containers, tanks<br/>and transfer/receiving equipment.Hygiene measuresEnsure the application of strict rules of hygiene by the personnel exposed to the risk of<br/>contact with the product. Regular cleaning of equipment, work area and clothing is<br/>recommended. Wash hands before breaks and immediately after handling the product. Do<br/>not use abrasives, solvents or fuels. Do not dry hands with rags that have been



## **DROSERA MS 68**

Version 4

Revision Date: 2016-12-15

contaminated with product. Do not put product contaminated rags into workwear pockets.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions	Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Preferably keep in the original container. Otherwise, reproduce all the statutory information from the labels onto the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.
Materials to avoid	Strong oxidising agents.

## 7.3. Specific use(s)

#### Specific use(s)

### No information available.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1. Control parametres

#### Exposure limits

Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m<sup>3</sup>, NIOSH (REL) TWA 5 mg/m<sup>3</sup>, STEL 10 mg/m<sup>3</sup>, ACGIH (TLV) TWA 5 mg/m<sup>3</sup> (highly refined)

Legend

See section 16

#### 8.2. Exposure controls

#### **Occupational Exposure Controls**

Engineering measuresApply technical measures to comply with the occupational exposure limits. When working in<br/>confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for<br/>breathing and wear the recommended equipment.Personal protective equipmentIf the product is used in mixtures, it is recommended that you contact the appropriate<br/>protective equipment suppliers. These recommendations apply to the product as supplied.

**Respiratory protection** When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). Type A/P1. The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.

**Eye protection** If splashes are likely to occur, wear:. Safety glasses with side-shields.

Skin and body protection Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.

Hand protection Hydrocarbon-proof gloves: Nitrile rubber, Fluorinated rubber. In case of prolonged contact



## **DROSERA MS 68**

**Revision Date: 2016-12-15** 

Version 4

with the product, it is recommended to wear gloves complying with EN 420 and EN 374 standards, protecting at least for 480 minutes and having a thickness of 0,38 mm at least. These values are indicative only. The level of protection is provided by the material of the glove, its technical characteristics, its resistance to the chemicals to be handled, the appropriateness of its use and its replacement frequency.

### Environmental exposure controls

**General Information** 

The product should not be allowed to enter drains, water courses or the soil.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance Colour Physical state @20°C Odour Odour Threshold		Clear yellow Liquid characteristic No information available	
<u>Property</u> pH Melting point/range	<u>Values</u>	<u>Remarks</u> Not applicable Not applicable	<u>Method</u>
Boiling point/boiling range		No information available	
Flash point	> <b>210 °C</b> > 410 °F		Cleveland Open Cup (COC) Cleveland Open Cup (COC)
Evapouration rate Flammability Limits in Air		No information available No information available	
Upper Lower Vapour pressure Vapour density Relative density Density Water solubility Solubility in other solvents logPow Autoignition temperature Decomposition temperature Viscosity, kinematic Explosive properties Oxidising properties Possibility of hazardous reactions	0.872 - 0.882 872 - 882 kg/m <sup>3</sup> 61.9 - 74.0 mm2/s Not explosive Not applicable No information available	No information available No information available No information available No information available @ 15 °C @ 15 °C Insoluble No information available No information available No information available @ 40 °C	ISO 3104

9.2. Other information

## **DROSERA MS 68**

Revision Date: 2016-12-15

Version 4

**Freezing point** 

SDS #: 31224

No information available

## Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

General Information No information available.

10.2. Chemical stability

Stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous reactions** 

None under normal processing.

10.4. Conditions to Avoid

**Conditions to Avoid** Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents.

10.6. Hazardous Decomposition Products

Hazardous Decomposition Products None under normal use. Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.

## Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

#### Acute toxicity Local effects Product Information

Skin contact	. Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.
Eye contact	. Not classified.
Inhalation	. Not classified. Inhalation of vapours in high concentration may cause irritation of respiratory system.
Ingestion	. Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
ATEmix (oral)	> 5,000.00
ATEmix (dermal)	> 5,000.00
ATEmix (inhalation-gas)	> 5,000.00
ATEmix (inhalation-dust/mist)	> 5,000.00
ATEmix (inhalation-vapour)	> 5,000.00



## DROSERA MS 68

Revision Date: 2016-12-15

Version 4

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
(Z)-octadec-9-enylamine	LD50 1689 mg/kg (Rat)	LD50 > 2000 mg/kg (Rat)	
<u>Sensitisation</u>			
Sensitisation	Not classified as a sensitizer.		
Specific effects			
Carcinogenicity	This product is not classified ca	arcinogenic.	
Mutagenicity	This product is not classified as	5	
Reproductive toxicity	This product does not present any known or suspected reproductive hazards.		
Repeated Dose Toxicity			
Subchronic Toxicity	No information available.		
Target Organ Effects (STOT)			
Other information			
Other adverse effects	Characteristic skin lesions (oil exposures (contact with contar	blisters) may develop following p ninated clothing).	prolonged and repeated

#### Section 12: ECOLOGICAL INFORMATION

## 12.1. Toxicity

Not classified. An additive present in the composition of this product would require a classification, however available experimental data indicate that no classification is required.

#### Acute aquatic toxicity - Product Information

No information available.

#### Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates.	Toxicity to fish	Toxicity to microorganisms
(Z)-octadec-9-enylamine 112-90-3	EC50 (96h) 0.03 mg/l (Algae)	EC50 (48h) 0.011 mg/l (Daphnia magna)	LC50 (96h) 0.11 mg/l (Fish)	

### Chronic aquatic toxicity - Product Information

No information available.

#### Chronic aquatic toxicity - Component Information

#### Effects on terrestrial organisms

## **DROSERA MS 68**

Revision Date: 2016-12-15

Version 4

No information available.

12.2. Persistence and Degradability

General Information No information available.			
12.3. Bioaccumulative pot	ential		
Product Information	No information available.		
logPow Component Information 12.4. Mobility in soil	No information available No information available.		
Soil	Given its physical and chemical characteristics, the product has no soil mobility.		
Air	Loss by evaporation is limited.		
Water	The product is insoluble and floats on water.		
12.5. Results of PBT and v	PvB assessment		
PBT and vPvB assessment	No information available.		
12.6. Other adverse effect	<u>S</u>		
General Information	No information available.		
Section 13: DISPOSAL CONSIDERATIONS			
13.1. Waste treatment methods			
Waste from residues / unused productsShould not be released into the environment. Dispose of in accordance with the Euro Directives on waste and hazardous waste. Dispose of in accordance with local regular			
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.		
EWC Waste Disposal No	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.		
Section 14: TRANSPORT INFORMATION			

## ADR/RID

not regulated



## **DROSERA MS 68**

Revision Date: 2016-12-15

Version 4

IMDG/IMO not regulated

ICAO/IATA not regulated

ADN not regulated

## Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

#### Further information

No information available

#### 15.2. Chemical Safety Assessment

Chemical Safety Assessment No information available

15.3. National regulatory information

#### The United Kingdom

• Avoid exceeding occupational exposure limits (see section 8).

#### Ireland

• Avoid exceeding occupational exposure limits (see section 8).

#### Section 16: OTHER INFORMATION

#### Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H304 - May be fatal if swallowed and enters airways

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

H373 - May cause damage to the kidneys/ liver/ eyes/ brain/ digestive system/ central nervous system through prolonged or

repeated exposure if swallowed

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

#### Abbreviations, acronyms



## **DROSERA MS 68**

**Revision Date: 2016-12-15** 

Version 4

ACGIH = American Conference of Governmental Industrial Hygienists bw = body weight bw/day = body weight/day EC x = Effect Concentration associated with x% response GLP = Good Laboratory Practice IARC = International Agency for Research of Cancer LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals LL = Lethal Loading NIOSH = National Institute of Occupational Safety and Health NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration NOEL = No Observed Effect Level OECD = Organization for Economic Co-operation and Development OSHA = Occupational Safety and Health Administration UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material DNEL = Derived No Effect Level PNEC = Predicted No Effect Concentration dw = dry weight fw = fresh water mw = marine water or = occasional release Legend Section 8 TWA: Time Weight Average STEL: Short Time Exposure Limit \* Sensitiser Skin designation + \*\* Hazard Designation C: Carcinogen M: Mutagen R: Toxic to reproduction **Revision Date:** 2016-12-15 \*\*\* Indicates updated section. **Revision Note** 

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of Safety Data Sheet