

MULTIS COMPLEX SHD 220

SDS # : 37763

previous revision date : 2023/05/10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : MULTIS COMPLEX SHD 220

1.2 Relevant identified uses of the substance or mixture and uses advised against

| Identified uses |
|--------------------|
| Lubricating grease |

1.3 Details of the supplier of the safety data sheet

TotalEnergies Lubrifiants
562 Avenue du Parc de L'île
92029 Nanterre Cedex FRANCE
Tél: +33 (0)1 41 35 40 00
Fax: +33 (0)1 41 35 84 71
rm.msds-lubs@totalenergies.com

See section 16 to have the contact details of the local supplier

Contact

H.S.E

1.4 Emergency telephone number

National advisory body/Poison Center

Telephone number : France - ORFILA (INRS) Tél : +33 (0)1 45 42 59 59
In France - Poison centers:
ANGERS : 02 41 48 21 21
BORDEAUX : 05 56 96 40 80
LILLE : 08 00 59 59 59
LYON : 04 72 11 69 11
MARSEILLE : 04 91 75 25 25
NANCY : 03 83 22 50 50
PARIS : 01 40 05 48 48
STRASBOURG : 03 88 37 37 37
TOULOUSE : 05 61 77 74 47

Supplier

Telephone number : Emergency phone: +44 1235 239670

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

| | |
|--|---|
| Signal word | : No signal word. |
| Hazard statements | : No hazard statement. |
| Precautionary statements | |
| Prevention | : Not applicable. |
| Response | : Not applicable. |
| Storage | : Not applicable. |
| Disposal | : Not applicable. |
| Supplemental label elements | : Safety data sheet available on request. |
| Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles | : Not applicable. |

2.3 Other hazards

This mixture does not contain any substances that are assessed to be a PBT or a vPvB in a concentration $\geq 0,1$ %.

This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACH Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.

Other hazards which do not result in classification : None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures : Mixture

| Product/substance | Identifiers | % (w/w) | Classification | Specific Conc. Limits, M-factors and ATEs | Type |
|---|--|----------|--|--|------|
| Lithium azelate | REACH #: 01-2120119814-57 EC: 254-184-4 CAS: 38900-29-7 | ≤ 3 | Acute Tox. 4, H302 | ATE [Oral] = 301 mg/kg | [1] |
| Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts | REACH #: 01-2119493628-22 EC: 270-608-0 CAS: 68457-79-4 | < 2.5 | Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411 | Skin Irrit. 2, H315: C $\geq 15\%$ Eye Dam. 1, H318: C $\geq 3\%$ | [1] |
| Molybdenum, bis (dibutylcarbamodithioato)di- μ -oxodioxodi-, sulfurized | REACH #: 01-2120764792-44 EC: 270-180-5 CAS: 68412-26-0 | ≤ 3 | Aquatic Chronic 4, H413 | - | [1] |
| Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene | REACH #: 01-2119491299-23 EC: 270-128-1 CAS: 68411-46-1 | ≤ 1 | Repr. 2, H361f See Section 16 for the full text of the H statements declared above. | - | [1] |

Additional information : The product is made from synthetic base oils

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
- Ingestion** : ☒ Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

- Eye contact** : No specific data.
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media** : Use dry chemical, CO₂, water spray (fog) or foam.
- Unsuitable extinguishing media** : Do not use water jet.

5.2 Special hazards arising from the substance or mixture

- Hazards from the substance or mixture** : No specific fire or explosion hazard.

Hazardous combustion products : Carbon monoxide
carbon dioxide
Silicon Dioxide
nitrogen oxides
phosphorus oxides
sulfur oxides
Hydrogen sulfide
Mercaptans
Zinc oxides

5.3 Advice for firefighters

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Small spill : Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Large spill : Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections : See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures : Pregnant women should strictly avoid inhalation or skin contact.
Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations : Not available.

Industrial sector specific solutions : Not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Biological Limit Values (BLV)

No exposure indices known.

Recommended monitoring procedures : Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

Advisory OEL : No known significant effects or critical hazards.

DNELs/DMELs

| Product/substance | Type | Exposure | Value | Population | Effects |
|--|------|----------------------|--------------------------|--------------------|----------|
| Lithium azelate Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts | DNEL | Long term Dermal | 0.172 mg/cm ² | Workers | Local |
| | DNEL | Long term Dermal | 0.023 mg/cm ² | General population | Local |
| | DNEL | Long term Oral | 0.24 mg/kg bw/day | General population | Systemic |
| | DNEL | Long term Inhalation | 2.06 mg/m ³ | General population | Systemic |
| | DNEL | Long term Dermal | 5.93 mg/kg bw/day | General population | Systemic |
| | DNEL | Long term Inhalation | 8.13 mg/m ³ | Workers | Systemic |
| | DNEL | Long term Dermal | 11.87 mg/kg bw/day | Workers | Systemic |
| Molybdenum, bis | DNEL | Long term Oral | 5 mg/kg | General | Systemic |



| | | | | | |
|---|------|----------------------|------------------------|--------------------|----------|
| (dibutylcarbamodithioato)di-μ-oxodioxodi-, sulfurized | | | bw/day | population | |
| | DNEL | Long term Dermal | 5 mg/kg bw/day | General population | Systemic |
| | DNEL | Long term Inhalation | 8.7 mg/m ³ | General population | Systemic |
| | DNEL | Long term Dermal | 14 mg/kg bw/day | Workers | Systemic |
| | DNEL | Long term Inhalation | 49.3 mg/m ³ | Workers | Systemic |
| Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene | DNEL | Long term Oral | 0.04 mg/kg bw/day | General population | Systemic |
| | DNEL | Long term Dermal | 0.04 mg/kg bw/day | General population | Systemic |
| | DNEL | Long term Dermal | 0.08 mg/kg bw/day | Workers | Systemic |
| | DNEL | Long term Inhalation | 0.14 mg/m ³ | General population | Systemic |
| | DNEL | Long term Inhalation | 0.6 mg/m ³ | Workers | Systemic |

PNECs

| Product/ingredient name | Compartment Detail | Name | Method Detail |
|---|------------------------|----------------|---------------|
| dilithium azelate | Fresh water | 0.023 mg/l | - |
| | Marine water | 0.0023 mg/l | - |
| Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts | Fresh water | 1.9 mg/l | - |
| | Marine water | 1.9 mg/l | - |
| | Sewage Treatment Plant | 39 mg/l | - |
| | Fresh water sediment | 33 mg/kg | - |
| | Marine water sediment | 33 mg/kg | - |
| Molybdenum, bis(dibutylcarbamodithioato)di-μ-oxodioxodi-, sulfurized | Fresh water | 0.1 mg/l | - |
| | Marine water | 0.01 mg/l | - |
| Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene | Fresh water | 33.8 μg/l | - |
| | Marine water | 3.38 μg/l | - |
| | Fresh water sediment | 446 μg/kg dwt | - |
| | Marine water sediment | 44.6 μg/kg dwt | - |
| | Soil | 1.76 mg/kg dwt | - |

8.2 Exposure controls

Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : In case of contact through splashing: safety glasses with side-shields, EN 166.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

nitrile rubber

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

In case of prolonged contact with the product, it is recommended to wear gloves complying with ISO 21420 and EN 374 standards, protecting at least for 480 minutes and having a thickness of 0,38 mm at least. These values are indicative only. The level of protection is provided by the material of the glove, its technical characteristics, its resistance to the chemicals to be handled, the appropriateness of its use and its replacement frequency

- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Non-skid safety shoes or boots
- Respiratory protection** : None under normal use conditions. If these are not sufficient to maintain exposure below the OEL, suitable respiratory protection must be worn (Type A/P1).
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature (20°C / 68°F) and pressure (1013 hPa) unless otherwise indicated

9.1 Information on basic physical and chemical properties

Appearance

- Physical state** : Solid.
- Color** : Yellow.
- Odor** : Characteristic.
- pH** : Not applicable. Product is non-soluble (in water).
- Melting point/freezing point** : >250°C [EN ISO 3016]
- Initial boiling point and boiling range** : Not applicable.
- Flash point** : Open cup: Not applicable.
- Flammability** : Yes.
- Lower and upper explosion limit** : Not applicable.
- Vapor pressure** : Not applicable.
- Vapor density** : Not applicable.
- Relative density** : 0.9
- Density** : 0.9 g/cm³ [20°C]
- Solubility(ies)** :

| Media | Result |
|-------|-------------|
| water | Not soluble |

- Miscible with water** : No.
- Partition coefficient: n-octanol/ water** : >3.5
- Auto-ignition temperature** : Not applicable.
- Decomposition temperature** : >250°C

Viscosity : ☒ Dynamic (room temperature): Not available.
Kinematic (room temperature): Not applicable.
Kinematic (40°C): Not applicable.

Particle characteristics

Median particle size : Not available.

9.2 Other information

No other relevant physical and chemical parameters for the safe use of the product

SECTION 10: Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : Stable under recommended storage and handling conditions (see Section 7).

10.3 Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : No specific data.

10.5 Incompatible materials : Strong oxidizing agents

10.6 Hazardous decomposition products : ☒ Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

| Product/substance | Result | Species | Dose | Exposure | Test |
|---|---------------------------------|---------|-------------|----------|---|
| <input checked="" type="checkbox"/> Lithium azelate | LD50 Dermal | Rat | >2000 mg/kg | - | - |
| | LD50 Oral | Rat | 301 mg/kg | - | - |
| Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts | LD50 Dermal | Rabbit | >20 g/kg | - | OECD 402 Acute Dermal Toxicity |
| | LD50 Oral | Rat | 3.6 g/kg | - | - |
| Molybdenum, bis (dibutylcarbamodithioato)di-μ-oxodioxodi-, sulfurized | LC50 Inhalation Dusts and mists | Rat | 34.5 mg/l | 4 hours | - |
| | LD50 Dermal | Rabbit | 10001 mg/kg | - | - |
| | LD50 Oral | Rat | >2000 mg/kg | - | OECD 420 |
| Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene | LD50 Oral | Rat | >2500 mg/kg | - | - |

Acute toxicity estimates

| Product/substance | Oral (mg/kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapors) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|---|--------------|----------------|--------------------------|----------------------------|-------------------------------------|
| MULTIS COMPLEX SHD 220 | 12040.0 | N/A | N/A | N/A | N/A |
| dilithium azelate | 301 | N/A | N/A | N/A | N/A |
| Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts | 3600 | N/A | N/A | N/A | N/A |
| Molybdenum, bis(dibutylcarbamodithioato)di-μ-oxodioxodi-, sulfurized | N/A | 10001 | N/A | N/A | 34.5 |

Conclusion/Summary : Based on available data, the classification criteria are not met.

Irritation/Corrosion

Conclusion/Summary

Skin : Based on available data, the classification criteria are not met.

Eyes : Based on available data, the classification criteria are not met. The supplier of one or more of the components contained within this formulation has indicated that he has data on the components and/or similar mixtures, which confirms that at the concentration used, classification is not required.

Respiratory : Based on available data, the classification criteria are not met.

Sensitization

Conclusion/Summary

Skin : Based on available data, the classification criteria are not met.

Respiratory : Based on available data, the classification criteria are not met.

Mutagenicity

Conclusion/Summary : Based on available data, the classification criteria are not met.

Carcinogenicity

Conclusion/Summary : Based on available data, the classification criteria are not met.

Reproductive toxicity

Conclusion/Summary : Based on available data, the classification criteria are not met.

Teratogenicity

Conclusion/Summary : Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Conclusion/Summary : Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure)

Conclusion/Summary : Based on available data, the classification criteria are not met.

Aspiration hazard

Conclusion/Summary : Based on available data, the classification criteria are not met.

Information on the likely routes of exposure : Not available.

Potential acute health effects

Eye contact : No known significant effects or critical hazards.

Inhalation : No known significant effects or critical hazards.

Skin contact : No known significant effects or critical hazards.

Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.
Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Potential chronic health effects

Not available.

Conclusion/Summary : Not available.
General : No known significant effects or critical hazards.
Carcinogenicity : No known significant effects or critical hazards.
Mutagenicity : No known significant effects or critical hazards.
Reproductive toxicity : No known significant effects or critical hazards.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACh Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.

11.2.2 Other information

Not available.

SECTION 12: Ecological information

12.1 Toxicity

| Product/substance | Result | Species | Exposure | Test |
|---|---------------------------------|--|----------|----------|
| Lithium azelate | Acute LC50 >100 mg/l | Algae | 72 hours | - |
| | Acute LC50 >100 mg/l | Daphnia | 48 hours | - |
| | Acute EL50 23 mg/l Fresh water | Daphnia - <i>Daphnia magna</i> | 48 hours | OECD 202 |
| | Acute LC50 21 mg/l Fresh water | Algae - <i>Scenedesmus subspicatus</i> | 72 hours | OECD 201 |
| | Acute LC50 46 mg/l Marine water | Fish - <i>Cyprinodon variegatus</i> | 96 hours | OECD 203 |
| Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts | Acute LL50 4.5 mg/l Fresh water | Fish - <i>Oncorhynchus mykiss</i> | 96 hours | OECD 203 |
| | Acute NOEC 0.8 mg/l Fresh water | Daphnia - <i>Daphnia magna</i> | 21 days | OECD 211 |
| | Acute EC50 >100 mg/l | Algae - <i>Pseudokirchneriella subcapitata</i> | 72 hours | OECD 201 |
| | Acute EC50 >100 mg/l | Daphnia - <i>Daphnia magna</i> | 48 hours | OECD 202 |
| | | | | |
| Molybdenum, bis (dibutylcarbamodithioato)di-μ-oxodioxodi-, sulfurized | | | | |

Conclusion/Summary : Not available.

12.2 Persistence and degradability

Conclusion/Summary : Not available.

| Product/substance | Aquatic half-life | Photolysis | Biodegradability |
|---|-------------------|------------|------------------|
| Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts | - | - | Not readily |
| Molybdenum, bis (dibutylcarbamodithioato)di-μ-oxodioxodi-, sulfurized | - | - | Readily |
| Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene | - | - | Not readily |

12.3 Bioaccumulative potential

| Product/substance | LogK _{ow} | BCF | Potential |
|---|--------------------|------|-----------|
| MULTIS COMPLEX SHD 220 | >3.5 | - | Low |
| Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts | 0.69 | - | Low |
| Molybdenum, bis (dibutylcarbamodithioato)di-μ-oxodioxodi-, sulfurized | 6.24 to 7.28 | - | High |
| Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene | 5.1 | 1730 | High |

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Mobility : Not available.

Mobility in soil : Given its physical and chemical characteristics, the product has no soil mobility.
The product is insoluble and floats on water. Loss by evaporation is limited.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB in a concentration $\geq 0,1$ %.

12.6 Endocrine disrupting properties

This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACH Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : Yes.
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used. The following Waste Codes are only suggestions: 12 01 12*

Packaging

Methods of disposal : The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

| | ADR/RID | ADN | IMDG | ICAO/IATA |
|--|----------------|----------------|----------------|----------------|
| 14.1 UN number or ID number | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| 14.2 UN proper shipping name | - | - | - | - |
| 14.3 Transport hazard class(es) | - | - | - | - |
| 14.4 Packing group | - | - | - | - |
| 14.5 Environmental hazards | No. | No. | No. | No. |

14.6 Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO instruments : Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Other EU regulations

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Industrial emissions : Not listed
(integrated pollution
prevention and control) -
Air

Industrial emissions : Not listed
(integrated pollution
prevention and control) -
Water

Explosive precursors : ☒ Not applicable.

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Persistent Organic Pollutants

Not listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

National regulations

| | | |
|--|---|------|
| | Synthetic oil | RG36 |
| Reinforced medical surveillance | : Decree n ° 2012-135 of January 30, 2012 relating to the organization of occupational medicine: not applicable | |

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

LU - Luxembourg prohibited chemicals in the workplace

Not listed.

Inventory list

| | |
|--|--|
| Australia inventory (AIIIC) | : All components are listed or exempted. |
| Canada inventory (DSL/NDSL) | : At least one component is not listed in DSL but all such components are listed in NDSL. |
| China inventory (IECSC) | : All components are listed, exempted, or notified. |
| Europe inventory (EC) | : All components are listed or exempted. |
| Japan inventory | : Japan inventory (CSCL) : At least one component is not listed. Japan inventory (ISHL) : Not determined. |
| New Zealand Inventory of Chemicals (NZIoC) | : All components are listed or exempted. |
| Philippines inventory (PICCS) | : All components are listed or exempted. |
| Korea inventory (KECI) | : <input checked="" type="checkbox"/> All components are listed or exempted. |
| Taiwan Chemical Substances Inventory (TCSI) | : All components are listed, exempted, or notified. |
| Thailand inventory | : Not determined. |
| Turkey inventory | : Not determined. |
| United States inventory (TSCA 8b) | : All components are listed or exempted. |
| Vietnam inventory | : Not determined. |

The information stated in this section relates solely to the conformity of the chemical product with the countries Inventories. The information used to confirm the inventory status of this product may be based on additional data to the chemical composition shown in Section 3. Other regulations may apply for importation or marketing authorizations.

15.2 Chemical Safety Assessment : Risk management measures and safety conditions of use are included in the relevant sections of the SDS

SECTION 16: Other information

☒ Indicates information that has changed from previously issued version.

| | |
|-----------------------------------|--|
| Abbreviations and acronyms | : ACGIH = American Conference of Governmental Industrial Hygienists ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level DMEL = Derived Minimal Effect Level DMSO = Dimethyl Sulfoxide EL50 = median Effective Loading EUH statement = CLP-specific Hazard statement HSE = Health, Safety and Environment IC50 = Half maximal inhibitory concentration IDHL = Immediately dangerous to life or health LC50 = Median lethal concentration LD50 = Median lethal dose |
|-----------------------------------|--|

LL50 = median Lethal Loading
 LogKow = logarithm of the octanol/water partition coefficient
 N/A = Not available
 NIOSH = National Institute of Occupational Safety and Health
 NOAEL = No Observed Adverse Effect Level
 NOEC = No Observed Effect Concentration
 NOEL = No Observed Effect Level
 NOELR = No observed Effect Loading Rate
 OECD = Organisation for Economic Co-operation and Development
 OEL = Occupational Exposure Limit
 PBT = Persistent, Bioaccumulative and Toxic
 PNEC = Predicted No Effect Concentration
 QSAR = Quantitative Structure–Activity Relationship
 REL = Recommended Exposure Limit
 STEL = Short Term Exposure Limit
 TLV = Threshold Limit Value
 TWA = Time Weight Average
 VOC = Volatile Organic Compound
 vPvB = Very Persistent and Very Bioaccumulative
 Unique Formula Identifier (UFI)
 UVCB Substance of unknown or Variable composition, Complex reaction products or Biological material

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

| Classification | Justification |
|-----------------|---------------|
| Not classified. | |

Full text of abbreviated H statements

| | |
|---|---|
| H302 H315 H318 H361f H411 H413 | Harmful if swallowed. Causes skin irritation. Causes serious eye damage. Suspected of damaging fertility. Toxic to aquatic life with long lasting effects. May cause long lasting harmful effects to aquatic life. |
|---|---|

Full text of classifications [CLP/GHS]

| | |
|--|--|
| Acute Tox. 4 Aquatic Chronic 2 Aquatic Chronic 4 Eye Dam. 1 Repr. 2 Skin Irrit. 2 | ACUTE TOXICITY - Category 4 AQUATIC HAZARD (LONG-TERM) - Category 2 AQUATIC HAZARD (LONG-TERM) - Category 4 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 TOXIC TO REPRODUCTION - Category 2 SKIN CORROSION/IRRITATION - Category 2 |
|--|--|

Additional details on the supplier of the product

TotalEnergies Marketing Antilles-Guyane
 ZI. Californie
 97232 Le Lamentin
 Martinique France
 Tel: +596 596 504 957

TotalEnergies Marketing Mayotte
 Immeuble Jacaranda 1, Lotissement Les 3 vallées Majicavo Lamir
 BP 867 kawéni
 97600 MAMOUDZOU
 tél : +262 (0) 269 60 12 94
 fax : +262 (0) 269 60 17 30



TotalEnergies

MULTIS COMPLEX SHD 220

SDS # : 37763

TotalEnergies Marketing Réunion
3 rue Jacques Prévert
BP286 – 97827 LE PORT
tél : +262 (0) 262 55 20 20
fax : +262 (0) 262 55 20 31

TotalEnergies Lubrifiants Services Automobile
105 Boulevard de la mission Marchand
92411 Courbevoie Cedex France
Tel : 01 47 75 50 00

Date of revision : 2024/07/08

previous revision date : 2023/05/10

Version : 3.01

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.